



ELECTRICAL SPARE PART | PIEZA ELÉCTRICA


RECTIFIER | RECTIFICADOR

AGRALE
GA1672 // NEW //


FEATURES / CARACTERÍSTICAS: 110A, 6x50A Avalanche Diode, B+: M8X14.5mm
 REPLACES / REEMPLAZA:
 ...
 APPLICATION / APLICACIÓN:
JAC: J6 2.0 16V 2010>
ALTERNATOR / ALTERNATOR:
VALEO: TG11S072; **JAC:** 1015301GA


BOSCH
GA1001

FEATURES / CARACTERÍSTICAS: 55A, Diodes 3x35A, without diode trio
 REPLACES / REEMPLAZA:
Bosch: 1 125 715 064, 9 121 080 349, 1 125 715 065, 9 121 080 671, 9 121 080 244, 9 121 080 849
 APPLICATION / APLICACIÓN:
MISCELLANEOUS: Tractors Agrale, CBT, Fiat-Allis, Komatsu, Massey Perkins (to 85). Equipment Yanmar, Mercedes Benz;
SCANIA: Trucks, Bus, Marine Engine / Stationary;
TOYOTA: Bandeirantes and Utilitários (to 87);
VOLVO: Trucks N10, N12 e Bus B58 (to 85);
FIAT DIESEL: all models (to 82).
ALTERNATOR / ALTERNATOR:
BOSCH: 9 120 080 020, 9 120 080 031, 9 120 080 054, 9 120 080 084, 9 120 080 091, 9 120 080 082, 9 120 080 110, 9 120 080 125
VOLTAGE REGULATOR:
 GA004 / GA005


BOSCH
GA1003

FEATURES / CARACTERÍSTICAS: 55A, Diodes 3x35A, with diode trio
 REPLACES / REEMPLAZA:
Bosch: 1 125 715 064, 9 121 080 349, 1 125 715 065, 9 121 080 671, 9 121 080 244, 9 121 080 849; **Magneti Marelli:** PR520402
 APPLICATION / APLICACIÓN:
MISCELLANEOUS: Tractors Agrale, CBT, Fiat-Allis, Komatsu, Massey Perkins (to 85). Equipment Yanmar, Mercedes Benz;
SCANIA: Trucks, Bus, Marine Engine / Stationary;
TOYOTA: Bandeirantes and Utilitários (to 87);
VOLVO: Trucks N10, N12 e Bus B58 (to 85);
FIAT DIESEL: all models (to 82).
ALTERNATOR / ALTERNATOR:
BOSCH: 9 120 080 020, 9 120 080 031, 9 120 080 054, 9 120 080 084, 9 120 080 091, 9 120 080 082, 9 120 080 110, 9 120 080 125
VOLTAGE REGULATOR:
 GA004 / GA005


BOSCH
GA1089

FEATURES / CARACTERÍSTICAS: 65A, Diodes 6x35A, B+ Post M8x50, D+ Post M5x45, with diode trio
 REPLACES / REEMPLAZA:
Bosch: 9 123 080 089; **Magneti Marelli:** PR520409
 APPLICATION / APLICACIÓN:
FORD: Escort/ Verona 1.6i/ 1.8i without AC. (after 06.94), Royale/ Versailles 1.8i (AP) without AC. (to 01.93);
VW: Gol/ Parati/ Voyage 1.6i, 1.8i/ 2.0i (after 10.96), Logus 1.6i, 1.8 CL, GL, GLS, 1.8i/ 2.0i (AP) Pointer 1.6i, 1.8i, 2.0i (after 02.93), Santana/ Quantum 1.8i/ 2.0i/ 2.0i GLS without AC. (after 03.93).
ALTERNATOR / ALTERNATOR:
BOSCH: 9 120 080 501
VOLTAGE REGULATOR:
 GA039 / GA040


BOSCH
GA1128 // NEW //

FEATURES / CARACTERÍSTICAS: 150A, Avalanche Diodes 6x70A, B+ M8x22
 REPLACES / REEMPLAZA:
Cargo: 333715; **AS-Poland:** ARC0137; **Transpo:** IBR2201; **Mobileron:** RB-170HD; **Regitar:** RB-170HD
 APPLICATION / APLICACIÓN:
BMW: 540i V8 4.4 1999>2000, 740i V8 4.4 1999>2000, 750iL V12 5.4 1999>2000, X5 V8 4.4 2000; **LAND ROVER:** Range Rover III 4400 V8 2002>2005; **MERCEDES BENZ:** C200 2200 Cdi 2000>2003, C220 CDI 2.2 2000>2003, C270 2700 2000>2007, E200 CDI 2.2 1999>2000, E220 CDI 2.2 1999>2000, E270 CDI 2.7 1999>2001, E320 CDI 3.2 1999>2000, G400 CDI 4.0 2000>2015, S320 CDI 3.2 1999>2002, ML270 2700 2000>2005, S400 CDI 4.0 1999>2005
ALTERNATOR / ALTERNATOR:
BMW: 12-31-1-705-483, 12-31-1-705-557, 12-31-7-508-052, 12-31-7-508-054; **LAND ROVER:** YLE000040; **MERCEDES BENZ:** 000-150-06-50, 000-150-20-50, 000-150-28-50, 000-154-05-50, 000-154-06-50, 000-154-20-50, 0001500550, 137-150-05-50, 137-150-09-50, A0001500550, A0001500650, A0001502050, A0001502850, A1371500550, A1371500950



BOSCH

GA1129
FEATURES / CARACTERÍSTICAS: 65A, Diodes 6x35A, B+ Post M8x50, D+ Post M5x45, W Post M5x45, with diode trio

REPLACES / REEMPLAZA:
Bosch: 9 123 080 129; **Magneti Marelli:** PR520411

APPLICATION / APLICACIÓN:
VW: Gol 1.0 MI (AT 1000 MI Hitork 10.96).

ALTERNATOR / ALTERNATOR:
BOSCH: 9 120 080 502

VOLTAGE REGULATOR:

GA040

BOSCH

GA1012
FEATURES / CARACTERÍSTICAS: 70A, Diodes 6x35A, B+ Post M6x50, with diode trio

REPLACES / REEMPLAZA:
Bosch: F000 LD1-012; **Cargo:** 134341; **WAI/Transpo:** IBR301


APPLICATION / APLICACIÓN:
FORD: Pick-up F1000 HSD (Maxion High Speed) e F1000T (MWM-4.10T) (10.95) 9 120 080 230 K1 70 14;

MERCEDES BENZ: Sprinter 310D with enginer OM-014A without AC (09.96) 9 120 080 212 K1 70 14.

ALTERNATOR / ALTERNATOR:
BOSCH: 9 120 080 230, 9 120 080 212

VOLTAGE REGULATOR:

GA040

BOSCH

GA1652
FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, B+ Post M6, with diode trio

REPLACES / REEMPLAZA:
Bosch: 9 122 080 652; **Regitar:** RB-02; **Cargo:** 135605; **WAI/Transpo:** IBR304

APPLICATION / APLICACIÓN:
GM: Vectra 07>, S10, Blazer 2.2 05>, Kadet, Ipanema 89> with/ without AC

ALTERNATOR / ALTERNATOR:
BOSCH: 9 120 080 172, 9 120 080 180

VOLTAGE REGULATOR:

GA032

BOSCH

GA1027
FEATURES / CARACTERÍSTICAS: 70A, Diodes 6x35A Avalanche (Zener) , B+ Post M6

REPLACES / REEMPLAZA:
Bosch: 9 121 067 385, 9 120 067 027; **Regitar:** RB-83H; **Cargo:** 136591; **WAI/Transpo:** IBR388

APPLICATION / APLICACIÓN:
JOHN DEERE;
THERMOKING;
ALTERNATOR / ALTERNATOR:
BOSCH: 9 120 067 027; **LESTER:** 12223; **PIC:** 220344A; **THERMOKING:** 5D33839G01, 5D38603G01

BOSCH

GA1067
FEATURES / CARACTERÍSTICAS: 130A, Diodes 8x35A, Diode Avalanche (Zener)

REPLACES / REEMPLAZA:
Bosch: 9 121 067 067, 9 121 067 364, 9 121 067 371, 9 121 067 374, 9 121 067 375, 9 121 067 388, 9 121 067 394; **Regitar:** RB-84H;



Cargo: 234953; **WAI/Transpo:** IBR308

APPLICATION / APLICACIÓN:
FORD: Mercury, Capri

ALTERNATOR / ALTERNATOR:
BOSCH: 9 120 060 009, 9 120 060 023; **PIC:** 220344, 220344A, 220344C

VOLTAGE REGULATOR:

GA392

BOSCH
GA1275


FEATURES / CARACTERÍSTICAS: 75A, Diodes 6x35A, B+ Post M6x50.

REPLACES / REEMPLAZA:

Bosch: 9 122 080 275, 9 128 040 282, 1 127 011 117, 1 127 011 118, 1 127 011 119, 1 127 011 120, 1 127 011 121, 1 127 011 123, 1 127 011 124, 1 127 011 125, 1 127 011 128, 1 127 011 138, 1 127 011 140, 1 127 320 109, 1 127 320 110, 1 127 320 117, 1 127 320 128, 1 127 320 139, 1 127 320 148, 1 127 320 149, 1 127 320 150, 1 127 320 170, 1 127 320 171, 1 127 320 184, 1 127 320 187, 1 127 320 188, 1 127 320 189, 1 127 320 190, 1 127 320 195, 1 127 320 196, 1 127 320 197, 1 127 320 300, 1 127 320 301, 1 127 320 303, 1 127 320 304, 1 127 320 305, 1 127 320 306, 1 127 320 308, 1 127 320 309, 1 127 320 313, 1 127 320 318, 1 127 320 320, 1 127 320 325, 1 127 320 326;

Regitar: RB-02; **Cargo:** 130602; **WAI/Transpo:** IBR304; **Magneti Marelli:** PR520432

APPLICATION / APLICACIÓN:

GM: Chevette 1.6, Pick up D20, Bonanza, Veraneio Truck 12000 and 14000, Monza, Kadett and Ipanema;

FIAT: Spazio, Oggi, Uno, Prêmio, Uno Mille, Elba 1.3, Panorama, Fiat 147, Fiorino (after 10.79);


LADA: Niva, Laika.

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 400 740, 0 120 400 741, 0 120 400 828, 0 120 400 832, 0 120 400 850, 0 120 400 855, 0 120 400 921, 0 120 400 922, 0 120 400 928, 0 120 488 250, 0 120 488 073, 0 120 488 263, 0 120 488 637, 0 120 488 660, 0 120 488 668, 0 120 488 875, 0 120 488 882, 9 120 080 056, 9 120 080 089, 9 120 080 096, 9 120 080 098, 9 120 080 120, 9 120 080 141, 9 120 080 142, 9 120 080 143, 9 120 080 153, 9 120 080 165, 9 120 080 168, 9 120 080 169, 9 120 080 170, 9 120 080 171, 9 120 080 172, 9 120 080 173, 9 120 080 180, 9 120 080 186, 9 120 080 190, 9 120 080 191, 9 120 080 192, 9 120 080 194, 9 120 080 195, 9 120 080 198, 9 120 080 208, 9 120 080 211, 9 120 080 213, 9 120 080 216, 9 120 080 221, 9 120 080 224, 9 120 080 227, 9 120 080 228, 9 120 456 053

VOLTAGE REGULATOR:

GA026 / GA027 / GA028 / GA032 / GA034 / GA034R

BOSCH
GA1277


FEATURES / CARACTERÍSTICAS: 65A, Diodes 6x35A, with diode trio

REPLACES / REEMPLAZA:

Bosch: 9 122 080 277, 9 122 080 672, 9 122 080 276, 1 127 011 113, 1 127 011 112, 1 127 011 114, 1 127 011 115, 1 127 011 135, 1 127 011 101, 1 127 320 081, 1 127 320 105, 1 127 320 108, 1 127 320 103, 1 127 320 119, 1 127 320 120; **Regitar:** RB-01; **Cargo:** 130603; **WAI/Transpo:** IBR303; **Magneti Marelli:** PR520433

APPLICATION / APLICACIÓN:

FORD: Escort Ghia 1.8, Escort Xr3 1.8, Escort Guarujá 1.8, Del Rey 1.8, Belina 1.8, Pampa 1.8 and Verona 1.6, GLX 1.8;


VW: Gol 1000, Gol Plus 1000i, Gol 1.6, GL, GT, GTS 1.8, Parati e Voyage 1.5/ 1.6, Kombi diesel Apolo, Parati GL, GLS 1.8, Passat 1.5/ 1.6/ 1.8 / GTS, Pointer, Santana, Quantum 1.8/ 2.0 (to 12.91).

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 400 705, 0 120 400 758, 0 120 400 767, 0 120 400 811, 0 120 400 814, 0 120 489 501, 0 120 489 503, 0 120 489 509, 0 120 489 511, 0 120 489 513, 0 120 489 522, 0 120 489 532, 0 120 489 535, 0 120 489 917, 9 120 080 095, 9 120 080 099, 9 120 080 100, 9 120 080 108, 9 120 080 115, 9 120 080 116, 9 120 080 152, 9 120 080 163, 9 120 080 164, 9 120 080 176, 9 120 080 177, 9 120 080 178, 9 120 080 185, 9 120 080 206, 9 120 080 214

VOLTAGE REGULATOR:

GA022 / GA027 / GA028 / GA034 / GA034R

BOSCH
GA1283


FEATURES / CARACTERÍSTICAS: 65A, Diodes 8 x35A, B+ Post M6x50

REPLACES / REEMPLAZA:

Bosch: 1 127 320 690

APPLICATION / APLICACIÓN:

DODGE: Dynasty Plymouth Voyager.

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 400 948, 0 120 400 950, 0 120 400 954, 0 120 400 947, 0 120 400 949, 5227249, 5233549

BOSCH
GA1310


FEATURES / CARACTERÍSTICAS: 85A, 6x35A Diodes, B+ Bolt M6, with diode trio, Ø 90mm

REPLACES / REEMPLAZA:

Bosch: 1125715027, 1125715034, 1127320017, 1127320115, 1127320141, 1127320142, 1127320146, 1127320316, 1127320317, 1127320345, 1127320393, 1127320569; **Regitar:** RB-13; **Cargo:** 132670; **WAI/Transpo:** IBR307

APPLICATION / APLICACIÓN:

JOHN DEERE

ALTERNATOR / ALTERNATOR:

BOSCH: 0120300535, 0120300552, 0120300562, 0120300567, 0120300575, 0120300576, 0120300577, 0120300578, 0120300579, 0120300580, 0120300585, 0120300586, 0120300589, 0120300590, 0120339511, 0120339512, 0120339513, 0120339514, 0120339521, 0120339531, 0120339532, 0120339535, 0120339536, 0120339537, 0120339538, 0120339542, 0120339543, 0120339544, 0120339545, 0120400504, 0120400554, 0120400555, 0120400558, 0120400563, 0120400566, 0120400567, 0120400568, 0120400569, 0120400570, 0120400571, 0120400572, 0120400836, 0120400837; **ISKRA:** AAG1301, AAG1302, AAG1304, AAG1310, AAG1311, AAG1315, AAG3315

BOSCH
GA1337


FEATURES / CARACTERÍSTICAS: 21A, 6x35A Bosch Press-fit standard diodes

REPLACES / REEMPLAZA:

Bosch: 9.121.080.998

APPLICATION / APLICACIÓN:

CATERPILLAR: Motor Grader (3306 wheel loader 930/966), Bulldozers D8L/D4E/D6D, Serie 120 B/C, 140 B/C 06.81>, Serie-930R 12.81>12.90, Serie 966C 02.82>12.90, Serie-3304 DIT / 3304 T / 3306 T 06.85> Serie 3306 DIT 06.89>, Serie D4E-DD / NA / PS / SR / SA, Serie D6D-PS / DO / PS / DD 12.81>, Serie D5B-OS / DD 12.87>, Serie D6C 01.81>12.90, Série D6D-SA 07.83>12.90, D5B-OS / DD 06.91>;

CUMMINS: Serie N855, N855C, NT855, NT855C/G, NTA855, NTA855C, NTTA855

KOMATSU: D60E/F, D65E, D73E 08.89>

ALTERNATOR / ALTERNATOR:

BOSCH: 9120080128, 9120080174

BOSCH
GA1347


FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x35A

REPLACES / REEMPLAZA:

Ford: E9YJ-10304A; **Regitar:** RB-82H; **Cargo:** 136556; **WAI/Transpo:** IBR347

APPLICATION / APLICACIÓN:


FORD: Mercury, Capri

ALTERNATOR / ALTERNATOR:

BOSCH: 9 120 060 027; **FORD:** 89JA10300AA, E9JY10346A, E9YJ10346A; **LESTER:** 13300; **MOTORCRAFT:** GLE273, 220282

VOLTAGE REGULATOR:

GA392

BOSCH
GA1638


FEATURES / CARACTERÍSTICAS: 75A, Diodes 6x35A, B+ Post M6x50, W Post M5/ M4x45, with diode trio

REPLACES / REEMPLAZA:

Bosch: 9 122 080 638

APPLICATION / APLICACIÓN:

FIAT ALLIS: Tractors FB80.2 e 100.2, série 4630, 5030, 5060, 6630, 7630, 7830, 8030 (01.97) F 000 LD0 103 K1 75 14;


GM: Pick-up D20, D40, D6000, Bonanza, Veraneio (Maxion) with AC (03.92) 9 120 080 197 K1 75 14.

ALTERNATOR / ALTERNATOR:

BOSCH: F000 LD0-103, 9 120 080 197

VOLTAGE REGULATOR:

GA028 / GA034 / GA034R

BOSCH
GA1651


FEATURES / CARACTERÍSTICAS: 65A, Diodes 6x35A, B+ Post Double Thread: M8/M6x50, D+ Post M5x45, with diode trio

REPLACES / REEMPLAZA:

Bosch: 1 127 320 651, 1 127 320 677; **Cargo:** 133996

APPLICATION / APLICACIÓN:


GM: Ômega, Suprema 2.0i, 2.2i, 3.0i, (after 09.92) with AC.

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 488 156, 0 120 488 157, 0 120 488 158, 0 120 488 159, 0 120 488 160, 0 120 488 161, 0 120 488 162, 0 120 488 163, 0 120 488 164, 0 120 488 165, 0 120 488 167, 0 120 488 168, 0 120 488 169, 0 120 488 170, 0 120 488 171, 0 120 488 172, 0 120 488 173, 0 120 488 174, 0 120 488 175, 0 120 488 190, 0 120 488 191, 0 120 488 192, 0 120 488 193, 0 120 488 200, 0 120 488 201, 0 120 488 202, 0 120 488 203, 0 120 488 204

VOLTAGE REGULATOR:

GA028 / GA029

BOSCH
GA1676


FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x35A, B+ Post M8x50, D+ Post M5x45, with diode trio

REPLACES / REEMPLAZA:

Bosch: 9 122 080 676

APPLICATION / APLICACIÓN:


FORD: Escort 2.0i Xr3

ALTERNATOR / ALTERNATOR:

BOSCH: 9 120 080 167

VOLTAGE REGULATOR:

GA028 / GA034 / GA034R

BOSCH
GA1677


FEATURES / CARACTERÍSTICAS: 85A, Diodes 8x35A Avalanche (Zener), B+ Post M8/M6x50, with diode trio

REPLACES / REEMPLAZA:

Bosch: F 000 LD1 006; **Magneti Marelli:** PR520511

APPLICATION / APLICACIÓN:

GM: S10 2.5L (after 10.95)(Maxxion High Speed with ACic.). Silverado 4.2 DLX (MWM with ACic.) (after 11.96). D6000, D6150 (after 11.96);

FORD: Pick-up Ranger 2.5D(Maxxion Hs4) (after 10.97);

MERCEDES BENZ: Sprinter 310/ 312/ 412.

ALTERNATOR / ALTERNATOR:

F000 LD0-102, F000 LD0-100, 9 120 080 232, 9 120 080 226

VOLTAGE REGULATOR:

GA021 / GA040

BOSCH
GA1692


FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x35A Avalanche (Zener), B+ Post M8x50, D+ Post M5x45, W Terminal, With triodiode

REPLACES / REEMPLAZA:

Bosch: 1 127 320 692; **Cargo:** 138165; **Regitar:** RB-80H; **WAI/Transpo:** IBR324

APPLICATION / APLICACIÓN:

JOHN DEERE;

KHD;

NEW HOLLAND;

IVECO: 75-9A, 80-9A, 80-13A, 80-16A, 90-13A, 90-9A, 110-13A, 130-13A, 130-16A;

JI CASE : 110, 120, 135 with AC.

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 484 001, 0 120 484 011, 0 120 484 012, 0 120 484 015, 0 120 484 118, 0 120 484 020, 0 120 484 022, 0 120 484 024

VOLTAGE REGULATOR:

GA023

BOSCH
GA1717


FEATURES / CARACTERÍSTICAS: 50A, 6x35A, external diameter: 90mm

REPLACES / REEMPLAZA:

Bosch: 1 127 320 152, 1 127 320 192, 1 127 320 319

APPLICATION / APLICACIÓN:

FIAT: 128 L4 1.1 1971>1973, 128 L4 1.3 1972>1974, X-1/9 L4 1.3 1974

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 300 527, 0 120 300 528, 0 120 300 529, 0 120 300 551, 0 120 300 558, 0 120 300 568, 0 120 300 569, 0 120 300 746;

ALLIS-CHALMERS: 4998353; **FIAT:** 4224325, 4224325, 4257063, 4257074, 4257074, 4257771, 4275283, 4275283, 4325179,

4373600, 4373601, 4373601, 4383593, 4474729, 4474752, 4474752, 4474815, 4474816, 4475266, 4998353, 5101645, 5101707, 77175410,

77761410; **SAME:** 294390900; **STEYR:** 30800090021

BOSCH
GA1719


FEATURES / CARACTERÍSTICAS: 65A, 6x35A, B+: M8x34mm, External Diameter: 114mm

REPLACES / REEMPLAZA:

Bosch: 1 127 320 664, 1 127 320 665, 1 127 320 666, 1 127 320 945; **Cargo:** 132667; **As-Poland:** ARC0005; **Transpo:** IBR311;

Mobiletron: RB-04H; **Regitar:** RB-04

APPLICATION / APLICACIÓN:

AUDI EUROPE CAR: 100 Avant 2.0 1988>1990


VOLKSWAGEN: Derby 1.0/1.3 1983>1984, Golf Cabriolet 1.3 1983>1985, Golf II 1.6 Turbo 1989>1992, Golf II 1.3 1985>1988, Jetta 1.6

Turbo 1989>1992, Polo 1.3 1989>1992

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 488 134, 0 120 488 233

AUDI/ VOLKSWAGEN: 025903017X, 025903023A, 025903023B, 026903015A, 026903017A, 026903017AX

BOSCH
GA1923


FEATURES / CARACTERÍSTICAS: 90A, Diodes 6x35A, B+ Post M6x50

REPLACES / REEMPLAZA:

Bosch: 9 122 080 923; **Magneti Marelli:** PR520550

APPLICATION / APLICACIÓN:

RENAULT: Clio, Clio 1.6, 1595 R11, 1593 R9

ALTERNATOR / ALTERNATOR:

BOSCH: 9 120 080 215, 9 120 080 222, 9 120 080 231, F010 LD0 001

VOLTAGE REGULATOR:

GA306

BOSCH

GA1990

FEATURES / CARACTERÍSTICAS: 90A, Diodos 14x40A, with triode, B+ M8, D+ M5, Diameter 120mm

REPLACES / REEMPLAZA:

Bosch: 1127320172, 1127320359, 1127320360, 1127320531, 1127320542; **Regitar:** RB-45; **Cargo:** 132127; **WAI/Transpo:** IBR331

APPLICATION / APLICACIÓN:

VW: Golf, Passat Alemão;

AUDI, BMW, PORSCHE, MERCEDES BENZ

ALTERNATOR / ALTERNATOR:

BOSCH: 0120469500, 0120469501, 0120469502, 0120469503, 0120469504, 0120469505, 0120469524, 0120469525, 0120469528, 0120469533, 0120469538, 0120469539, 0120469551, 0120469552, 0120469553, 0120469554, 0120469555, 0120469556, 0120469557, 0120469558, 0120469560, 0120469561, 0120469593

BOSCH

GA1506

FEATURES / CARACTERÍSTICAS: 65A, Diodos 6x35A, "W" Terminal, with diode trio

REPLACES / REEMPLAZA:

Bosch: 1 127 320 506, 1 127 011 116, 1 127 320 614, 1 127 320 648; **Regitar:** RB-03; **Cargo:** 131559; **WAI/Transpo:** IBR302

APPLICATION / APLICACIÓN:

AUDI: Série 4000;

VW: Dasher, Jetta, Quantum, Rabbit, Scirocco, Diesel, Audi

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 489 080, 0 120 489 081, 0 120 489 082, 0 120 489 083, 0 120 489 186, 0 120 489 208, 0 120 489 210, 0 120 489 248, 0 120 489 249, 0 120 489 250, 0 120 489 282, 0 120 489 283, 0 120 489 470, 0 120 489 960, 0 120 489 961, 0 120 489 966, 0 120 489 967, 0 120 489 968, 0 120 489 996, 0 120 489 971, 0 120 489 972, 0 120 489 973, 0 120 489 974, 0 120 489 975, 0 120 489 976, 0 120 489 977, 0 120 489 978, 0 120 489 979, 0 120 489 980, 0 120 489 981, 0 886 031 501, 0 986 031 470, 0 986 031 480, 0 986 031 481, 0 986 031 500, 0 986 031 510, 0 986 033 340, 0 986 033 350, 0 986 034 190

BOSCH

GA1953

FEATURES / CARACTERÍSTICAS: 90A, Diodos 8x50, with diode trio, W Post M5, D+ M5, B+ M6

REPLACES / REEMPLAZA:

Bosch: 9 128 040 953, 9 128 040 953J; **Regitar:** RB-85H; **WAI/Transpo:** IBR668


APPLICATION / APLICACIÓN:

MERCEDES BENZ: Truck 94, alternator Bosch 9 120 180 020, 12V;

FORD: Bronco, Pegaso

ALTERNATOR / ALTERNATOR:

BOSCH: 9 120 180 020J

BOSCH

GA1336

FEATURES / CARACTERÍSTICAS: 35A, Diodos 6x35A, B+ Post M6x50, D+ Post M4x50, W Post M5x45, with diode trio

REPLACES / REEMPLAZA:

Bosch: 9 122 080 336

APPLICATION / APLICACIÓN:


MF: Tractor MF3640; (Perkins 6358A) (01.73) Trucks, Chassi for Bus OF e OH e Platform for Bus R, RS, RSD K1 35 28 Trucks, MicroBus, Engines Stationarys, Industrials, Generator and Marine OM.

ALTERNATOR / ALTERNATOR:

BOSCH: 9 120 080 148, 9 120 080 147, 9 120 080 502

VOLTAGE REGULATOR:

GA018 / GA018R / GA034 / GA034R / GA040


BOSCH

GA1366

FEATURES / CARACTERÍSTICAS: 95A, Diodos 6x35A, B+ Post M6x50, D+ Post M4x50, W Post M4x45, with diode trio

REPLACES / REEMPLAZA:

Bosch: 1 127 320 366, 1 127 320 545, 1 127 320 344, 1 127 320 363, 1 127 320 367, 1 127 320 546, 1 127 320 599, 1 127 011 098, 1 127 011 101; **Regitar:** RB-08; **Cargo:** 133138; **WAI/Transpo:** IBR313; **Magneti Marelli:** PR520444

APPLICATION / APLICACIÓN:

MERCEDES BENZ: Trucks 1113, 1313, 1316, 1513, 1516, 2013, 2213, 2216 (OM 352) with Power Steering, 1214, 1414, 1614, 1218, 1418, 1618, 1935, 1941 (OM 366, 366A, 447LA, 449A), 2220, 1524, 1525, L709, 712, 1520, 1621, 2020, Bus 364, 365, O365, Chassi for Bus LO812, OF and OH1113, 1313, OH1318;

KOMATSU: Tractors D30E, D50A, D50P;

MF: Tractors MF1630, 3640, 5650;

MAXION: Backhoe series 750 e Tractors 9150/ 9170;

TOYOTA: Utilitários Bandeirante;

DAF;

RENAULT;

STEYER;

SAAB;


SCANIA

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 489 027, 0 120 489 224, 0 120 489 053, 0 120 489 192, 0 120 489 230, 0 120 489 387, 0 120 489 388, 0 120 489 684, 0 120 489 702, 0 120 489 707, 0 120 489 710, 0 120 489 723, 0 120 489 726, 0 120 489 727, 0 120 489 733, 0 120 489 757, 0 986 030 660, 0 986 031 190, 0 986 031 230, 0 986 031 250, 0 986 031 251, 0 986 031 260, 0 986 031 290, 0 986 031 310, 0 986 031 330, 0 986 033 510, 0 986 033 570, 0 986 034 210, 0 986 034 350, 9 120 144 122, 9 120 144 123, 9 120 144 125, 9 120 144 127, 9 120 144 130, 9 120 144 131, 9 120 144 132, 9 120 144 133, 9 120 144 137

VOLTAGE REGULATOR:

GA018 / GA018R



BOSCH
GA1508 // NEW //


FEATURES / CARACTERÍSTICAS: 45A, Diode 6x35A. PS: with trio diode

REPLACES / REEMPLAZA:

Bosch: 1 127 320 102, 1 127 320 114, 1 127 320 122, 1 127 320 124, 1 127 320 151, 1 127 320 327, 9 121 140 549; **Transpo:** IBR306; **Mobiletron:** RB11H; **Cargo:** 130596



APPLICATION / APLICACIÓN:

FIAT: 128 1.1 1971>1973, 128 1.3 1972>1974, X-1/9 1.3 1974

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 300 518, 0 120 300 519, 0 120 300 522, 0 120 300 523, 0 120 300 527, 0 120 300 528, 0 120 300 529, 0 120 300 532, 0 120 300 533, 0 120 300 540, 0 120 300 544, 0 120 300 545, 0 120 300 546, 0 120 300 547, 0 120 300 548, 0 120 300 549, 0 120 300 550, 0 120 300 551, 0 120 300 558, 0 120 300 559, 0 120 300 560, 0 120 300 563, 0 120 300 564, 0 120 300 568, 0 120 300 569, 0 120 300 587, 0 120 300 588, 0 120 300 591, 0 120 300 746, 0 120 339 502, 0 120 339 502, 0 120 339 503, 0 120 339 504, 0 120 339 505, 0 120 339 506, 0 120 339 509, 0 120 339 510, 0 120 339 517, 0 120 339 518, 0 120 339 519, 0 120 339 520, 0 120 339 522, 9 120 143 020, 9 120 143 207, 9 120 143 214, 9 120 143 215, 9 120 143 224;

FORD: 5003896, 71BB-10300-CA, 71BB-10300-CB, 71BB-10346-CA, 81AB-10300-SA, R78FB-10346-AC

BOSCH
GA1509


FEATURES / CARACTERÍSTICAS: 95A, Diodes 6x35A, B+ Post M6x50, D+ Post M4x50, W Post M5x45, with diode trio

REPLACES / REEMPLAZA:

Bosch: 9 122 080 509

APPLICATION / APLICACIÓN:

JI CASE: Tractors W18D e W20D (OM 366A) (93 / 94);

KOMATSU: Tractors D30E (OM 352), D50A, D50P (OM 352A) (05.75);

MASSEY-FERGUSON: Tractor MF3640 (Perkins 6358A);

MERCEDES BENZ: Truck 1620 (06.96) Trucks 1113, 1114, 1117, 1118, 1313, 1314, 1514, 1520, 2014, 2020, 2214 (OM 352) Trucks 1214, 1218, 1414, 1418, 1614, 1618, 1924, 1929, 1932, 1933, 1934, 1935;



TOYOTA: Utilitário Bandeirante.

ALTERNATOR / ALTERNATOR:

BOSCH: 9 120 080 181, 9 120 080 183, 9 120 080 219

VOLTAGE REGULATOR:

GA018 / GA018R / GA034 / GA034R

BOSCH
GA1541


FEATURES / CARACTERÍSTICAS: 95A, Diodes 6x35A, B+ Post M6x50, D+ Post M4x50, W Post M5x45, with diode trio

REPLACES / REEMPLAZA:

Bosch: 1 127 320 541, 1 127 011 095; **Regitar:** RB-07; **Cargo:** 131468; **WAI/Transpo:** IBR314; **Magneti Marelli:** PR520494

APPLICATION / APLICACIÓN:

SCANIA: Trucks T112 e 142, R112, 113 e 142, DN 11, Ds11 e 14, Marine Engine Geradores Ind;

MERCEDES BENZ: Trucks O365, 812, 1621, 2020, L1625, LG1825,1114, 1214, 1418;

MAXION: Backhoe series 1175, MF86, Tractors 9070, 9075, 9090, 9110, 9130 w/ engine Perkins;

MF: Tractors MF1630, 3640, 5650, 5650 Turbo, 6845, 6855 e 6865, 235, 265, 272, 275, 283, 290, 292, 297, 299;

KOMATSU: Tractors D30E after 11/78;

JI CASE: Tractors W36B (after 01/88)

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 489 728, 0 120 489 730, 0 120 489 827, 0 120 489 886, 0 120 489 944, 9 120 080 114, 9 120 080 130, 9 120 080 136, 9 120 080 137, 9 120 080 144, 9 120 080 157, 9 120 080 159, 9 120 080 160, 9 120 080 162, 9 120 080 166, 9 120 080 182, 9 120 080 184, 9 120 080 187, 9 120 080 188, 9 120 080 202, 9 120 080 207

VOLTAGE REGULATOR:

GA018 / GA018R / GA034 / GA034R

BOSCH
GA1909


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A, B+ Post M8x30, L Post M4x19, W Post M5x19, with diode trio

REPLACES / REEMPLAZA:

Bosch: 1 127 320 909, 1 127 320 992, 9 127 041 132, 9 127 041 133; **Mercedes Benz:** 000 154 7016; **Cargo:** 133995; **Regitar:** RB-14; **WAI/Transpo:** IBR315

APPLICATION / APLICACIÓN:

MERCEDES BENZ: Trucks

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 489 316

BOSCH
GA1320


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, with diode trio

REPLACES / REEMPLAZA:

Bosch: 9 121 067 300, 9 121 067 303, 9 121 067 304, 9 121 067 317, 9 121 067 319, 9 121 067 320, 9 121 067 324, 9 121 067 325, 9 121 067 328, 9 121 067 329, 9 121 067 330, 9 121 067 331; **WAI/Transpo:** IBR310

APPLICATION / APLICACIÓN:

GM: Chevy Luv 2.2 98>

ALTERNATOR / ALTERNATOR:


BOSCH: 9 120 060 910

VOLTAGE REGULATOR:

GA375

BOSCH
GA1321


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A
REPLACES / REEMPLAZA:
Bosch: 9 121 067 301, 9 121 067 316; **Lucas:** UBB 416
APPLICATION / APLICACIÓN:
DODGE: Omni;
 Chrysler with engine Peugeot
ALTERNATOR / ALTERNATOR:
BOSCH: 9 120 060 684; **LESTER:** 13187, 14787; **PIC:** 220125, 220184

BOSCH
GA1701


FEATURES / CARACTERÍSTICAS: 115A, Diodes 8x50A, B+ Post M8x50, W Terminal, with diode trio
REPLACES / REEMPLAZA:
Bosch: 1 127 320 701, 1 127 320 708, 1 127 320 731; **Audi:** 075 903 359; **Lucas:** UBB432; **Cargo:** 134003;
Magneti Marelli: 940 038 206; **Regitar:** RB-56H; **WAI/Transpo:** IBR357
APPLICATION / APLICACIÓN:
VW: alternators Bosch série 469 IR/EF 115A.
ALTERNATOR / ALTERNATOR:
BOSCH: 0 120 469 601, 0 120 469 602, 0 120 469 604, 0 120 469 605, 0 120 469 637, 0 120 469 638, 0 120 469 654, 0 120 469 674, 0 120 469 675, 0 120 469 701, 0 120 469 702, 0 120 469 703, 0 120 469 704, 0 120 469 705, 0 120 469 706, 0 120 469 707, 0 120 469 711, 0 120 469 714, 0 120 469 717, 0 120 469 718, 0 120 469 719

BOSCH
GA1702


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A, with diode trio
REPLACES / REEMPLAZA:
Bosch: 1 127 320 702, 1 127 320 709, 1 127 320 722, 1 127 320 733; **Regitar:** RB-55; **Cargo:** 133261; **WAI/Transpo:** IBR355
APPLICATION / APLICACIÓN:
BMW: 525i, 528i, 533, 535, 628, 635, 728, 732, 733, 735, 745, 316, 318, 320, 323, 325e, 518, 520, 525, 535, 628, 635, 728, 732, 735, 745, 528, Z1;
SAAB: 900, 9000;
MERCEDES BENZ: 500 SL, 300 SD;
SL LAMBORGHINI: Countach 5 S, Diablo 5.7, LM i29 5.2;
FERRARI: 328GTB, Mondial 8 85-87
ALTERNATOR / ALTERNATOR:
BOSCH: 0 120 469 644, 0 120 469 645, 0 120 469 682, 0 120 469 683, 0 120 469 684, 0 120 469 685, 0 120 469 880, 0 120 469 881

BOSCH
GA1703


FEATURES / CARACTERÍSTICAS: 100A, Diodes 8x35, with diode trio, B+ M8 + M6, trio M5, OD 120mm
REPLACES / REEMPLAZA:
Bosch: 1127320716; **Volvo:** 3515707
APPLICATION / APLICACIÓN:
VOLVO: Serie 740 2.4 diesel 1984-1992, Serie 760 /780 Diesel 1987-1992, Serie 940 /960 2.4 diesel
ALTERNATOR / ALTERNATOR:
BOSCH: 0120469788, 0120469789, 0120469015, 0120469020, 0120469021, 0120469610, 0120469722, 0120469723, 0120469724, 0120469734, 0120469735, 0120469736, 0120469737, 0120469738, 0120469739, 0120469740, 0120469741, 0120469774, 0120469788, 0120469789, 0120469813, 0120469814, 0120469831, 0120469856, 0120469857, 0120469863, 0120469884, 0120469903, 0120469904, 0120469908, 0120469931, 0120469932, 0120469933, 0120469934, 0120469953, 0120469975, 0120469976, 0120469977, 0120469991, 0120469996

BOSCH
GA1704


FEATURES / CARACTERÍSTICAS: 100A, Diodes 8x35, with diode trio, B+ M8, trio M5, OD 120mm
REPLACES / REEMPLAZA:
Bosch: 1 127 320 720, 1 127 320 741, 1 127 320 911; **Cargo:** 136372
APPLICATION / APLICACIÓN:
BMW: 525i /530i /535i 1988-1991, 730 /735i 1986-1994
ALTERNATOR / ALTERNATOR:
BOSCH: 0120469176, 0120469775, 0120469776, 0120469989, 0120469990

BOSCH
GA1705


FEATURES / CARACTERÍSTICAS: 75A, Diodes 6x35 B+ M6, trio M4, W-M5, with terminal aux. with diode trio, OD 114mm
REPLACES / REEMPLAZA:
Bosch: 1 127 320 667; **Ford:** 86AB10304AA; **Regitar:** RB-38H; **Cargo:** 135890; **WAI/Transpo:** IBR667
APPLICATION / APLICACIÓN:
FORD: Escort /Fiesta /Orion 1976-2001
ALTERNATOR / ALTERNATOR:
CATERPILLAR: 1008223; **PERKINS:** 2871C105; **BOSCH:** 0120488286, 0120489347, 0120489389, 0120489390, 0120489391, 0120489392, 0120489408

BOSCH
GA1706


FEATURES / CARACTERÍSTICAS: 130A, Diodes 8x50A, with diode trio

REPLACES / REEMPLAZA:


Bosch: 1 127 320 706; **Cargo:** 134002; **Ford:** 6153350, 85GB10304CA, 86GB10304CA; **Lucas:** 2131044, UBB405; **Regitar:** RB-53; **Cargo:** 134002; **WAI/Transpo:** IBR353

APPLICATION / APLICACIÓN:

FORD: Granada, Scorpio, Sierra, Transit, Merkur

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 469 009, 0 120 469 032, 0 120 469 659, 0 120 469 660, 0 120 469 661, 0 120 469 662, 0 120 469 713, 0 120 469 747, 0 120 469 748, 0 120 469 871, 0 120 469 874, 0 120 469 899, 0 120 469 958, 0 986 034 140, 0 986 036 000; **FORD:** 85GX10300LA, E7RY10346A; **LESTER:** 14944; **MOTORCRAFT:** GLE245; **PIC:** 220197

BOSCH
GA1708


FEATURES / CARACTERÍSTICAS: 115A, Diodes 8x50A, B+ Post M8x50, D+ Post M5x45, W Terminal, with diode trio

REPLACES / REEMPLAZA:

Bosch: 1 127 320 708, 1 127 320 731; **Regitar:** RB-56H; **Cargo:** 134003; **WAI/Transpo:** IBR357

APPLICATION / APLICACIÓN:


MERCEDES BENZ; SAAB; VOLVO; BMW; VOLKSWAGEN; AUDI;

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 469 603, 0 120 469 610, 0 120 469 015, 0 120 469 020, 0 120 469 021, 0 120 469 663, 0 120 469 722, 0 120 469 723, 0 120 469 724, 0 120 469 734, 0 120 469 735, 0 120 469 736, 0 120 469 737, 0 120 469 738, 0 120 469 739, 0 120 469 740, 0 120 469 741, 0 120 469 768, 0 120 469 774, 0 120 469 813, 0 120 469 814, 0 120 469 856, 0 120 469 857, 0 120 469 863, 0 120 469 884, 0 120 469 903, 0 120 469 904, 0 120 469 908, 0 120 469 929, 0 120 469 930, 0 120 469 931, 0 120 469 932, 0 120 469 933, 0 120 469 934, 0 120 469 953, 0 120 469 975, 0 120 469 976, 0 120 469 977, 0 120 469 991

VOLTAGE REGULATOR:

GA025 / GA026

BOSCH
GA1710


FEATURES / CARACTERÍSTICAS: 115A, Diodes 8x50A, with diode trio, B+ Post M8x50, D+ Post M5x45, D+ Post M5x45,

With triodiode

REPLACES / REEMPLAZA:

Bosch: 1 127 320 710, 1 127 320 565, 1 127 320 732, 1 127 320 681, 1 127 320 737, 1 127 320 705, 1 127 320 723, 1 127 320 739;

Regitar: RB-54; **Cargo:** 233778; **WAI/Transpo:** IBR354

APPLICATION / APLICACIÓN:

VW: Santana;

FORD: Royale and Versailles with AC (AP) after 03/92;

ALFA ROMEO; AUDI; BMW; MERCEDES BENZ; VOLVO; PORSCHE; SAAB;

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 427 988, 0 120 468 018, 0 120 468 020, 0 120 468 022, 0 120 468 024, 0 120 468 025, 0 120 468 026, 0 120 468 027, 0 120 468 029, 0 120 468 044, 0 120 468 052, 0 120 468 056, 0 120 468 068, 0 120 468 069, 0 120 468 070, 0 120 468 079, 0 120 468 101, 0 120 468 106, 0 120 468 108, 0 120 468 109, 0 120 468 121, 0 120 468 123, 0 120 468 125, 0 120 468 126, 0 120 469 002, 0 120 469 003, 0 120 469 011, 0 120 469 012, 0 120 469 016, 0 120 469 017, 0 120 469 589, 0 120 469 590, 0 120 469 591, 0 120 469 642, 0 120 469 648, 0 120 469 649, 0 120 469 676, 0 120 469 677, 0 120 469 690, 0 120 469 709, 0 120 469 725, 0 120 469 726, 0 120 469 729

VOLTAGE REGULATOR:

GA021 / GA029

BOSCH
GA1713


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A, with diode trio

REPLACES / REEMPLAZA:

Bosch: 1 127 320 713; **Cargo:** 138620; **Valeo:** 1398640

APPLICATION / APLICACIÓN:

VOLVO: 740, 760, 780, 940, 960

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 468 009, 0 120 468 010, 0 120 468 011, 0 120 468 012, 0 120 468 015, 0 120 468 016

BOSCH
GA1718


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A

REPLACES / REEMPLAZA:

Bosch: 1 127 320 718, 1 127 320 719, 1 127 320 729, 1 127 320 748; **Cargo:** 138987; **Chrysler:** 5 226 600; **Regitar:** RB-75H; **WAI/Transpo:** IBR329


APPLICATION / APLICACIÓN:

CHRYSLER: ES 2.2i turbo, ES 2.5i turbo, GSII turbo, GTS 2.2i T, Lancer 2.2, 2.5, LeBaron 2.2i T, 2.5i T, Saratoga 3.0i, Voyager 3.3 V6, 3.8 V6 Dodge

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 450 011, 0 120 450 012, 0 120 450 013, 0 120 450 014, 0 120 450 016, 0 120 450 017, 0 120 450 019, 0 120 450 020;

LESTER: 13315, 14789; **PIC:** 220123, 220124, 220270, 220270A

BOSCH
GA1730


FEATURES / CARACTERÍSTICAS: 115A, Diodes 8x50A, B+ Post M8x50, with diode trio

REPLACES / REEMPLAZA:

Bosch: 1 127 320 700, 1 127 320 730; **Regitar:** RB-51; **Cargo:** 132103; **WAI/Transpo:** IBR351

APPLICATION / APLICACIÓN:

FIAT: Tipo, Tempra Argentino, Tempra Turbo 2.0i with AC after 04/94;


AUDI; FORD

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 469 028, 0 120 469 029, 0 120 469 034, 0 120 469 035, 0 120 469 631, 0 120 469 632, 0 120 469 633, 0 120 469 635, 0 120 469 636, 0 120 469 637, 0 120 469 671, 0 120 469 672, 0 120 469 696, 0 120 469 697, 0 120 469 698, 0 120 469 699, 0 120 469 700, 0 120 469 708, 0 120 469 712, 0 120 469 715, 0 120 469 716, 0 120 469 720, 0 120 469 847, 0 120 469 848, 0 120 469 859, 0 120 469 860, 0 120 469 861, 0 120 469 875, 0 120 469 892, 0 120 469 893, 0 120 469 937, 0 120 469 939, 0 120 469 940, 0 120 469 979, 0 120 469 980, 0 120 469 981

VOLTAGE REGULATOR:

GA026

BOSCH
GA1735


FEATURES / CARACTERÍSTICAS: 115A, Diodes 8x50, B+ Post M8/M6x50, D+ Post M5x45, with diode trio

REPLACES / REEMPLAZA:

Bosch: 1 127 320 712, 1 127 320 713, 1 127 320 735; **Regitar:** RB-58; **Cargo:** 138164; **WAI/Transpo:** IBR712

APPLICATION / APLICACIÓN:

GM: Ómega, Suprema 2.0i, 2.2i, 3.0i with AC (after 03.93).

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 469 784, 0 120 469 785, 0 120 469 786, 0 120 469 787, 0 120 469 793, 0 120 469 882, 0 120 469 883, 0 120 469 909, 0 120 469 910, 0 120 469 915, 0 120 469 916, 0 120 469 923, 0 120 469 924, 0 120 469 935, 0 120 469 988

VOLTAGE REGULATOR:

GA029

BOSCH
GA1736


FEATURES / CARACTERÍSTICAS: 130A, Diodes 8x50A, B+ Post M6/M8x50, D+ Post M5x45, W Terminal, with diode trio

REPLACES / REEMPLAZA:

Bosch: 9 128 041 566


APPLICATION / APLICACIÓN:

CUMMINS;

NAVISTAR 100A

ALTERNATOR / ALTERNATOR:

BOSCH: 6 004 LA9

BOSCH
GA1753


FEATURES / CARACTERÍSTICAS: 80A, Diodes 8x35A Avalanche (Zener), B+ Post M8/M6x50, D+ Post M5/M4x45, W Post M5x45, With triodiode

REPLACES / REEMPLAZA:

Bosch: 1 127 320 753; **Regitar:** RB-93H; **Cargo:** 231451, 137724; **WAI/Transpo:** IBR753; **Magneti Marelli:** PR520528

APPLICATION / APLICACIÓN:

MERCEDES BENZ: Bus OF1417, 915, Equipment with OM 904 LA 4 cylinders.

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 468 143, 0 120 468 145, 0 120 469 101, 0 120 469 115, 0 120 469 116, 0 120 469 117, 0 120 469 118, 6033G004BY, 6033G3B022, 6033GB3010, 6033GB3019, 6033GB3022, 6033GB3023, 6033GB3027

BOSCH
GA1412


FEATURES / CARACTERÍSTICAS: 130A, Avalanche Diodes 6x50A, B+ Bolt M8x22mm (L), B+ Bolt M6x32mm (R), Ø 120mm

REPLACES / REEMPLAZA:

Bosch: F 00M 113 212

APPLICATION / APLICACIÓN:


FORD: Ka, Fiesta 1.0, Courier

ALTERNATOR / ALTERNATOR:

BOSCH: 0 124 225 038

VOLTAGE REGULATOR:

GA235

BOSCH

GA1413

FEATURES / CARACTERÍSTICAS: 120A, 6x50A, Avalanche Diodes, B+ M8X30mm

REPLACES / REEMPLAZA:

Bosch: F 000 BL2 106

APPLICATION / APLICACIÓN:

FIAT: Ducato, Iveco Daily;

PEUGEOT: Boxer

ALTERNATOR / ALTERNATOR:

Bosch: F000 BLO 706, F 000 BLO 7R9

VOLTAGE REGULATOR:

GA343

BOSCH

GA1414

FEATURES / CARACTERÍSTICAS: 110A, 6X50A Avalanche Diodes

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

Ford: Ranger 2012, EcoSport 1.5 TDCi/ 1.5 Ti, EcoBoost 1.0 2013>

ALTERNATOR / ALTERNATOR:

Bosch: F000 BLO 606;

Fomoco: AB39 10300 BE, L566-18300-A

BOSCH

GA1415

FEATURES / CARACTERÍSTICAS:

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

Ford: Nova Eco Sport 2.0, Ranger 2013

ALTERNATOR / ALTERNATOR:

Bosch: F 000 BLO 643

Ford: CN15-10300-AB

BOSCH

GA1416

FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A Avalanche, 103mm

SUBSTITUI:

Bosch: F 000 BL1 002

APLICAÇÃO:

VW: CrossFox (Fase I) 1.6 Total Flex 2008>2009, CrossFox (Fase II) 1.6 Total Flex >2009, Fox (Fase I) 1.0 Total Flex 2008>2009, Fox 1.6 Total Flex 2008>2009, Fox (Fase II) 1.0 Total Flex 2009>2014, Fox 1.6 I Motion Total Flex >2009, Fox 1.6 Total Flex >2009, Gol II 1.0Mi 8V 1996>1999, Gol II Special 1.0Mi 8V 1999>2005, Gol III 1.0Mi 1999>2005, Gol III 1.0Mi 16V 1999>2005, Gol III 1.0Mi 16V Turbo 2000>2003, Gol III 1.0Mi Total Flex 2005>2006, Gol IV 1.0 2005>2008, Gol IV 1.0 Total Flex 2005>2013, Gol IV 1.0 Ecomotion 2010>2013, Gol V 1.0 Total Flex 2008>2012, Gol V 1.6 Total Flex 2008>2012, Gol VI 1.0 Total Flex >2012, Gol VI 1.6 I-Motion Total Flex >2012, Gol VI 1.6 Total Flex >2012, Golf III 2.0Mi 1994>1998, Parati II 1.0Mi 16V 1997>1999, Parati III 1.0Mi 16V 1999>2003, Parati III 1.0Mi 16V Turbo 2000>2004, Polo 1.6 Total Flex >2008, Polo Sedan 1.6 Total Flex >2008, Saveiro V 1.6 Total Flex >2009, Space Cross 1.6 Total Flex >2011, SpaceFox (Fase I) 1.6 Total Flex 02008>2010, SpaceFox (Fase II) 1.6 Total Flex >2010, Voyage (Fase I) 1.6 1989>1993, Voyage (Fase II) 1.0 Flex >2012, Voyage 1.0 Total Flex 2008>2012, Voyage 1.6 Flex >2012, Voyage 1.6 I Motion Flex >2012, Voyage 1.6 Total Flex 2008>2012

ALTERNADOR:

BOSCH: F000BL0300, F000BL0418, F000BL0400, F000BL0301, F000BL04C0; **VW:** 5U0903025E, 5U0903025D

CONJUNTO REGULADOR:

GA343 / GA363

BOSCH

GA1417

FEATURES / CARACTERÍSTICAS:

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

Fiat: Punto, Linea, Bravo, Dobló, Siena, Strada Trekking, Idea, Palio Hatch, Palio Adventure, Palio Weekend (All 1.6 and 1.8 16V E-Tork 2010>).

ALTERNATOR / ALTERNATOR:

BOSCH: F 000 BLO 609, F 000 BLO 700

BOSCH
GA1418


FEATURES / CARACTERÍSTICAS: 110A, 6x50A Avalanche Diodes
REPLACES / REEMPLAZA:
Bosch: F 000 BL1 069
APPLICATION / APLICACIÓN:
Fiat: Uno, Palio, Siena, Strada, Fiorino
ALTERNATOR / ALTERNATOR:
BOSCH: F 000 BLO 600

BOSCH
GA1419


FEATURES / CARACTERÍSTICAS: 120A, 6x50A Avalanche Diodes
REPLACES / REEMPLAZA:
 -
APPLICATION / APLICACIÓN:
Mercedes: Sprinter 310, 311, 315, 415, 515 (CDI).
ALTERNATOR / ALTERNATOR:
BOSCH: F 000 BLO 732;
MERCEDES BENZ: 000 906 04 22

BOSCH
GA1449


FEATURES / CARACTERÍSTICAS: 130A, 6x50A, Avalanche Diode, B+: M8x20mm
REPLACES / REEMPLAZA:
 -
APPLICATION / APLICACIÓN:
GM: Prisma e Onix 1.0/1.4, Cobalt 1.8 LTZ, S10 2.5 Flex
ALTERNATOR / ALTERNATOR:
BOSCH: F 000 BLO 7T1
GM: 52076121
VOLTAGE REGULATOR:
 GA352

BOSCH
GA1420


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A Avalanche (Zener), Ø: 120mm
REPLACES / REEMPLAZA:
Bosch: F 00M 133 200; **Cargo:** 231714; **WAI/Transpo:** IBR200
APPLICATION / APLICACIÓN:
PORSCHE: 911 3.6 GT3, Boxter 2.5, Carrera 3.4, GT3 3.6;
OPEL: Astra G 2.0, Zafira 2.0 DTH 16V
ALTERNATOR / ALTERNATOR:
BOSCH: 0 124 515 001, 0 124 515 008, 0 124 515 015, 0 124 515 016, 0 124 515 043, 0 124 515 058, 0 124 525 016, B 120 516 147;
VW: 038 903 018F

BOSCH
GA1421


FEATURES / CARACTERÍSTICAS: 90A, Diodes 6x35A Avalanche (Zener), Ø: 120mm
REPLACES / REEMPLAZA:
Bosch: F 00M 123 228; **Magneti Marelli:** PR520463
APPLICATION / APLICACIÓN:
ROVER: 25 1.4, 1.6, 1.8, 45, 1.6, 1.8; **VW:** Beetle 1.9 TDI, Bora, Golf, Lupo, Polo Classic, Caravelle; **AUDI:** A3 1.6, 1.9 TDI quattro;
SEAT: Arosa 1.4 TDI, Cordoba, Leon, Toledo; **MERCEDES BENZ:** vehicles, Kompressor, Sprinter 2.7, 715C (ACCELLO);
VOLVO: vehicles
ALTERNATOR / ALTERNATOR:
BOSCH: 0 124 315 003, 0 124 325 003, 0 124 225 010, 0 124 225 012, 0 124 415 010
VOLTAGE REGULATOR:
 GA225 / GA261 / GA282

BOSCH
GA1422


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A Avalanche (Zener)
REPLACES / REEMPLAZA:
Bosch: F 00M 133 201, F 00M 133 205, F 00M 133 228, F 00M 133 241, F 00M 133 246, F 00M 123 201, F 00M 123 212, F 00M 123 227;
Regitar: RB-119H; **Mobiletron:** RB-119H; **Cargo:** 333557; **WAI/Transpo:** IBR201; **AS Poland:** ARC0043
APPLICATION / APLICACIÓN:
AUDI: A2 1.4, A3 1.6, TT Coupe 1.8, A4, A6;
FORD: Galaxy 1.9;
SEAT: Alhambra 1.8, 1.9, 2.0, Arosa 1.4, Córdoba 1.9, Ibiza 1.9, Leon 1.9, Toledo;
SKODA: Fabia 1.9, Octavia;
VW: Beetle 1.9, 2.0, Bora, Golf, Lupo, Polo, Polo Classic, Sharan, Caravelle, Passat;
VOLVO: vehicles;
MERCEDES BENZ: vehicles
ALTERNATOR / ALTERNATOR:
BOSCH: 0 124 225 010, 0 124 315 010, 0 124 315 014, 0 124 320 001, 0 124 325 017, 0 124 325 019, 0 124 325 020, 0 124 325 036,
 0 124 325 037, 0 124 325 039, 0 124 325 040, 0 124 325 043, 0 124 325 045, 0 124 325 055

BOSCH
GA1423


FEATURES / CARACTERÍSTICAS: 120A, Diodos Avalanche (Zener) 6x50A

REPLACES / REEMPLAZA:

Bosch: F 00M 133 224, F 00M 133 286; **Regitar:** RB-117H; **Cargo:** 235051; **WAI/Transpo:** IBR224; **Magneti Marelli:** PR520465

APPLICATION / APLICACIÓN:

VW: Truck 16.210 CO;

MERCEDES BENZ: Truck L1622, LS1938, LS2638, O500M, OF1620, OF1721, OH1420, OH1621 LG, 915, 917, 1218, 1418, 1622, 1944, 1114, 1117, 1120, 1124, 1215, 1315, 1317, 1318, 1418, 1518, 1718, 1725, 1728, 2423, 2425, 2428, 712, 814, 817;

EL DETALLE: Truck AO 101 w/ engine BF 6-913C;

IVECO: 70 E 21;

VW: 13170, 13180, 15170, 15180, 15190, 17210, 17250, 18310, 23250, 24250, 26260, 31260, 8150, 9150, Constallation 17250, 19320, Titan 24250, 31320

ALTERNATOR / ALTERNATOR:

BOSCH: 0 124 555 001, 0 124 555 002, 0 124 555 007, 0 124 555 015, 0 124 655 026, 0 124 655 007, 0 124 055 004

VOLTAGE REGULATOR:

GA231 / GA298 / GA300

BOSCH
GA1424


FEATURES / CARACTERÍSTICAS: 120A, Diodos 6x50A Avalanche (Zener)

REPLACES / REEMPLAZA:

Bosch: F 00M 113 202; **Magneti Marelli:** PR520466

APPLICATION / APLICACIÓN:

FIAT: Palio, Palio Weekend, Siena 1.0, 1.5 MPI 8V, Strada;

MERCEDES BENZ: Classe A 160;

IVECO: City Class, Daily, Scudato;

GM: Safira

ALTERNATOR / ALTERNATOR:

BOSCH: 4315002, 0 124 215 006, 0 124 315 003, 0 124 315 004, 0 124 315 005, 0 124 315 006, 0 124 315 007, 0 124 315 008, 0 124 315 010, 0 124 315 011, 0 124 315 012, 0 124 315 013, 0 124 315 014, 0 124 315 018, 0 124 315 020, 0 124 315 021, 0 124 315 022, 0 124 320 001, 0 124 325 001, 0 124 325 002, 0 124 325 003, 0 124 325 004, 0 124 325 011, 0 124 325 012, 0 124 325 013, 0 124 325 014, 0 124 325 015, 0 124 325 016, 0 124 325 017, 0 124 325 018, 0 124 325 019, 0 124 325 020, 0 124 325 021, 0 124 325 022, 0 124 325 023, 0 124 325 032, 0 124 325 033, 0 124 325 034, 0 124 325 035, 0 124 325 036, 0 124 325 037, 0 124 325 039, 0 124 325 040, 0 124 325 041, 0 124 325 042, 0 124 325 043, 0 124 325 045, 0 124 325 049, 0 124 415 001, 0 124 415 002, 0 124 415 005, 0 124 415 006, 0 124 415 008, 0 124 415 009, 0 124 415 010, F 000 LD0 700

VOLTAGE REGULATOR:

GA225 / GA234 / GA261 / GA282

BOSCH
GA1425


FEATURES / CARACTERÍSTICAS: 90A, Diodos 6x35A Avalanche (Zener)

REPLACES / REEMPLAZA:

Bosch: F 00M 123 207; **Magneti Marelli:** PR520467

APPLICATION / APLICACIÓN:

FIAT: Palio, Siena, Uno, Palio Weekend and Weekend 1.7TD, Strada

ALTERNATOR / ALTERNATOR:

BOSCH: 0 124 215 001, 0 124 215 002, 0 124 215 003, 0 124 215 007, 0 124 225 010, 0 124 225 049, 0 124 225 050, 0 124 315 001, 0 124 315 002, 0 124 315 003, 0 124 315 004, 0 124 315 005, 0 124 315 006, 0 124 315 007, 0 124 315 008, 0 124 315 010, 0 124 315 011, 0 124 315 013, 0 124 315 014, 0 124 315 016, 0 124 315 024, 0 124 315 025, 0 124 315 029, 0 124 315 031, 0 124 315 032, 0 124 315 033, 0 124 315 034, 0 124 315 036, 0 124 315 037, 0 124 320 001, 0 124 325 001, 0 124 325 002, 0 124 325 003, 0 124 325 004, 0 124 325 006, 0 124 325 007, 0 124 325 011, 0 124 325 012, 0 124 325 013, 0 124 325 014, 0 124 325 015, 0 124 325 016, 0 124 325 017, 0 124 325 018, 0 124 325 020, 0 124 325 024, 0 124 325 028, 0 124 325 032, 0 124 325 033, 0 124 325 036, 0 124 325 039, 0 124 325 040, 0 124 325 043, 0 124 325 045, 0 124 325 046, 0 124 325 048, 0 124 325 049, 0 124 325 055, 0 124 325 073, 0 124 325 074, 0 124 325 075, 0 124 325 077, 0 124 325 079, 0 124 325 087, 0 124 325 088, 0 124 325 093, 0 124 325 101, 0 124 325 105, 0 124 325 137, 0 124 325 140, 0 124 325 111, 0 124 325 141, 0 124 325 165, 0 124 325 170, 0 124 325 177

VOLTAGE REGULATOR:

GA220 / GA225 / GA239 / GA240 / GA261 / GA265 / GA281 / GA282 / GA391

BOSCH
GA1426


FEATURES / CARACTERÍSTICAS: 120A, Diodos Avalanche (Zener) 6x50A

REPLACES / REEMPLAZA:

Bosch: F 00M 123 211, F 00M 123 331; **Cargo:** 235053; **WAI/Transpo:** IBR2304; **Magneti Marelli:** PR520468

APPLICATION / APLICACIÓN:

FIAT: Brava, Marea, Stilo, Strada 1.6 16V

ALTERNATOR / ALTERNATOR:

BOSCH: 0 124 415 011, 0 124 415 012, 0 124 415 037

VOLTAGE REGULATOR:

GA220 / GA281 / GA391

BOSCH
GA1427


FEATURES / CARACTERÍSTICAS: 120A, Diodos Avalanche (Zener) 6x50A

REPLACES / REEMPLAZA:

Bosch: F 00M 133 211; **Cargo:** 331001; **WAI/Transpo:** IBR211

APPLICATION / APLICACIÓN:

GM: Astra, Safira, Vectra

ALTERNATOR / ALTERNATOR:

BOSCH: 0 124 515 043, 0 124 515 081, 0 124 525 015

VOLTAGE REGULATOR:

GA281

BOSCH
GA1428


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A Avalanche (Zener), B+ Post M8

REPLACES / REEMPLAZA:

Bosch: F 00M 123 328; **Magneti Marelli:** PR520564

APPLICATION / APLICACIÓN:

VW: Light Trucks

ALTERNATOR / ALTERNATOR:

BOSCH: 0 124 325 067

VOLTAGE REGULATOR:

GA261

BOSCH
GA1430


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A Avalanche (Zener), B+ Post M6

REPLACES / REEMPLAZA:

Bosch: F 00M 123 252, F 00M 123 309; **Magneti Marelli:** PR520562

APPLICATION / APLICACIÓN:

FORD: F250 Cummins, MWM, F350 Cummins, F4000 Cummins, F12000, 14000, 16000 98>

ALTERNATOR / ALTERNATOR:

BOSCH: 0 124 325 064, 0 124 325 063, 0 124 325 161

VOLTAGE REGULATOR:

GA234 / GA235

BOSCH
GA1431


FEATURES / CARACTERÍSTICAS: 105A, 6x35A

REPLACES / REEMPLAZA:

Bosch: F 00M 123 310

APPLICATION / APLICACIÓN:

FORD: F12000, F14000, F16000, MTR, 6BTAA, 6CTAA, 4BTAA

ALTERNATOR / ALTERNATOR:

BOSCH: 0124325124, 0124325115, 0124325109

VOLTAGE REGULATOR:

GA231

BOSCH
GA1432


FEATURES / CARACTERÍSTICAS: 150A, 6x50A

REPLACES / REEMPLAZA:

Bosch: F 00M 123 214

APPLICATION / APLICACIÓN:

MERCEDES: MB170, 712E, L0812, L1114, L1214

ALTERNATOR / ALTERNATOR:

BOSCH: 0 124 325 098

VOLTAGE REGULATOR:

GA261

BOSCH
GA1433


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A Avalanche (Zener), B+ Post M8

REPLACES / REEMPLAZA:

Bosch: F 00M 133 223, F 00M 133 291, F 00M 133 346; **Cargo:** 231524; **WAI/Transpo:** IBR223; **Magneti Marelli:** PR520563

APPLICATION / APLICACIÓN:

VOLVO: FH 01-06, NH 12, B12 B 01>, B10 M, B12M <06, FM12 02-05;

RENAULT: Magnum 440 / 480 04-06;

FORD: Cargo C, 2632/ 2932/ 4432 /4532 /5032 /6332;

MAN: 06>

ALTERNATOR / ALTERNATOR:

BOSCH: 0 124 555 005, 0 124 555 017, 0 124 555 020, 0 124 555 027, 0 124 555 028, 0 124 555 029, 0 124 555 030, 0 124 555 056, 0 124 555 053, 0 124 655 066, 0 124 655 008, 0 124 655 009, 0 124 655 011, 0 124 655 012, 0 124 655 013, 0 124 655 019, 0 124 655 030, 0 124 655 036, 0 124 655 037, 0 124 655 039

VOLTAGE REGULATOR:

GA297 / GA300

BOSCH
GA1434


FEATURES / CARACTERÍSTICAS: 200A, 6x80A Avalanche Diodes

REPLACES / REEMPLAZA:

Bosch: F 00M 133 282

APPLICATION / APLICACIÓN:

John Deere: 9570, 9670, 9770, 9870 (2007-2009)

ALTERNATOR / ALTERNATOR:

Bosch: 0 124 625 030

BOSCH
GA1436


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A Avalanche (Zener), B+ Post M8
REPLACES / REEMPLAZA:
Bosch: F 00M 133 360; **Cargo:** 331001; **WAI/Transpo:** IBR211; **Magneti Marelli:** PR520569
APPLICATION / APLICACIÓN:
GM: Astra 1.8, 2.0, 2.0 16V 05>, Corsa 1.0, 1.0 16V, 1.6, 1.6 16V 00>, Vectra A 2.0 16V 00>, Celta 1.0 08>
ALTERNATOR / ALTERNATOR:
BOSCH: 0 124 515 082, 0 124 515 089
VOLTAGE REGULATOR:
 GA281

BOSCH
GA1437


FEATURES / CARACTERÍSTICAS: 14V, 6x50A Press-fit Avalanche Diodes
REPLACES / REEMPLAZA:
Bosch: F 00M 133 267; **Mobiletron:** RB-174HD
APPLICATION / APLICACIÓN:
BMW: Serie 1 - 116i, 118i, 120i, Serie 1 Coupe - 120i, Serie 1 Convertible - 118i, 120i, Serie 3 Convertible - 318Ci, Serie 3 Saloon 316i, 318i, 320i, 320si, Serie 3 Estate - 318i, 320i, Serie 3 Coupe - 320i, Serie 3 Convertible - 320i, Serie 5 Saloon - 520i; Serie X1 - sDrive 18i; Serie X3 - 2.0i, xDrive 20i; Serie Z4 Roadster - 2.0i
ALTERNATOR / ALTERNATOR:
BOSCH: 0 124 525 059, 0 124 525 045, 0 124 525 561, 0 124 525 524
VOLTAGE REGULATOR:
 GA266

BOSCH
GA1438


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A Avalanche (Zener), B+ Post M8
REPLACES / REEMPLAZA:
Bosch: F 00M 123 238, F 00M 123 323, F 00M 123 218, F 00M 123 308; **Cargo:** 235694; **WAI/Transpo:** IBR238
APPLICATION / APLICACIÓN:
TOYOTA: Avenis00-03, Corolla, Fielder 99-08, Hilux, SW4 05>
ALTERNATOR / ALTERNATOR:
BOSCH: 0 124 315 015, 0 124 315 016, 0 124 315 024, 0 124 315 025, 0 124 315 029, 0 124 315 034, 0 124 315 036, 0 124 325 165, 0 124 315 040
VOLTAGE REGULATOR:
 GA265

BOSCH
GA1439



FEATURES / CARACTERÍSTICAS: 90A, 6x35A Avalanche diodes
REPLACES / REEMPLAZA:
Bosch: F 00M 123 224
APPLICATION / APLICACIÓN:
VW: 13.180 Mot 6.10 TCA
ALTERNADOR:
BOSCH: 0 124 325 118

BOSCH
GA1440


FEATURES / CARACTERÍSTICAS: 90A, 6x35A Avalanche diodes
REPLACES / REEMPLAZA:
Bosch: F 00M 123 267, F 00M 123 296
APPLICATION / APLICACIÓN:
FORD: Cargo C 815 E Eletronic Interact 4 150, Cargo C 1317 E Eletronic Interact 4 170, Cargo C 1517 E Eletronic Interact 4 170, Cargo C 1717 E Eletronic Interact 4 170, Cargo C 1722 E Eletronic Interact 6, Cargo C 2422 E Eletronic Interact 6, Cargo C 2428 E Eletronic Interact 6, Cargo C 2622 E Eletronic Interact 6, Cargo C 2628 E Eletronic Interact 6, 1722 - 422, Cummins Interact 6, 5.9 ltrs, F 250 3.9 mot. Cummins Max Power
ALTERNATOR / ALTERNATOR:
BOSCH: 0 124 325 136, 0 124 325 211

BOSCH
GA1442


FEATURES / CARACTERÍSTICAS: 150A, 6x50A Avalanche diodes, M8x20mm, Diameter: 133mm
REPLACES / REEMPLAZA:
Bosch: F 00M 133 401
APPLICATION / APLICACIÓN:
FIAT: Iveco Daily, Ducato Cargo 2.3 04>12, Ducato Combinato 2.3 04>12, Ducato Maxi Cargo 2.3 04>12, Ducato Minibus 2.3 04>12, Ducato Multi 2.3 04>12;
IVECO: CityClass 08>11, Scudato 60.13 10>11
ALTERNATOR / ALTERNATOR:
BOSCH: 0 124 525 196
VOLTAGE REGULATOR:
 GA343

BOSCH
GA1446

FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A Avalanche (Zener), B+ Post M8

REPLACES / REEMPLAZA:
Bosch: F 00M 113 246, F 00M 113 251; **Regitar:** RB-115H; **Cargo:** 230360; **WAI/Transpo:** IBR202

APPLICATION / APLICACIÓN:
GM: Corsa, Pick up, Sedan, Wagon 1.0, 1.6 06>, S10, Astra 01>, Celta 08-00, Vectra 2.0 96-97, 2.2 00>, Zafira 2.0 01>

ALTERNATOR / ALTERNATOR:
BOSCH: 0 124 225 029

VOLTAGE REGULATOR:

GA281

BOSCH
GA1447

FEATURES / CARACTERÍSTICAS: 140A, 6x50A, B+: M8x14/ M8x19mm, Avalanche Diode, Diameter: 130mm

REPLACES / REEMPLAZA:
Bosch: F 00M 133 259

APPLICATION / APLICACIÓN:
AUDI: A3 MK 2 HATCH 3-Door/5-Door 1.8 TFSI 06>13/ 1.8 TFSI Quattro 08>13/ 2.0 TFSI 04>13/ 1.8 TFSI Quattro 04>13, A4 MK 2 Saloon/ Avant/ Estate 1.6 00>04/ 1.8 T 00>04/ 1.8 T Quattro 00>04/ 2.0 00>04/ 2.0 FSI 02>04, A4 Convertible 1.8 T 02>09/ 1.8 T Quattro 03>09/ 2.0 04>05/ 2.0 TFSI 16V 06>09/ A4 MK 3 Saloon/ Avant/ Estate 1.6 04>08/ 1.8 T 04>08/ 1.8 T Quattro 04>08/ 2.0 04>08/ 2.0 TFSI Quattro 04>08, A6 MK 2 Saloon/ Avant/ Estate 2.0 01>05, TT Coupe MK 2/ TT Roadster Cabrio MK 2 1.8 TFSI 08>14/ 2.0 TFSI 06>10/ 2.0 TFSI Quattro 08>10;

SEAT: Alhambra 1.8 TSI 12>/ 2.0 TSI 10>, Altea MPV 1.8 TFSI 07>, Altea XL MPV 1.8 TFSI 07>/ 2.0 TFSI 4x4 09>, Exeo/ Exeo ST 1.6 09>10/ 1.8 T 08>10/ 2.0 TFSI 09>, Leon MK 2 Hatch 1.8 TSI 07>12/ 2.0 TFSI 09>12, Toledo MK 3 MPV 1.8 TFSI 07>09;

SKODA: Octavia MK 2 Hatch 1.8 TSI 07>13/ 2.0 RS 05>13, Octavia MK 2 Estate 1.8 TSI 07>13/ 1.8 TSI 4x4 08>13/ 2.0 RS 05>13, Superb MK 2/ Estate 1.8 TSI 08>15/ 1.8 TSI 4x4 08>15/ 2.0 TSI 10>15, Yeti 1.8 TSI 4x4 09>;

VW: Beetle/ Convertible 2.0 TSI 11>, EOS Convertible 2.0 TFSI 06>15/ 2.0 TSI 09>15, GOLF VI 1.8 TSI 09>11/ 2.0 GTI 09>12, Golf VI Variant 2.0 TSI 09>13, Golf VI Convertible 2.0 GTI 11>, Jetta MK 3 Saloon 2.0 TFSI 05>10, Jetta IV 2.0 TSI 10>, Passat MK 6 Saloon/Estate 1.8 TSI 07>11 / 2.0 FSI 05>10, Passat Alltrack 1.8 TSI 12>14, Passat CC Saloon 1.8 TSI 08>12/ 2.0 TSI 08>12, CC 1.8/ 2.0 TSI 11>, Passat/ Passat Variant 1.8 TSI 10>14, Scirocco MK 3 Coupe 2.0 TSI 08>, Sharan 2.0 TSI 10>, Tiguan TFSI 4Motion 07>, Tiguan TSI 4Motion 11>

ALTERNATOR / ALTERNATOR:
BOSCH: 0 124 525 088; **VW:** 06B 903 016 AB

VOLTAGE REGULATOR:

GA222

BOSCH
GA1448

FEATURES / CARACTERÍSTICAS: 150A, 6x50A Avalanche Diode, B+: M8x20mm M8x25mm, Diameter: 130mm

REPLACES / REEMPLAZA:
Bosch: F 00M 147 623

APPLICATION / APLICACIÓN:
VOLVO: 9700/9900 09>

ALTERNATOR / ALTERNATOR:
BOSCH: 0124655052, 0124655057, 0124655075

VOLTAGE REGULATOR:

GA297

BOSCH
GA1466

FEATURES / CARACTERÍSTICAS: 105A, 6x50A, B+: M8X21.2mm / M8X7.1mm, External Diameter: 120mm

REPLACES / REEMPLAZA:
Bosch: F 00M 123 318; **Transpo:** IBR2237, IBR202; **Cargo:** 231592; **As-Poland:** ARC0066; **Mobiletron:** RB-115H; **Regitar:** RB-115H

APPLICATION / APLICACIÓN:
ALFA ROMEO: 159 1.8 MPI 2008>2010

FIAT: Croma 1.8 16V 2005

OPEL: Astra G Box 1.6 2004>2005, Astra H 1600 16V 2007>2009, Zafira B 1600 16V 2006>2010, Zafira B 1800 16V 2005>2010, Astra van H 1600 2007>2009

RENAULT: Espace III 2000 16V 1999>2002, Laguna 1600 16V 1998>2005, Laguna 1800 16V 1998>2001, Laguna 2000 16V 1999>2001, Megane 1400/1600 16V 1999>2002, Megane 1800/2000 16V 2000>2002, Megane Classic 1400/1600/1800/2000 16V 1999>2002, Megane Scenic 1400/1600/1800/2000 16V 1999>2002

SAAB: 9-3 L4 2.0 2003>2011, 9-3X L4 2.0 2010>2011

VAUXHALL: Corsa D 2009>2018, Meriva B 2010>2018

ALTERNATOR / ALTERNATOR:
ALFA ROMEO: 51754152, 60694260;

FIAT: 46843097, 468430970, 51734824, 51754153, 60694260, 73503235

CHEVROLET: 13229987, 13308508, 6204123, 93188158, 93190829

HOLDEN: 93-177-834

OPEL: 93183436, 09119309, 1202199, 1204054, 1204137, 12762730

RENAULT: 6001548061, 7700101274, 7700421477, 7700421477, 7700429217, 7700429310

SAAB: 12-75-5484, 12-75-7363, 12762730, 93-17-6035, 93-19-0828, 93-190-829, 93191922, 93191922

VAUXHALL: 13266810, 93189237, 93190894

BOSCH
GA1467


FEATURES / CARACTERÍSTICAS: 200A, 6x80A, Avalanche Diode B+: M8x7.9mm / M8x20.2mm, External Diameter: 130mm

REPLACES / REEMPLAZA:

Bosch: F 00M 133 276; **Transpo:** IBR216; **Cargo:** 236821; **AS-Poland:** ARC0151; **Mobiletron:** RB-166H; **Regitar:** RB-166H

APPLICATION / APLICACIÓN:

VOLVO: XC90 L6 2.9 2003>2005, S60 I T5 2.0 2000>2004, S80 2900 2002>2004, V70 II T5 2.0 T 2001>2004

MERCEDES-BENZ: Vaneo 2100 2004>2010, Sprinter 209/ 211/ 213/ 215/ 309/ 311/ 313/ 315/ 415 2006>2010, Vito 109D/ 111D/ 115D 2003>2010

VOLKSWAGEN VAN: Transporter L4 2.0 2010>2014

ALTERNATOR / ALTERNATOR:

BOSCH: 0 124 625 001, 0 124 625 006, 0 124 625 007, 0 124 625 010, 0 124 625 020, 0 124 625 022, 0 124 625 024, 0 124 625 025, 0 124 625 026, 0 124 625 028, 0 124 625 032

VOLKSWAGEN: 021903026G, 021903026GX, 022903028B, 022903028BX, 059903015Q

MERCEDES-BENZ: 0121548902, 0131541002, 0131541102, 0131542102, 0131548502, 0131548902

VOLVO: 30658086, 30667893, 8602713, 86027130, 86027133, 8603264, 86032650, 8637849

BOSCH
GA1468


FEATURES / CARACTERÍSTICAS: 200A, 6x80A, B+: M8x10.2mm / M8x7.4mm, External diameter: 130mm

REPLACES / REEMPLAZA:

Bosch: F 00M 133 331; **Transpo:** IBR240; **Cargo:** 331002; **AS-Poland:** ARC0064

APPLICATION / APLICACIÓN:

MERCEDES-BENZ: E220D 2200 2002>2010, E270D 2700 2002>2005

ALTERNATOR / ALTERNATOR:

BOSCH: 0 124 625 002

MERCEDES-BENZ: 0121545902, 012159802, 0131540002, 0131545902, A0131545902, A0121545902, A0121549802, A0131540002, A0141540702

BOSCH
GA1469


FEATURES / CARACTERÍSTICAS: 87A, 6x50A, Diodo Avalanche B+: M8x20.5mm, External Diameter: 120mm

REPLACES / REEMPLAZA:

Bosch: F 00M 123 313; **Cargo:** 235567; **Transpo:** IBR230

APPLICATION / APLICACIÓN:

RENAULT: Clio II 1400 8v 1998>2000, Kangoo 1400 8v 1998>2000, Megane 1400/1600 16v 1999>2002, Megane Classic 1400/1600 16v 1999>2002, Megane Scenic 1400/1600 16v 1999>2002

TOYOTA: Avensis Mk1 hatch/saloon/estate 1.6/1.8 2000>2003, Avensis Mk2 hatch/saloon/estate 1.6/1.8 2003>2008, Corolla hatch 1.4/1.6 2000>2002, Corolla estate 1.4/1.6 2002>2007

ALTERNATOR / ALTERNATOR:

RENAULT: 7700427932, 7700434899, 7701473637, 7701713149, 8200692863, 8200692866

TOYOTA: 27060-165FL

BOSCH
GA1470


FEATURES / CARACTERÍSTICAS: 150A, 6x60A, Avalanche Diode B+: M8x23.5mm, External Diameter: 130mm

REPLACES / REEMPLAZA:

Bosch: F 00M 133 289, F 00M 133 243; **Transpo:** IBR243; **Cargo:** 237356; **As-Poland:** ARC0183

APPLICATION / APLICACIÓN:

NISSAN: Primastar Box 2.0 2003>2006, Primastar 2000 2003>2010

RENAULT: Laguna 2000 16v turbo 2002>2007, Laguna 2200 2003>2007, Vel Satis 2000/2200 16v turbo 2002>2010, Traffic 2000 2006>2010

ALTERNATOR / ALTERNATOR:

NISSAN/INFINITI: 23100-00Q0H, 23100-00Q2E, 23100-00QBB, 23100-BN701

RENAULT: 7701474326, 7711135519, 7711135812, 7711135942, 7711497098, 82 00 327 183

BOSCH: 0 124 525 028, 0 124 525 043, 0 124 525 044, 0 124 525 047, 0 124 525 049, 0 124 525 053, 0 124 525 069, 0 124 525 070, 0 124 525 076, 0 124 525 081, 0 124 525 082, 0 124 525 084, 0 124 525 096, 0 124 525 108, 0 124 525 132, 0 124 525 135, 0 124 525 137, 0 124 525 141, 0 124 525 151, 0 124 525 528, 0 124 525 532, 0 124 525 533, 0 124 525 534, 0 124 525 535, 0 124 525 536, 0 124 525 537, 0 124 525 538, 0 124 525 541

BOSCH
GA1473 // NEW //


FEATURES / CARACTERÍSTICAS: 150A, 6x60A Avalanche Diode, B +: M8x1.25x38mm. Outside diameter 130mm

REPLACES / REEMPLAZA:

Bosch: F 00M 133 372, F 00M 133 226, F 00M 133 258, F 00M 133 281; **Transpo:** IBR226

APPLICATION / APLICACIÓN:

BMW: 320i 2001>2005, 325Ci 2001>2006, 325xi L6 2.5 2001>2005, 330Ci 2001>2006, 330xi 2001>2006, 525i 2001>2003, 530i 2001>2003, Z3 2001>2002

ALTERNATOR / ALTERNATOR:

...

BOSCH

GA1480 // NEW //

FEATURES / CARACTERÍSTICAS: 160A, 6x60A Avalanche Diode, B+: M6x1.0x31.3mm

REPLACES / REEMPLAZA:

Bosch: F 00M 133 279; **Transpo:** IBR279

APPLICATION / APLICACIÓN:

CASE - Tractors Case MX220 MX220 MX230 MX240 MX270 Cummins New Holland

ALTERNATOR / ALTERNATOR:

...

BOSCH

GA1488 // NEW //

FEATURES / CARACTERÍSTICAS: 120A, 6x50A Avalanche Diode, B+: M8x1.25x30.7mm

REPLACES / REEMPLAZA:

AS-Poland: ARC0191

APPLICATION / APLICACIÓN:

CATERPILLAR: Excavator 320B, Excavator 320D, Excavator 323DI, Excavator 924K, Excavator 930, Excavator 938, Excavator 950K, Excavator 966H

ALTERNATOR / ALTERNATOR:

BOSCH: 0 124 655 297, 0 124 655 120, 0 124 655 076

CATERPILLAR: 344 5081

VOLTAGE REGULATOR:

GA308

BOSCH

GA1490

FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A Avalanche (Zener), B+ Post M8

REPLACES / REEMPLAZA:

Bosch: F 00M 133 290; **Cargo:** 333527; **WAI/Transpo:** IBR257; **Magneti Marelli:** PR520567

APPLICATION / APLICACIÓN:

MERCEDES BENZ: 1318, 1618M, 1728, 2423, 2428, 712C, 914C, LO, 915, L1620, LO915, Atego 1315, 1318, 1518, 1718, 2425, 2428, Axor 1933, 2533, 2826, 2831, Acelo 915C

ALTERNATOR / ALTERNATOR:

BOSCH: 0 124 555 032, 0 124 555 044, 0 124 555 045, 0 124 555 046, 0 124 655 023, 0 124 655 069

VOLTAGE REGULATOR:

GA298

BOSCH

GA1411 // NEW //

FEATURES / CARACTERÍSTICAS: 150A, Avalanche Diode 6x60A, B+: M8x12mm, External diameter 130mm

REPLACES / REEMPLAZA:

Transpo: IBR40011; **AS-Poland:** ARC0057

APPLICATION / APLICACIÓN:

BMW: Mini One 1400 16V 2007>2010, Mini One 1600 16V 2006>2010

MINI: Cooper L4 1.6L 1598cc 2007>2010

CITROËN: Berlingo 1.6 VTi 2009>2010, C4 Grand Picasso 1.6 2008>2013, C5 III 1.6 THP 2009>2010, DS3 Convertible 1.6 THP 2013>2015, DS4 1.6 VTi 2011>2015, DS5 1.5 THP 2011>2015

PEUGEOT: 207 1600 16V 2006>2010, 308 1400/1600 16V 2007>2012

ALTERNATOR / ALTERNATOR:

BOSCH: 0 121 615 027, 0 121 615 127, F 00M 314 001, F 00M 314 004, F 00M 314 029, F 00M 349 922

BMW: 12317575650, 12317575872, 12317575873, 12317576550

CITROËN/ PEUGEOT: 5702L3, 5705KF

BOSCH

GA1435

FEATURES / CARACTERÍSTICAS: 180A, 6x70A Avalanche Diode

REPLACES / REEMPLAZA:

Bosch: F 00M 314 001, F 00M 314 029

APPLICATION / APLICACIÓN:

LAND ROVER: LR2 L6 3.2L 3192cc 2008-2010; Freelander II 3200, SI6 2006-2010

VOLVO: S60 L5 2.5L 2521cc 2012; S60 L6 3.0L 2953cc 2011-2013; S60 L6 3.0L 2953cc 180cid 2011-2013; S80 L6 3.0L 2953cc 2008-2013; S80 L6 3.0L 2953cc 180cid 2010-2011; S80 L6 3.2L 3192cc 2007-2010; V70 L6 3.2L 3192cc 2008-2010; XC70 L6 3.0L 2953cc 2009-2010; XC70 L6 3.2L 3192cc 2008-2010; XC60 L6 3.0L 2953cc 2010; XC60 L6 3.0L 2953cc 180cid 2010; XC60 L6 3.2L 3192cc 2010; XC60 L6 3.2L 3192cc 195cid 2010; XC90 L6 3.2L 3192cc 2007-2013; XC90 L6 3.2L 3192cc 195cid 2010; S80 Mk2 3200, B6324S 2006-2010; V70 Mk3 3000, B6304T2 2007-2012; V70 Mk3 3200, B6324S 2007-2012; XC70 Mk2 3200, B6324S 2007-2012; XC90 3200, B6324S 2006-2010

ALTERNATOR / ALTERNATOR:

0.121.715.009

BOSCH
GA1441


FEATURES / CARACTERÍSTICAS: 150A, 6x50A Avalanche Diode (high efficiency), B+: M8x18mm, Diameter: 127mm
REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

MERCEDES: C-KLASSE Kombi, Coupe, C 180, C220C C230, C300, C630, E-KLASSE Cabriolet, E 200

ALTERNATOR / ALTERNATOR:

Mercedes: A 000 906 20 03 Q1, A 000 906 20 03 0080, A 000 906 20 03 80, 000 906 20 03, 000 906 20 03 0080, 000 906 20 03 80;
Bosch: 0 125 711 032, 0 986 081 730

VOLTAGE REGULATOR:

GA345

BOSCH
GA1443


FEATURES / CARACTERÍSTICAS: 150A, 6x50A Avalanche Diode (high efficiency), B+: M8x18mm, Diameter 127mm
REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

MERCEDES: B200, Sprinter, GLA180M 1.6L, GLA200M 1.6L, GLA250M 2.0L

AUDI: Q5 1.8, 2.0 TFSI

ALTERNATOR / ALTERNATOR:

Mercedes: A 000 906 00 22, A 000 906 19 03, A 000 906 19 03 0080;

Bosch: 0 125 711 030, 0 986 082 160

VOLTAGE REGULATOR:

GA345

BOSCH
GA1444


FEATURES / CARACTERÍSTICAS: 75A, 6x35A Avalanche Diode, B+: M8x16mm, with diode trio

REPLACES / REEMPLAZA:

Bosch: F 00M 324 060

APPLICATION / APLICACIÓN:

BMW: 128i L6 3.0L 2996cc 2008-2013, 323i L6 2.5L 2497cc 2007-2009, 328i L6 3.0L 2996cc 2007-2013, 328i xDrive L6 3.0L 2996cc 2009-2013, 328xi L6 3.0L 2996cc 2007-2008, 330i L6 3.0L 2996cc N52 2006, 330xi L6 3.0L 2996cc N52 2006

ALTERNATOR / ALTERNATOR:

Bosch: 0 121 715 012; **BMW:** 12317550968, 12317551254, 12317551256, 12317555926, 57550968-05, 7551256-05

VOLTAGE REGULATOR:

GA348

BOSCH
GA1445


FEATURES / CARACTERÍSTICAS: 150A, 6X50A Avalanche Diode, B+: M8X11mm, Diameter: 127mm

REPLACES / REEMPLAZA:

Bosch: F 00M 573 933, F 00M 599 415; **Transpo:** IBR415

APPLICATION / APLICACIÓN:

BMW: Mini One 1400, 16V, N12B14A 2010>2012, Mini One 1600, 16V, N12B16 2010>2012, Cooper L4 1.6L 1598cc 2011>2016, Cooper L4 1.6L 1598cc 98cid 2011>2014, Cooper Countryman L4 1.6L 1598cc 2011>2016, Cooper Countryman L4 1.6L 1598cc 98cid 2011>2014, Cooper Paceman L4 1.6L 1598cc 2013>2016, Countryman L4 1.6L 1598cc 98cid 2011>2013

ALTERNATOR / ALTERNATOR:

BOSCH: 0 125 711 011, 0 125 711 078; **BMW:** 12-31-7-604-782, 12-31-7-613-445

VOLTAGE REGULATOR:

GA349

BOSCH
GA1481 // NEW //


FEATURES / CARACTERÍSTICAS: 150A, 6X60A Avalanche Diode, B+: M8x1.25x23.6mm

REPLACES / REEMPLAZA:

Bosch: F 00M 599 451; **AS-Poland:** ARC0203; **Mobiletron:** RB-195H; **Transpo:** IBR4051

APPLICATION / APLICACIÓN:

FORD: Ranger TDCi 4x4 2.2 4cc Diesel 2011>, Ranger TDCi 4x4 3.2 5cc Diesel 2011>, Transit MK 7 Minibus 2.2 4cc Diesel 2011>2014, Transit MK 7 Van 2.2 4cc Diesel 2011>2014, Transit MK 7 Flatbed 2.2 4cc Diesel 2011>2014, Transit V363 Bus 2.2 4cc Diesel 2013>, Transit V363 Box 2.2 4cc Diesel 2013>, Transit V363 Platform 2.2 4cc Diesel 2013>

ALTERNATOR / ALTERNATOR:

BOSCH: 0 125 711 046, 0 125 711 103, 0 125 711 133, 0 986 082 330

BOSCH
GA1491


FEATURES / CARACTERÍSTICAS: 105A, 3x35A Avalanche Diodes

REPLACES / REEMPLAZA:

-

APPLICATION / APLICACIÓN:

Renault: Clio, Sandero, Logan, Kangoo, Duster, Dokker, Lodgy, Tondar (1.6).

ALTERNATOR / ALTERNATOR:

Bosch: F 000 BL0 408, F 000 BL0 4F0;

Renault: 23 10 076 33R

BOSCH

GA1492

FEATURES / CARACTERÍSTICAS: 6x50A, Avalanche

REPLACES / REEMPLAZA:

-

APPLICATION / APLICACIÓN:

FIAT: Uno Evolution 1.4 Fire Flex 8V 5p 2015>

ALTERNATOR / ALTERNATOR:

Bosch: F 000 BL0 7E4

VOLTAGE REGULATOR:

GA343

BOSCH

GA1493

FEATURES / CARACTERÍSTICAS: 150A | 6x50A, High efficient avalanche Diode, B+: M8x15mm

REPLACES / REEMPLAZA:

-

APPLICATION / APLICACIÓN:

JEEP: Renegade;

FIAT: Toro

ALTERNATOR / ALTERNATOR:

Bosch: F 000 BL0 7P3

VOLTAGE REGULATOR:

GA338

BOSCH

GA1494

FEATURES / CARACTERÍSTICAS: 90A, 6x35A, Avalanche Diode, B+: M8x17mm

REPLACES / REEMPLAZA:

-

APPLICATION / APLICACIÓN:

NISSAN: Kicks 1.6 XTRONIC CVT 2017

ALTERNATOR / ALTERNATOR:

BOSCH: F 000 BL0 4M0

NISSAN: 23100 5RA0A

VOLTAGE REGULATOR:

GA351

BOSCH

GA1495

FEATURES / CARACTERÍSTICAS: 140A, 6x50A Avalanche Diode, B+: M8X13mm

REPLACES / REEMPLAZA:

Bosch: F 000 BL2 114

APPLICATION / APLICACIÓN:

AUDI: A1 1.8 TFSI 2015>, A1 Sportback TFSI 2015>, A3/Sportback/Limousine/Convertible 1.8 TFSI / 1.8 TFSI quattro / S3 quattro 2012>, Q3 2.0 TFSI quattro 2014>, TT / TT Roadster 2.0 TFSI / 2.0 TFSI quattro 2014>;

SEAT: Leon/Leon SC 1.8 TSI / 2.0 Cupra 2013>;

SKODA: Octavia III 1.8 TSI / 2.0 TSI RS 2012>;

VOLKSWAGEN: Golf 2.0 GTI 2013>

ALTERNATOR / ALTERNATOR:

BOSCH: F 000 BL0 803;

VW: 06J 903 023G

VOLTAGE REGULATOR:

GA364

BOSCH
GA1498 // NEW //
FEATURES / CARACTERÍSTICAS: 90A, 6x50A Avalanche Diode, B+: M8x1.25x12.6mm

REPLACES / REEMPLAZA:
Bosch: 1 127 319 694; **Transpo:** IBR694; **Mobiletron:** RB-36H

APPLICATION / APLICACIÓN:

CITROËN: BERLINGO (MF) Eng.D9B (XUD9A/L), DJY (XUD9A) 1.9 D (MFDJY) 50kw ""D9B (XUD9A/L), DJY (XUD9A)"" 1996-2003, BERLINGO (MF) Eng.D9B (XUD9A/L), DJY (XUD9A) 1.9 D (MFDJY) 50kw D9B (XUD9A/L), DJY (XUD9A) 1996, BERLINGO Box (M_) Eng. A9A (XUD7) 1.8 D (MBA9A, MCA9A) 43kw A9A (XUD7) 1996-2001, BERLINGO Box (M_) Eng.DJY (XUD9A) 1.9 D (MBDJY) 51kw DJY (XUD9A) 1996-2003, EVASION (22, U6) Eng.D8B (XUD9TF) 1.9 TD 68kw D8B (XUD9TF) 1995-1998, EVASION (22, U6) Eng.D8B (XUD9TF), DHX (XUD9TF/BTF) 1.9 TD 66kw ""D8B (XUD9TF), DHX (XUD9TF/BTF)"" 1999-2000, EVASION (22, U6) Eng.D8B (XUD9TF), DHX (XUD9TF/BTF) 1.9 TD 66kw D8B (XUD9TF), DHX (XUD9TF/BTF) 1999-2000, JUMPY Box (BS_, BT_, BY_, BZ_) Eng.D9B (XUD9A/U) 1.9 D 51kw D9B (XUD9A/U) 1996-1998, JUMPY Box (BS_, BT_, BY_, BZ_) Eng.DHX (XUD9TF/BTF) 1.9 TD 66kw DHX (XUD9TF/BTF) 1996-2000, XANTIA (X1) Eng.P8C (XUD11BTE) 2.1 Turbo D 12V 80kw P8C (XUD11BTE) 1997-1998, XANTIA (X2) Eng.DHX (XUD9TF/BTF), DHY (XUD9TE/Y) 1.9 Turbo D 66kw ""DHX (XUD9TF/BTF), DHY (XUD9TE/Y)"" 1999-2000, XANTIA (X2) Eng.DHX (XUD9TF/BTF), DHY (XUD9TE/Y) 1.9 Turbo D 66kw DHX (XUD9TF/BTF); DHY (XUD9TE/Y) 1999-2000, XANTIA (X2) Eng.P8C (XUD11BTE) 2.1 Turbo D 12V 80kw P8C (XUD11BTE) 1998-1999, XANTIA Break (X1) Eng.P8C (XUD11BTE) 2.1 Turbo D 12V 80kw P8C (XUD11BTE) 1997-1998, XANTIA Break (X2) Eng.D8B (XUD9TF), DHX (XUD9TF/BTF) 1.9 Turbo D 66kw ""D8B (XUD9TF), DHX (XUD9TF/BTF)"" 1999-2000, XANTIA Break (X2) Eng.D8B (XUD9TF), DHX (XUD9TF/BTF) 1.9 Turbo D 66kw D8B (XUD9TF); DHX (XUD9TF/BTF) 1999-2000, XANTIA Break (X2) Eng.P8C (XUD11BTE) 2.1 Turbo D 12V 80kw P8C (XUD11BTE) 1998-1999, XSARA (N1) Eng.DHY (XUD9TE/Y) 1.9 TD 66kw DHY (XUD9TE/Y) 1997-1999, XSARA (N1) Eng. DJY (XUD9A) 1.9 D 50kw DJY (XUD9A) 1997-1999, XSARA Break (N2) Eng.DHY (XUD9TE/Y) 1.9 TD 66kw DHY (XUD9TE/Y) 1994-1997, XSARA Break (N2) Eng.DJY (XUD9A) 1.9 D 50kw DJY (XUD9A) 1998-1999, ZX (N2) Eng.D9B (XUD9A/U), DJY (XUD9A) 1.9 D 50kw ""D9B (XUD9A/U), DJY (XUD9A)"" 1995-1997, ZX (N2) Eng.D9B (XUD9A/U), DJY (XUD9A) 1.9 D 50kw D9B (XUD9A/U), DJY (XUD9A) 1995-1997, ZX (N2) Eng.DHY (XUD9TE/Y) 1.9 TD 66kw DHY (XUD9TE/Y) 1995-1997, ZX Break (N2) Eng.D9B (XUD9A/U) 1.9 D 50kw D9B (XUD9A/U) 1994-1997, ZX Break (N2) Eng.DHY (XUD9TE/Y) 1.9 TD 66kw DHY (XUD9TE/Y) 1994-1997;

FIAT: SCUDO Box (220_) Eng.D8B 1.9 TD 68kw D8B 1998-2006, SCUDO Box (220_) Eng.D9B 1.9 D 51kw D9B 1996-2006, SCUDO Box (220_) Eng.DHX (XUD9TF/L) 1.9 TD 66kw DHX (XUD9TF/L) 1996-2006, ULYSSE (220_) Eng.DHX (XUD9TF/L) 1.9 TD (220AH5) 66kw DHX (XUD9TF/L) 1995-2002

ALTERNATOR / ALTERNATOR:
BOSCH: 0 123 310 010, 0 123 310 011, 0 123 310 012, 0 123 310 013;

MAHLE: AAK5329, AAK5332;

MAGNETI MARELLI: 943356577010, 944390393000

BOSCH
GA1471 // NEW //
FEATURES / CARACTERÍSTICAS: 120A, diodes 6x50A, B+: M8x24.2mm, External diameter 122mm, with triodiode and capacitor

REPLACES / REEMPLAZA:
Cargo: 138080; **AS-Poland:** ARC0040; **Mobiletron:** RB-110H; **Regitar:** RB-110H

APPLICATION / APLICACIÓN:
AUDI: A4 L4 1.8 1997>1998, Passat L4 1.9 Diesel 1996>1997

VOLKSWAGEN: LT 28-35 II Bus 2.3 1996>2006, LT 28-46 II Box 2.3 1996>2006

MERCEDES-BENZ: C240 2400 1997>2000, C280 2800 V6 1997>2001, CLK320 3200 V6 1997>2003, E240 2400 V6 1997>2002, E280 2800 1996>2003, E320 3200 1997>2002, SL280 2800 1998>2001, SL320 3200 1998>2001, Sprinter 214/314 2300 2000>2006, Sprinter 414 2300 2000>2006

SAAB: 9-5 V6 3.0 1999>2003, 9-5 Estate 3.0 V6 1998>2001

ALTERNATOR / ALTERNATOR:

AUDI / VOLKSWAGEN: 028-903-025F, 028-903-027G, 028-903-028, 028-903-028A, 028-903-028F, 046-903-015F, 046-903-015FX, 054-903-015K, 054-903-015KX, 058-903-016C, 058-903-016CX, 058-903-016D, 058-903-018C, 058-903-018CX, 059-903-015, 059-903-015X, 071-903-016H, 078-903-015F, 078-903-015FX

MB: 010-154-07-02, 010-154-32-02, 011-154-07-02, A0101543202

SAAB: 46-14-475, 49-29-451, 52-46-905

BOSCH
GA1472
FEATURES / CARACTERÍSTICAS: 90A, 8x50A, B+: M8x34mm, External diameter: 122mm

REPLACES / REEMPLAZA:
Cargo: 234357; **AS-Poland:** ARC0106

APPLICATION / APLICACIÓN:
IVECO: Stralis 2002>2013

ALTERNATOR / ALTERNATOR:
BOSCH: 0 123 525 001, 0 123 525 500, 0 123 525 502

IVECO: 500331736, 99477271

BOSCH
GA1510
FEATURES / CARACTERÍSTICAS: 90A, Diodes 6x50A Avalanche (Zener) B+ M8 with diode trio, OD 112mm

REPLACES / REEMPLAZA:
Bosch: 1 127 319 510, 1 127 319 593, 1 127 319 730, 1 127 320 807, 1 127 320 844, 1 127 320 864, 1 127 326 010; **Regitar:** RB-121H;

Cargo: 137333; **WAI/Transpo:** IBR844

APPLICATION / APLICACIÓN:
DIVERSOS: (2000-91) Mercedes 350 450 Saab

ALTERNATOR / ALTERNATOR:

BOSCH: 0113320040, 0120485011, 0120485012, 0120485022, 0123310005, 0123310008, 0123310041, 0123315005, 0123315501, 0123320010, 0123320011, 0123320029, 0123320039, 0123320040, 0123320042, 0123320043, 0123320044, 0123320045, 0123320046, 0123320047, 0123320049, 0123320051, 0123320057, 0123320060, 0123320061, 0123320062, 0123320065, 0123325007, 0123335002, 0123335003, 0123335004, 0123335005, 0123335006, 0123340006, 0123340007

VOLTAGE REGULATOR:
GA211


BOSCH
GA1537


FEATURES / CARACTERÍSTICAS: 80A, 6x35A Diode Avalanche
REPLACES / REEMPLAZA: 1127319554
APPLICATION / APLICACIÓN:
Volvo: S40, V40
ALTERNATOR / ALTERNATOR:
Bosch: 123315021; **Volvo:** 9164940

BOSCH
GA1560


FEATURES / CARACTERÍSTICAS: 90A, Diodes 6x35A Avalanche (Zener), B+ Post M8, with diode trio and capacitor
REPLACES / REEMPLAZA:
Bosch: 1 127 319 560, 1 127 319 011, 1 127 319 746; **Cargo:** 136861
APPLICATION / APLICACIÓN:
IVECO: Trucks Daily Turbo 35.10, 49.10 (after 09.97), Trucks Daily Turbo 35.10, 49.10 (after 09.97);
VW: Saveiro 1.6Mi (AP) without AC (after 06.99), Passat, Variant, Gol II;
AUDI: A80, A100, A4;
PEUGEOT: 306D 1.8i/ 1.8i 16V, 405D 2.0/ 1.8i (after 03.97).
ALTERNATOR / ALTERNATOR:
BOSCH: 0 123 315 500, 0 123 315 020, F 010 LDO 201, 0 123 310 042, 0 123 320 030, F 010 LDO 202
VOLTAGE REGULATOR:
 GA214 / GA223

BOSCH
GA1561


FEATURES / CARACTERÍSTICAS: 90A, Diodes 6x35A Avalanche (Zener) B+ M8 with diode trio, OD 112mm
REPLACES / REEMPLAZA:
Bosch: 1 127 319 766, 1 127 319 726, 1 127 319 530, 1 127 319 599, 1 127 319 725; **Cargo:** 136838; **WAI/Transpo:** IBR570
APPLICATION / APLICACIÓN:
GM: Corsa Wind 96-2000
ALTERNATOR:
BOSCH: 0 123 100 001, 0 123 100 002
VOLTAGE REGULATOR:
 GA212

BOSCH
GA1562


FEATURES / CARACTERÍSTICAS: 120A, 8x50A, Avalanche Diodes, B+ M8X23mm Bolt L M5X17 / with diode trio and capacitor
REPLACES / REEMPLAZA:
Bosch: 1127319766, 1127319765, 1127319601
APPLICATION / APLICACIÓN:
OPEL: Astra Mk3 1400/ 1600/ 1800/ 2000, Calibra A2000, Corsa B 1200/ 1400/ 1600, Omega B 2000/ 2200, Tigra 1400/ 1600, Vectra B 1600/ 1800/ 2000;
VAUXHALL: Vectra
ALTERNATOR:
Bosch: 0 123 120 001
VOLTAGE REGULATOR:
 GA214

BOSCH
GA1563


FEATURES / CARACTERÍSTICAS: 90A, 6x35A Avalanche Diode, B+: M6x12mm M5x8mm, with diode trio and capacitor
REPLACES / REEMPLAZA:
Bosch: 1 127 319 033, 1 127 319 580, 1 127 319 715
APPLICATION / APLICACIÓN:
FORD: Mondeo Mk1 Hatch/Saloon/Estate 1.6i 16V/1.8i 16V/2.0i 16V 93>96, Mondeo Mk2 Hatch/Saloon/Estate 1.6i/1.8i/2.0i 96>00
ALTERNATOR:
Bosch: 0 123 212 001
VOLTAGE REGULATOR:
 GA212, GA214, GA223

BOSCH
GA1570


FEATURES / CARACTERÍSTICAS: 90A, Diodes 6x35A Avalanche (Zener), B+ Post M6, with diode trio and capacitor | Doesn't come with Lamp Terminal
REPLACES / REEMPLAZA:
Bosch: 1 127 319 570; **Regitar:** RB-105H; **Cargo:** 137507; **WAI/Transpo:** IBR570; **Magneti Marelli:** PR520498
APPLICATION / APLICACIÓN:
FORD: Ka 1.0/ 1.3i, Courier 1.0, 1.3i, Fiesta 1.0, 1.3
ALTERNATOR / ALTERNATOR:
BOSCH: 0 123 320 050, 0 123 310 023, 0 123 310 048, 0 123 310 054, 0 123 310 055, 0 123 310 067
VOLTAGE REGULATOR:
 GA523

BOSCH
GA1584


FEATURES / CARACTERÍSTICAS: 90A, Diodes 6x35A Avalanche (Zener), B+ Post M6, with diode trio and capacitor | Doesn't come with Lamp Terminal

REPLACES / REEMPLAZA:

Bosch: 1 127 319 584, 1 127 320 870; **Cargo:** 135444; **Magneti Marelli:** PR520500

APPLICATION / APLICACIÓN:

FORD: Escort Zetec 16v 1.8i, Fiesta, Orion, Scorpio II

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 485 029, 0 123 310 014, 0 123 310 015, 0 123 310 029, 0 123 310 053, 0 123 320 014

BOSCH
GA1667


FEATURES / CARACTERÍSTICAS: 90A, Diodes 8x35A Avalanche (Zener), B+ Post M8, with diode trio and capacitor

REPLACES / REEMPLAZA:

Bosch: 1 127 319 667, 1 127 320 850; **Regitar:** RB-24H; **Cargo:** 135439; **WAI/Transpo:** IBR850

APPLICATION / APLICACIÓN:

VW: Cabrio, Corrado, Eurovan, Golf, Jetta, Passat;

BMW;

MERCEDES BENZ

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 485 036, 0 120 485 038, 1 120 485 039, 0 123 320 001, 0 123 320 002, 0 123 320 005, 0 123 340 002, 0 123 340 003, 0 123 340 005

VOLTAGE REGULATOR:

GA212 / GA223

BOSCH
GA1671


FEATURES / CARACTERÍSTICAS: 75A, Diodes 6x35A Avalanche (Zener), B+ Post M6, with diode trio and capacitor

REPLACES / REEMPLAZA:

Bosch: 1 127 319 671; **Cargo:** 139571

APPLICATION / APLICACIÓN:

HONDA: Civic 1.4i 95-01; Civic 1.5i 94-01, 1.4, 1.5, 1.6 de 95>01

ALTERNATOR / ALTERNATOR:

BOSCH: 0 123 315 020

BOSCH
GA1852


FEATURES / CARACTERÍSTICAS: 90A, Diodes : 6x35A Avalanche (Zener), B+ Post M8, with diode trio and capacitor

REPLACES / REEMPLAZA:

Bosch: 1 127 319 552, 1 127 320 852, 1 127 319 728; **Regitar:** RB-122H; **Cargo:** 138077; **WAI/Transpo:** IBR852

APPLICATION / APLICACIÓN:

VW: Golf GL 2.0/ GLX (after 03.96). Polo Classic 1.6 Mi, 1.8 Mi (AP) Van 1.6 Mi with AC (after 02.97) Gol/ Parati 1.0 Mi/ 1.0 Mi 16V without AC (after 09.97), Polo, Classic 1.6 Mi, 1.8 Mi (AP), Van 1.6 Mi without AC (after 02.97), Bora, New Batle 2.0, Caravelle, Eurovan, Jetta, Passat;

SEAT: Cordoba, Ibiza, Inca, Toledo;

AUDI: A3 1.6, 1.8/ Diesel;

BMW; MERCEDES BENZ;

ALTERNATOR / ALTERNATOR:

AUDI / VW: 023 903 023, 028 903 018, 023 903 025G, 023 903 025P, 023 903 025Q, 030 903 023B **BOSCH:** 0 120 335 007, 0 120 340 003, 0 120 485 034, 0 120 485 043, 0 120 485 044, 0 123 310 001, 0 123 310 002, 0 123 310 018, 0 123 310 019, 0 123 310 020, 0 123 310 024, 0 123 310 025, 0 123 310 032, 0 123 310 034, 0 123 310 035, 0 123 310 037, 0 123 310 038, 0 123 310 039, 0 123 310 040, 0 123 310 046, 0 123 310 049, 0 123 315 001, 0 123 315 002, 0 123 315 006, 0 123 315 021, 0 123 315 501, 0 123 320 006, 0 123 320 007, 0 123 320 008, 0 123 320 017, 0 123 320 018, 0 123 320 019, 0 123 320 024

VOLTAGE REGULATOR:

GA223

BOSCH
GA1734


FEATURES / CARACTERÍSTICAS: 120A, Diodes Avalanche (Zener) 6x50A, B+ Post M8, with diode trio and capacitor

REPLACES / REEMPLAZA:

Bosch: 1 127 319 734, 1 127 319 540, 1 127 319 572; **Regitar:** RB-107H; **Cargo:** 230093; **WAI/Transpo:** IBR856

APPLICATION / APLICACIÓN:

AUDI: A3 1.6, 1.8, 1.8T;

SEAT: Alhambra 2.7 V8;

SKODA: Octavia 1.6;

VW: Golf, Corrado, Eurovan, Caravelle, Multivan, Transports, California

ALTERNATOR / ALTERNATOR:

BOSCH: 0 123 510 053, 0 123 510 054, 0 123 510 065, 0 123 515 016

VOLTAGE REGULATOR:

GA223

BOSCH
GA1737


FEATURES / CARACTERÍSTICAS: 130A, Diodes 8x60A Avalanche (Zener), B+ M8, with diode trio, OD 122mm

REPLACES / REEMPLAZA:

Bosch: 1 127 319 501, 1 127 319 578, 1 127 319 752; **Cargo:** 230173; **WAI/Transpo:** IBR501

APPLICATION / APLICACIÓN:

VW: Golf Tdi 1.9 1993-1997, Jetta 1.9 Tdi 1993-1998, Caddy 1.9 Tdi 1995-2000, Derby 1.7 /1.9 1996-2001, Polo Tdi 1.7 /1.9 1997-2001

ALTERNATOR / ALTERNATOR:

BOSCH: 0123505011, 0123505012, 0123505013, 0123515017; **VW/AUDI:** 028903025S, 028903026G, 028903027D, 028903028B

BOSCH
GA1738


FEATURES / CARACTERÍSTICAS: 130A, Diodes Avalanche (Zener) 8x50A, B+ Post M8, with diode trio and capacitor

REPLACES / REEMPLAZA:

Bosch: 1 127 319 738; **Regitar:** RB-178H; **Cargo:** 230092; **WAI/Transpo:** IBR738

APPLICATION / APLICACIÓN:

VW: Golf 1.6, 1.8, 1.9, 2.0, Passat 2.0, 2.0 16V, Sharan 2.0;

Vento 1.6,1.8, 1.9 TDi, Transporter 1.9, 2.0, 2.5, Conrado 2.8 V6, 2.9 VR6;

SEAT: Alhambra 2.0, Ibiza 1.8 16V;

FORD: Galaxy 2.8 VR6 UP 1995;

VOLVO: 260 série, 760 2.8 V6

ALTERNATOR / ALTERNATOR:

BOSCH: 0 123 510 005, 0 123 510 006, 0 123 510 007, 0 123 515 032

BOSCH
GA1739


FEATURES / CARACTERÍSTICAS: 120A, Diodes Avalanche (Zener) 8x35A, B+ Post M8, with diode trio and capacitor

REPLACES / REEMPLAZA:

Bosch: 1 127 319 708

APPLICATION / APLICACIÓN:

MERCEDES BENZ:

ECOPOWER 90

ALTERNATOR / ALTERNATOR:

BOSCH: 6 004 LA9, 0 123 512 501, 0 123 512 502

BOSCH
GA1740


FEATURES / CARACTERÍSTICAS: 700A, Diodes Avalanche (Zener) 6x35A, B+ Post M8, with diode trio and resistor

REPLACES / REEMPLAZA:

Bosch: 1 127 319 013, 1 127 319 597, 1 127 319 778; **Cargo:** 136831; **Magneti Marelli:** PR520527

APPLICATION / APLICACIÓN:

GM: Calibra, Corsa, Omega, Vectra, Astra, Frontera;

SAAB: 900 2.5 V6 SE

ALTERNATOR / ALTERNATOR:

BOSCH: 0 123 505 001, 0 123 505 004, 0 123 510 003, 0 123 510 020

VOLTAGE REGULATOR:

GA214

BOSCH
GA1741


FEATURES / CARACTERÍSTICAS: 140A, Diodes 14x50A Avalanche (Zener), B+ M8, with diode trio, OD 122mm

REPLACES / REEMPLAZA:

Bosch: 1 127 319 712, 1 127 319 641; **Cargo:** 139939-139030

APPLICATION / APLICACIÓN:

BMW: 316I /316CI /318I Z3 1.9, M5 V8 5.0L 4941cc 2000-2003, Z8 V8 5.0L 4941cc 2000-2003

ALTERNATOR / ALTERNATOR:

BOSCH: 0 123 325 010

BOSCH
GA1742


FEATURES / CARACTERÍSTICAS: 90A, Diodes 6x 35A Avalanche, Parafuso B+ M6, with diode trio, OD 112mm

REPLACES / REEMPLAZA:

Bosch: 1 127 319 583, 1 127 319 584; **Cargo:** 135444

APPLICATION / APLICACIÓN:

FORD: Escort Zetec 16V 1.8i, Fiesta, Orion, Scorpion II

ALTERNATOR / ALTERNATOR:

BOSCH: 0120485029, 0123310014, 0123310015, 0123310053, 0123310029, 0123320014

BOSCH
GA1743


FEATURES / CARACTERÍSTICAS: 90A, Diodes 6x 50A Avalanche, B+ M8, with diode trio, Diameter 112mm

REPLACES / REEMPLAZA:

Bosch: 1 127 319 009, 1 127 319 617, 1 127 319 623, 1 127 319 816, 1 127 320 862, 1 127 320 882; **Cargo:** 137257

APPLICATION / APLICACIÓN:

BMW: 318i 1994-1995, 316 europe 1600 /1800 /1900 1993-2000

ALTERNATOR / ALTERNATOR:

BMW: 12311247287, 12311247311, 12314353353; **BOSCH:** 0 123 310 0064

BOSCH
GA1543


FEATURES / CARACTERÍSTICAS: 105A, Diodes 14x35A, 3x35A diode trio, Terminal B+ M8, Terminal B- M6, Terminal D+M4

REPLACES / REEMPLAZA:

Bosch: 1 127 319 560, 1 127 320 543, 1 127 320 361, 1 127 320 379, 1 127 320 388, 1 127 320 395, 1 127 320 653, 1 127 320 655, 1 127 320 959; **Audi:** 049 903 359D; **Ford:** 613319, 83DB10304AA; **Magneti Marelli:** 940 038 360; **Mercedes Benz:** 1543316, 1544716, 1546616, 1546916, 11541216, 11541516; **Scania:** 1314207, 1342386, 424968;

Regitar: RB-72H; **WAI/Transpo:** IBR340; **Cargo:** 139581

APPLICATION / APLICACIÓN:

MERCEDES BENZ;

SCANIA;

VOLVO: Trucks and Bus. alternators Bosch 28V.

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 469 518, 0 120 469 521, 0 120 469 532, 0 120 469 569 alternators 28 V

VOLTAGE REGULATOR:

GA301

BOSCH
GA1920


FEATURES / CARACTERÍSTICAS: 135A, Diodes 14x50A, 3x35A diode trio, Terminal B+ 7/16" (11mm), Terminal B- M6, Terminal D+ M4, W Terminal M5

REPLACES / REEMPLAZA:

Bosch: 1 127 320 920; **Regitar:** RB-67H; **Cargo:** 136737; **WAI/Transpo:** IBR954

APPLICATION / APLICACIÓN:

JI CASE: Tractors. Alternators Bosch 28V - 135A.

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 468 028, 0 120 468 055

VOLTAGE REGULATOR:

GA025

BOSCH
GA1954


FEATURES / CARACTERÍSTICAS: 140A, Diodes 8x50A Avalanche (Zener), 3x35A diode trio, Term. B+ 7/16" (11mm), Terminal B- M6, Terminal D+ M4, W Terminal M5.

REPLACES / REEMPLAZA:

Bosch: 1 127 320 954; **Regitar:** RB-67H; **Cargo:** 136737; **WAI/Transpo:** IBR954A

APPLICATION / APLICACIÓN:


JI CASE: Harvesters 2155, 2166, 2188, 2366, 2388, 2555. (Cummins 6T 8.3L) (05.97.) Tractors 8910, 8920, 8930, 8940, 8950, (Cummins 6T 8.3L) (05.97). **JOHN DEERE:** Alternators Bosch 14V.

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 468 028, 0 120 468 055 can not be used with alternators 28V

VOLTAGE REGULATOR:

GA025

BOSCH
GA1955


FEATURES / CARACTERÍSTICAS: 105A, Diodes 8x35A, 3x35A diode trio, Terminal B+ M8, Terminal B- M6, Terminal D+ M4, W Terminal M5

REPLACES / REEMPLAZA:

Bosch: 1 127 320 955, 1 127 320 951, 1 127 320 980, 1 127 320 981, 1 127 320 602, 1 127 320 924; **Cargo:** 136832; **WAI/Transpo:** IBR955

APPLICATION / APLICACIÓN:

SCANIA: Trucks and Bus;

DAF;

KHD;



MAN

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 468 037, 0 120 468 053, 0 120 468 115, 0 120 468 118, 0 120 469 686, 0 120 469 687, 0 120 469 895. Bosch 28V - 80A

VOLTAGE REGULATOR:

GA301

BOSCH
GA1959


FEATURES / CARACTERÍSTICAS: 140A, Diodes 14x35A, 3x35A diode trio, Terminal B+ M8, Terminal B- M6, Terminal D+ M4, W Terminal M5.

REPLACES / REEMPLAZA:


Bosch: 1 127 320 961, 1 127 320 959; **Cargo:** 139581; **WAI/Transpo:** IBR341; **Mobiletron:** RB-62H, **Regitar:** RB-62H

APPLICATION / APLICACIÓN:

SCANIA;
VOLVO;
MERCEDES BENZ;
DAF;

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 469 522, 0 120 469 749. Bosch 28V - 90A

BOSCH
GA1968


FEATURES / CARACTERÍSTICAS: 105A, Diodes 8x35A, 3x35A diode trio, Terminal B+ M8, Terminal B- M6, Terminal D+ M4, W Terminal M5

REPLACES / REEMPLAZA:

Bosch: 1 127 320 968, 1 127 320 904; **Scania:** 1318551, 1345630; **DAF:** 068092; **Regitar:** RB-64H; **Cargo:** 230729;

WAI/Transpo: IBR904

APPLICATION / APLICACIÓN:

SCANIA: Trucks and Bus;
DAF;
KHD;


MAN (USA);

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 469 041, 0 120 469 796, 0 120 469 963, 0 120 469 983. Bosch 28V - 50A

VOLTAGE REGULATOR:

GA365

BOSCH
GA1977


FEATURES / CARACTERÍSTICAS: 105A, Diodes 8x35A, 3x35A diode trio, Terminal B+ M8/M6, Terminal B - M6, Terminal D+ M4, W Terminal M5

REPLACES / REEMPLAZA:

Bosch: 1 127 320 977, 1 127 320 590; **Scania:** 102644, 1344240, 362644; **Regitar:** RB-63H; **Cargo:** 134609; **WAI/Transpo:** IBR590

APPLICATION / APLICACIÓN:


SCANIA: Trucks and Bus

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 468 037, 0 120 468 053, 0 120 468 115, 0 120 468 118, 0 120 468 686, 0 120 468 687, 0 120 468 895. Bosch 28V - 50A

VOLTAGE REGULATOR:

GA301

BOSCH
GA1989


FEATURES / CARACTERÍSTICAS: 105A, Diodes 8x35A Avalanche (Zener), 3x35A diode trio, Terminal B+ M8, Terminal B- M6, Terminal D+ M4, W Terminal M5

REPLACES / REEMPLAZA:

Bosch: 1 127 320 989, 1 127 320 928, 1 127 320 946, 1 127 320 956, 1 127 320 969, IBR 989; **Scania:** 102644, 1344240, 36264;

Regitar: RB-71H; **Cargo:** 136832; **WAI/Transpo:** IBR989

APPLICATION / APLICACIÓN:

MERCEDES BENZ: Trucks 609, 611, 614, 709, 711, 714, 809, 811, 814, 914, 917, 1114, 1320, 15140;

SCANIA: Chassis for Bus OF1315, OF1318, OH1418/ 1635 OF1113 (OM352), Trucks L1117 (USA), LPS1525/ Bus O390D. Chassis for Bus OH1318. Trucks MT-DS 11.94, 95, 96, 97, DS14.52, DSC 11.56, 57, 58, 14.57, 61, 62, 63 and others;


VOLVO: Trucks and Bus; IVECO; KHD

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 468 037, 0 120 468 053, 0 120 468 107, 0 120 468 113, 0 120 468 114, 0 120 468 115, 0 120 468 118, 0 120 468 131, 0 120 468 137, 0 120 468 149, 0 120 469 013, 0 120 469 895, 0 986 037 770, 6033 GB3 006, 6033 GB3 008, 6033 GB3 033, 6033 GB3 034, 6033 GB3 054. Bosch 28V - 80A

VOLTAGE REGULATOR:

GA301 / GA304

BOSCH
GA1995


FEATURES / CARACTERÍSTICAS: 90A, 8x35 Diodes Avalanche (Zener) 35A, diode trio, B+ Post M8, B+ Post M8

REPLACES / REEMPLAZA:

Bosch: 1 127 320 995, 1 127 320 928, 1 127 320 946, 1 127 320 969, 1 127 320 989; **Magneti Marelli:** 940 038 364;

Mercedes Benz: 11542116; **Scania:** 1387615; **Regitar:** RB-71H; **Cargo:** 136832, 139581; **WAI/Transpo:** IBR989

APPLICATION / APLICACIÓN:

IVECO: Trucks 190-36, 190-36P, 190-36T, 190-38, 190-38PT, 190-36, 220-36, 240-36, 240-36P, 260-36;

MERCEDES BENZ: Bus OF 1113, Oh 1113, 917;


VOLVO: Trucks NL 10, NL 12, Chassi for Bus B12.

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 468 094, 0 120 469 025, 0 120 469 014, 0 120 469 749, 0 120 469 026, 0 120 469 526, 0 120 469 532

VOLTAGE REGULATOR:

GA304

BOSCH
GA1065


FEATURES / CARACTERÍSTICAS: 95A, 12x35A diode 12x35A, B+ Post1/4x45, D+ Post 3/16x30, W Post 3/16x40

REPLACES / REEMPLAZA:

Bosch: 9 121 456 065

APPLICATION / APLICACIÓN:



CARGO: Trucks 1113 / 1114 / 1117 / 1215 / 1218 / 1313 / 1314 / 1317 / 1415 / 1418 / 1514 todos 1419 / 1619 / 2319 / 35300 (after 10.90), F6000 / 7000 (after 06.87).

ALTERNATOR / ALTERNATOR:

BOSCH: 9 120 456 004, 9 120 456 005, 9 120 456 013, 9 120 456 024, 9 120 456 025. Bosch 28V - 70A

VOLTAGE REGULATOR:

GA008 / GA008N

BOSCH
GA1547


FEATURES / CARACTERÍSTICAS: 140A, 14x50A Diodes Avalanche (Zener), 3x35A diode trio, B+ Post M8, Post B- M8, with Resistor

REPLACES / REEMPLAZA:

Bosch: 1 127 320 547, 1 127 320 550, 1 127 320 571; **Cargo:** 136581; **Mercedes Benz:** 1545116, 1545416; **Regitar:** RB-78HA;

WAI/Transpo: IBR547

APPLICATION / APLICACIÓN:

MERCEDES BENZ: Bus e Trucks;

SCANIA: Bus and Chassi F112HL, 113, K113CL, K113TL, L113CL, S113AL, S113CL;

VALMET: Tractors with alternator 90A;

VME: Trucks off road;

VW: Trucks 16.180 e 16.210 w/ engine MWM 6.10 (83 a 86);

RECROSUL: Chassi for Bus;

RANDOM: Trucks off road;

MAFERSA: Bus M210 e M240 (after 91), Trolebus;

MAXION: Engine 4236;

VOLVO: Bus B58 and B10M.

ALTERNATOR / ALTERNATOR:

BOSCH: 0 120 488 158, 0 120 488 159, 9 120 456 001, 9 120 456 003, 9 120 456 008, 9 120 456 010, 9 120 456 011, 9 120 456 012,


9 120 456 014, 9 120 456 028, 9 120 456 031, 9 120 456 032, 9 120 456 033, 9 120 456 034, 9 120 456 036, 9 120 456 037, 9 120 456 038,

9 120 456 039, 9 120 456 040, 9 120 456 041, 9 120 456 042, 9 120 456 043, 9 120 456 044, 9 120 456 046, 9 120 456 047, 9 120 456 048,

9 120 456 050, F006 LD0-800

VOLTAGE REGULATOR:

GA041 / GA041R / GA042 / GA42R / GA043

BOSCH
GA1973


FEATURES / CARACTERÍSTICAS: 140A, 12x50A Diodes, 3x35A trio Diode, B+ Post M8, with resistor

REPLACES / REEMPLAZA:

Bosch: 1 127 320 973, 9 121 456 212; **Mercedes Benz:** 11540816; **Scania:** 1347012; **Regitar:** RB-78H; **Cargo:** 136581;

WAI/Transpo: IBR973

APPLICATION / APLICACIÓN:

MERCEDES BENZ: Trucks and Bus;

IVECO: 3801029;

RENAULT: Agora, Ares, Iliade, Tracer, R332 Line1;

SCANIA: K113, L113, N113, F94, K124EB Bus, K124IB Bus;


VOLVO: B10M, B7L

ALTERNATOR / ALTERNATOR:

BOSCH série T1 (140A): 0 120 689 535, 0 120 689 562, 9 120 456 049, 9 120 456 052

VOLTAGE REGULATOR:

GA041 / GA041R

BOSCH
GA1374


FEATURES / CARACTERÍSTICAS: 55A, 3x35A Diodes

REPLACES / REEMPLAZA:

Bosch: 9 121 080 374

APPLICATION / APLICACIÓN:

MWM;

VALMET;

CATERPILLAR

ALTERNATOR / ALTERNATOR:

BOSCH: 9 120 080 045, 9 120 080 049, 9 120 080 057, 9 120 080 085, 9 120 080 094, 9 120 080 107, 9 120 080 138, 9 120 080 146

VOLTAGE REGULATOR:

GA001 / GA011 / GA012 / GA013

BOSCH
GA1595


FEATURES / CARACTERÍSTICAS: 55A, 6x35A Diodes, B+ Post M6, with diode trio

REPLACES / REEMPLAZA:

Bosch: 9 121 080 595; **Regitar:** RB-137HV; **WAI/Transpo:** IBR595; **Magneti Marelli:** PR520501

APPLICATION / APLICACIÓN:

VW: Kombi, Brasília alcohol 1300, Brasília 1600, Volks Sedan.

ALTERNATOR / ALTERNATOR:

BOSCH: 9 120 080 041, 9 120 080 061, 9 120 080 072, 9 120 080 090, F000 LD0108

VOLTAGE REGULATOR:

GA003 / GA999

BOSCH / WAPSA
GA1004


FEATURES / CARACTERÍSTICAS: 55A, 3x35A Diodes

REPLACES / REEMPLAZA:

Bosch: 9 121 450 310, 9 121 450 311, 9 121 450 533; **Wapsa:** 415-1, 415-26, 415-36, 415-38, 415-39

APPLICATION / APLICACIÓN:

FORD: Del Rey, Scala, Corcel II, Belina, Pampa (after 10/82);

VW: Truck E-11, E-13, alcohol 8 cil., Truck 6.80, 6.90, 7.90, 7.110, 12.140, 11.130, 11.160, 13.130, 13.160 with enginer MWM;

AGRALE: Tractor T-4100, T4200, T4300;

CLARK: Tractor Bob Cat M-711-MS;

MF: Tractor MF after 07/78.

ALTERNATOR / ALTERNATOR:

BOSCH: 9 190 450 042, 9 190 450 044, 9 190 450 052, 9 190 450 071, 9 190 450 100, 9 190 450 101, 9 190 450 102, 9 190 450 113, 9 190 450 118, 9 190 450 119

BOSCH / WAPSA
GA1006


FEATURES / CARACTERÍSTICAS: 55A, 3x35A Diodes, with diode trio

REPLACES / REEMPLAZA:

Bosch: 9 121 450 310, 9 121 450 311, 9 121 450 533; **Wapsa:** 415-1, 415-26, 415-36, 415-38, 415-39; **Magneti Marelli:** PR520404

APPLICATION / APLICACIÓN:

FORD: Del Rey, Scala, Corcel II, Belina, Pampa (after 10.82), Truck with enginer MWM 4/6 e Tractors;


VW: Truck E-11, E-13, with enginer álcool 8cil., Micro Bus, Truck 6.80 with enginer Perkins, Truck 6.90, 7.90, 7.110, 12.140, 11.130, 11.160, 13.130, 13.160 with enginer MWM.

ALTERNATOR / ALTERNATOR:

WAPSA: ARA13037, ARA14020, ARA15024, ARC13029, ARC13030, ARC14028, ARC14056, ARC15077, ARC15151, ART13035, ART13036, ART13041, ART13063, ART13136, ART15168; **BOSCH:** 9 120 450 042, 9 120 450 044, 9 120 450 052, 9 120 450 053, 9 120 450 058, 9 120 450 071, 9 120 450 085, 9 120 450 090, 9 120 450 092, 9 120 450 093, 9 120 450 100, 9 120 450 102, 9 120 450 113, 9 120 450 130, 9 120 450 132, 9 120 450 132

VOLTAGE REGULATOR:

GA001 / GA011 / GA058

BOSCH / WAPSA
GA1522


FEATURES / CARACTERÍSTICAS: 85A, 3x35A Diodes, with diode trio

REPLACES / REEMPLAZA:

Bosch: 9 121 450 587; **Wapsa:** 415-22

APPLICATION / APLICACIÓN:

VW: Kombi diesel, Gol gas/alcohol, Passat, Voyage, Santana.

ALTERNATOR / ALTERNATOR:

BOSCH: 9 120 450 110

VOLTAGE REGULATOR:

GA007

BOSCH / WAPSA
GA1529


FEATURES / CARACTERÍSTICAS: 60A, 3x35A Diodes

REPLACES / REEMPLAZA:

Bosch: 9 121 450 313; **Wapsa:** 415-29

APPLICATION / APLICACIÓN:

FORD: Truck Cargo 1218 / 1415 / 1418 / 1519 / 1521 / 1618 / 1621 / 2218 / 2319 / 2321 / 3021 / 3223 w/ engine FORD 6.6 / 7L.

ALTERNATOR / ALTERNATOR:

WAPSA: ARC14096, ARC16097; **BOSCH:** 9 120 450 080, 9 120 450 083, 9 120 450 128, 9 120 450 006

VOLTAGE REGULATOR:

GA008 / GA008N

BOSCH / WAPSA
GA1574


FEATURES / CARACTERÍSTICAS: 60A, 3x35A Diodes

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

FORD: Cargo 1218/ 1415/ 1418/ 1618/ 2218 w/ engine FORD 6.6L;

NEW HOLLAND: Combine 8040/ 8055;

VW: Truck 16.170/ 14.170/ 14.210/ 16.210 with enginer Cummins Série (original reference 9 120 450 013). Truck 13.210/ 15.210/ 22.210 with Cummins C series.

ALTERNATOR / ALTERNATOR:

BOSCH: 9 120 450 073, 9 120 450 129, 9 120 450 133, 9 120 450 134, 9 120 450 014, 9 120 450 137; **WAPSA:** AKC16123, AKC14122

VOLTAGE REGULATOR:

GA059

CHERY
GA1602


FEATURES / CARACTERÍSTICAS: 105A, 6x35A avalanche diodes, with diode trio

REPLACES / REEMPLAZA:

Chery: JFZ1756-1

APPLICATION / APLICACIÓN:

Chery: QQ/Face 1.1 16V

ALTERNATOR / ALTERNATOR:

Chery: S11-3701110BA; JFZ1753; 3701AAJ

VOLTAGE REGULATOR:

GA602

CHERY
GA1603


FEATURES / CARACTERÍSTICAS: 105A, 6x35A avalanche diodes, with diode trio
REPLACES / REEMPLAZA:
Chery: JFZ1756-1
APPLICATION / APLICACIÓN:
Chery: QQ/Face 1.1 16V
ALTERNATOR / ALTERNATOR:
Chery: S11-3701110BA, JFZ1753, 3701AAJ
VOLTAGE REGULATOR:
 GA603

CHERY
GA1605


FEATURES / CARACTERÍSTICAS: 110A, 6x50A Avalanche Diode, B+: M8x12mm, with triodiode
REPLACES / REEMPLAZA:
 ...
APPLICATION / APLICACIÓN:
CHERY: Fora, M11, Tiggo
ALTERNATOR / ALTERNATOR:
Chery: JFZ1992, B11-3701110BB, 3701AAG
VOLTAGE REGULATOR:
 GA601

CHERY
GA1608


FEATURES / CARACTERÍSTICAS: 110A, 6x50A, B+: M8x14mm, Avalanche Diode, with diode trio, Diameter: 114mm
REPLACES / REEMPLAZA:
 ...
APPLICATION / APLICACIÓN:
JAC: J6 Diamont 2.0 16V, Refine
ALTERNATOR / ALTERNATOR:
Chery: JFZ1929D
VOLTAGE REGULATOR:
 GA608

DAEWOO
GA1871


FEATURES / CARACTERÍSTICAS: 105A, Press-Fit Diodes 6x50A Avalanche Diode(Zener) With Diode Trio
REPLACES / REEMPLAZA:
Daewoo: 96206871; **GM:** 96206871
APPLICATION / APLICACIÓN:
DAEWOO: 1999>2001 11SI Series Leganza 2.2L Delphi
ALTERNATOR / ALTERNATOR:
 Delco Korea / Daewoo 11SI Series 105A IR/IF Alternators

DAEWOO
GA1938 // NEW //


FEATURES / CARACTERÍSTICAS: 85A, Diodes 8x35A, External Diameter 103mm, with trio diode
REPLACES / REEMPLAZA:
Cargo: 138389; **AS-Poland:** ARC1020; **Transpo:** DR5166
APPLICATION / APLICACIÓN:
CHEVROLET: Lacetti 1.8 2005, Rezzo 2.0 2005>2008
DAEWOO: Leganza 2.0 16V 1997>2002, Nubira 1800/2000 1997>2005, Nubira saloon 1.8/2.0 1997>2005, Tacuma 2000 2000>2005
ALTERNATOR / ALTERNATOR:
DAEWOO: 96221945, 96252115; **CHEVROLET:** 96221945
VOLTAGE REGULATOR:
 GA416

DAEWOO
GA1940


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A, with diode trio
REPLACES / REEMPLAZA:
Daewoo: 266000; **Regitar:** RD-32; **Mobiletron:** RD-32; **Cargo:** 235027; **WAI/Transpo:** DR9410; **AS Poland:** ARC1034
APPLICATION / APLICACIÓN:
GM: Mercury Marine V8;
DAEWOO: Matiz;
MERCURUISER: (1998-2002)
ALTERNATOR / ALTERNATOR:
DELCO: 19020601, 19020612; **DAEWOO:** 219170, 96314258, 219232; **MERCMARINE:** 862031, 862031T, 862031T1, 863077T;
PRESTOLITE: 20115018TBA

DELCO
GA1828


FEATURES / CARACTERÍSTICAS: 85A, 3x35A Diodes

REPLACES / REEMPLAZA:



Delco: 1.959.828; **Cargo:** 233234; **WAI/Transpo:** 31-100

APPLICATION / APLICACIÓN:

GM: Opala, Veraneio, Pick up, Truck

ALTERNATOR / ALTERNATOR:

DELCO: A124N, A12M, A19326-1, ALB40N68, ALB40N86, 1100074, 1100748, 7111, 7113, 7122, 7140, 7142, 7143, 7146, 7149, 7156, 7167, 7208, 7212, 7214, 7218, 7219.

DELCO
GA1311


FEATURES / CARACTERÍSTICAS: 65A, 6x35A Diodes, Heavy Duty

REPLACES / REEMPLAZA:

Delco: 3472311, 7982716, 7982718; **Cargo:** 130667; **Lucas:** 21226106, 21226109, UBB 701; **Magneti Marelli:** 940 038 216, PR520437; **Regitar:** RD-10; **WAI/Transpo:** DER1000

APPLICATION / APLICACIÓN:



GM: Monza all with alternator Arno 82 to 90, Kadett all with alternator Arno 91

ALTERNATOR / ALTERNATOR:

DELCO: 3720002, 3720004, 3720008, 3720014, 3720018, 3720022, 3720023, 3720024, 3720026, 3720027, 3720028, 3720032, 3720037, 3720038

VOLTAGE REGULATOR:

GA201 / GA203

DELCO
GA1312


FEATURES / CARACTERÍSTICAS: 120A, 6x55A Diodes, Heavy Duty

REPLACES / REEMPLAZA:

Delco: 7332312; **Magneti Marelli:** PR520438

APPLICATION / APLICACIÓN:


GM: Chevette all 73>, Opala all 75-91, Pick up all with alternator Arno

ALTERNATOR / ALTERNATOR:

DELCO: 3720002, 3720004, 3720008, 3720014, 3720018, 3720022, 3720023, 3720024, 3720026, 3720027, 3720028, 3720032, 3720037, 3720038

VOLTAGE REGULATOR:

GA200 / GA202

DELCO
GA1627


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A, Heavy Duty

REPLACES / REEMPLAZA:

Delco: 1852209, 1875627, 1891055, 1984638, 1971987, DR5042, DR5000, D3915; **Regitar:** RD-09; **Cargo:** 130673; **WAI/Transpo:** DR5040

APPLICATION / APLICACIÓN:

AMC;
CHEVROLET;
GMC;
JEEP;
OLDSMOBILE;
PONTIAC;

ALTERNATOR / ALTERNATOR:

DELCO: 1100 series, 1102 series, 1103 series, 1105 series, 321 series, 1100109, 1100110, 1100111, 1100113, 1100115, 1100116, 1100117, 1100119, 1100120, 1100121, 1100122, 1100124

DELCO
GA1628


FEATURES / CARACTERÍSTICAS: 105A, Diodes 6x35A button

REPLACES / REEMPLAZA:

Delco: 1875645, 1892914, 801816, D3982, D3983;


Caterpillar: 9L6776

APPLICATION / APLICACIÓN:

GM: Passenger Car, Heavy Truck

ALTERNATOR / ALTERNATOR:

DELCO: 10456313, 10459001, 10459002, 10459008, 10459009, 10459057, 10459058, 10459079, 10459097, 10459116, 10459120, 10459138, 10459234, 10459237, 10459238, 10459244, 10459259, 10459260, 10459368, 10459369, 10459452, 10463072, 10463073, 0463100, 10463160, 10463307, 10463308, 10497177, 1100072, 1100073, 1100077, 1100078, 1100080, 1100081, 1100084, 1100086, 100087, 1100089, 1100090, 1100091, 1100093, 1100094, 1100095, 1100096, 1100177, 1100185, 1100188, 1100189, 1100210, 1100211, 100212, 1100213, 1100216, 100274, 1101015, 1101016, 1101017, 1101018, 1101019, 1101020, 1101021, 1101022, 1101023, 1101024, 101025

DELCO
GA1400


FEATURES / CARACTERÍSTICAS: 120A, Diodos Avalanche (Zener) 6x50A

REPLACES / REEMPLAZA:

Delco: 10494503; **Regitar:** RD-26HD; **Cargo:** 232668; **WAI/Transpo:** DR4402HD

APPLICATION / APLICACIÓN:

Chevrolet;
GMC;

ALTERNATOR / ALTERNATOR:

DELCO: 10464439, 10464455, 10464459, 10464478, 10464481, 10464483, 10464484, 10464490, 10464491, 10480229, 10480241, 10480271, 10480285, 10480326, 10480388, 10480411, 10480476, 10480479, 10480497, 15087020, 15087021 15087023, 15755616W, 15768829, 25744164W, 321-1748, 321-1784, 321-1798, 321-1799, 321-1811, 321-1815, 321-1819, 321-1847, 321-1850, 321-1852, 321-1853, 321-1857

DELCO
GA1401


FEATURES / CARACTERÍSTICAS: 70A, 6x35A Avalanche Diodes, B+: 5/16" x 41mm

REPLACES / REEMPLAZA:

Delco: 10510456

APPLICATION / APLICACIÓN:

CATERPILLAR; CASE; CUMMINS; NEW HOLLAND: Tractors

ALTERNATOR / ALTERNATOR:

DELCO: 8600016, 8600017, 8600020, 8600154, 8600360;

CUMMINS: 3972735, 4936879

VOLTAGE REGULATOR:

GA714

DELCO
GA1403 // NEW //


FEATURES / CARACTERÍSTICAS: 190A, 12x50A, B+: M8x15.8mm

REPLACES / REEMPLAZA:

Cargo: 235655; **AS-Poland:** ARC1024; **Transpo:** DER1650

APPLICATION / APLICACIÓN:

MERCEDES-BENZ: E200 / E220 2.2 2000>2002, E270 / E320 2.7 2001>2002, S320 3.2 1999>2002

ALTERNATOR / ALTERNATOR:

DELCO: 10480403, 10480404, 10480407, 10480408;

MB: A0001500850, A0001501650, A0001501750, A0001502450, A0001502550

DELCO
GA1405 // NEW //


FEATURES / CARACTERÍSTICAS: 90A, Diode Avalanche, 6x50A, PS: External diameter 98.5mm, With trio diode

REPLACES / REEMPLAZA:


Cargo: 233447; **AS-Poland:** ARC1021

APPLICATION / APLICACIÓN:

DAEWOO: Lanos L4 1.5L/1.6L 1999>2002, Lanos 1.3/1.6 1997>2002, Lanos saloon 1.3/1.6 1997>2002, Leganza 2.0 16V 1997>2002, Rezzo 1.8/2.0 2000>2005

ALTERNATOR / ALTERNATOR:

DELCO: 219137, 219138, 219139, 219199, 219202, 96252115

DELCO
GA1658


FEATURES / CARACTERÍSTICAS: 105A, Diodos 6x35A Avalanche (Zener), 35A Bosch type Press-fit, with capacitor

REPLACES / REEMPLAZA:

Delco: 1989658, 10456401, 10472597, DR5162; **Regitar:** RD-95A; **Cargo:** 131880; **WAI/Transpo:** DR4000;

Magneti Marelli: PR520507

APPLICATION / APLICACIÓN:

GM: Corsa 1.6, Omega CD 4.1, 2.0i, Omega Suprema 2.0i, 2.2i, Kadett 1.6, 1.8, 2.0, S10, Astra 1.8i, 2.0i, Vectra 1.8i, 2.0i, Calibra 2.0i, Cavalier III 2.0i;

DAEWOO: Espero 1.8, 2.0, 2.2

ALTERNATOR / ALTERNATOR:

DELCO: Séries CS 121 / CS 130, 10430484, 10456300, 10456301, 10456302, 10456303, 10456312, 10463001, 10463002, 10463003

VOLTAGE REGULATOR:

GA411 / GA432

DELCO
GA1707 // NEW //


FEATURES / CARACTERÍSTICAS: 120A, 6x50A Avalanche Diode, B +: M8X1.25X33mm, Outside diameter 115mm

REPLACES / REEMPLAZA:

Transpo: DR2206

APPLICATION / APLICACIÓN:

Case Skid Steer Loader: 410 Case 422T/M3 Diesel 2005>2012, 420 Case 422T/M2 Diesel 2005>2012, 420 Case 432T/M3 Diesel 2008>2012; **Cummins Engines Engine Medium Duty:** B Series 2004-2009; **Case Agricultural Tractor:** 430 Case 432T/M3 Diesel 2005>2012, 440 Case 445T/M3 Diesel 2005>2012; **Case Skid Steer Loader:** 435 Case 432T/M3 Diesel 2004>2012, 445 Case 432T/M3 Diesel 2006>2012, 450 Case 445T/M3 Diesel 2005>2012, 465 Case 445T/M3 Diesel 2005>2012; **Case Track Loader:** 420CT Case 432T/M3 Diesel 2008>2012, 440CT Case 445T/M2 Diesel 2006>2012, 440CT Case 445T/M3 Diesel 2008>2012, 445CT Case 432T/M3 Diesel 2005>2012, 450CT Case 445T/M3 Diesel 2005>2012; **New Holland Industrial Loader:** C185 3.4L 3cyl 78HP Diesel, C190 4.5L 4cyl 80HP Diesel; **New Holland Industrial Skid Steer Loader:** L180 334M2 3.4L 63HP Diesel, L185 334TM2 3.4L 78HP Turbo Dsl, L190 445M2 4.5L 80HP Diesel, LS180, LS185 334T Diesel

DELCO
GA1733 // NEW //


FEATURES / CARACTERÍSTICAS: 120A, Avalanche Diode, 6x60A, B+ M8X11.8mm, External Diameter 85mm

REPLACES / REEMPLAZA:

Mobiletron: RD-29; **Regitar:** RD-29; **Era:** 215141; **Cargo:** 231762; **Transpo:** DER2010; **AS-Poland:** ARC1003

APPLICATION / APLICACIÓN:

OPEL: Astra G box 1.6 1999>2000, Astra G convertible 1.6/1.8 2001>2005, Astra G coupe 1.8 16V 2000>2005, Astra G estate 1.4 16V 1998>2004, Astra G estate 1.6/1.8 2000>2004, Astra G hatchback 1.4/1.6/1.8/2.0 1998>2005, Astra G saloon 1.4/1.6/1.8 1998>2005, Corsa C 1.4/1.8 2000>2009, Zafira A 1.6/1.8/2.0 1999>2005

ALTERNATOR / ALTERNATOR:

DELCO: 10480225

CHEVROLET: 93175796, 93175943

OPEL: 6204073, 6204098, 6204138, 9117851, 9512784

DELCO
GA1755


FEATURES / CARACTERÍSTICAS: 140A, Avalanche Diode 3x50A, B+: M8x37 / M8x27, Ø126mm

REPLACES / REEMPLAZA:

Delco: 112M03

APPLICATION / APLICACIÓN:

GM: S10 Flex >2013; S10 Diesel >2013

ALTERNATOR / ALTERNATOR:

DELCO: 13579677

VOLTAGE REGULATOR:

GA712

DELCO
GA1756


FEATURES / CARACTERÍSTICAS: 3X50A Avalanche, M8x35 e M8x27 B+ Parafusos, Ø112mm

REPLACES / REEMPLAZA:

Delco: A12J04

APPLICATION / APLICACIÓN:

GM: Onix, Cobalt, Spin, Prisma >2013

ALTERNATOR / ALTERNATOR:

DELCO: 94751298, 94751297

VOLTAGE REGULATOR:

GA941

DELCO
GA1757


FEATURES / CARACTERÍSTICAS: 6X50A Avalanche

REPLACES / REEMPLAZA:

Delco: 112A06

APPLICATION / APLICACIÓN:


GM: S10 Flex >2012, S10 Diesel >2013, Sonic >2012, Cruze >2012, Tracker >2013, Trail Blazer >2014

ALTERNATOR / ALTERNATOR:

GM: 13579666, 13579677, 13579661, 13500577

VOLTAGE REGULATOR:

GA712

DELCO
GA1758


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A Avalanche (Zener), 35A Bosch type Press-fit, B+ Post M8, With Capacitor

REPLACES / REEMPLAZA:

Delco: 10475758; **Regitar:** RD-97B; **Cargo:** 231200; **WAI/Transpo:** DR4204; **Magneti Marelli:** PR520529

APPLICATION / APLICACIÓN:

GM: Corsa with AC., Ómega, Vectra 2.2.

ALTERNATOR / ALTERNATOR:

DELCO: Séries CS 130 D, 10463407, 10463443, 10463630, 10463654, 10463966, 10464075, 10464407, 10464409, 10464414

VOLTAGE REGULATOR:

GA702 / GA704 / GA707 / GA711

DELCO
GA1759


FEATURES / CARACTERÍSTICAS: 85A, Diodes Avalanche (Zener) 6x35A

REPLACES / REEMPLAZA:


Delco: 10492300; **Regitar:** RD-25A; **Cargo:** 232070; **WAI/Transpo:** DR1200

APPLICATION / APLICACIÓN:

SATURN: 1998-2000 Saturn SC1, SL Sedan, SW Wagon 1.9L SOHC, DOHC

ALTERNATOR / ALTERNATOR:

DELCO: 10464477, 21022992, 21023969, 21024485, 21024486, 21024726, 21024727, 21025094, 21025339, 219214, 321-1846

DELCO
GA1941


FEATURES / CARACTERÍSTICAS: 140A, Avalanche Diodes 6x50A, B+ Bolt M6, with triodiode, with Phase terminal

REPLACES / REEMPLAZA:

Delco: 8460, 8465, 8466

APPLICATION / APLICACIÓN:

Crusader Marine, Hyster, Indmar Marine, Mercury Marine, Pleasurecraft Marine

ALTERNATOR / ALTERNATOR:

Delco: 19020604, 19020608, 19020609, 19020614, 19020615; **Mercury Marine:** 862030T

DELCO
GA1948


FEATURES / CARACTERÍSTICAS: 100A, 3x35A Avalanche diodes

REPLACES / REEMPLAZA:

...


APPLICATION / APLICACIÓN:

MERCEDEZ BENZ: Trucks LS1938, LS1938S, 1944S, LS2638, Trucks and Bus - Plataforma BR450, Trucks Accelo 915C, 712C, 914C/LO, 915E, LO915, 1318, 1618M, Trucks L1620, L1622, 1728, 2423, 2428, 1215C, L1218, 1318, L1418, 1618M, 1718M; Trucks Atego 1315, 1418, 1518, 1718, 1725, 2425; Bus 914LO, 915LO, OF1417, OF1418, OF1722 OH1418, 0500M, 0500U, 0500R; Micro-bus 814LO, Trucks Axor 2826, 2831, 1933, 2533.

VOLKSWAGEN: Constellation 13.180, 15.180, 17.250, 19.320, 24.250, 25.370, 31.320, 31.370; 8T, 9T, 13T, 15T, 16T, 17T, 18T, 23T, 24T, 26T, 31T, Volkbus 9.150 4.10, 18.310 OT

ALTERNATOR / ALTERNATOR:

...

DELCO
GA1714


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A Avalanche (Zener), With triodiode, 50A Lucas type Press-fit, B+ Post M8

REPLACES / REEMPLAZA:

Delco: 10475034, 589714; **Regitar:** RD-04B; **Cargo:** 136595; **WAI/Transpo:** DER2000; **Magneti Marelli:** PR520519

APPLICATION / APLICACIÓN:

GM: Astra, Omega, Corsa Wind, Vectra (after 95)

ALTERNATOR / ALTERNATOR:

DELCO Séries CS 130 D: 10475039, 10479914, 10479923, 10479947, 10479955, 1217101, QX 24C3A, QX26K2, QX5L2, QX7K2

VOLTAGE REGULATOR:

GA432 / GA701

DELCO
GA1794


FEATURES / CARACTERÍSTICAS: 6x35A, Press-fit avalanche diodes

REPLACES / REEMPLAZA:


Delco: 10512368

APPLICATION / APLICACIÓN:

VW: Bus Queops Evolution with engine Cummins ISC 8,3L Diesel 9

ALTERNATOR / ALTERNATOR:

DELCO: 9600J4

DELCO
GA1795


FEATURES / CARACTERÍSTICAS: 130A, 6 X50A Avalanche Diodes

REPLACES / REEMPLAZA:

Transpo: DR2910

APPLICATION / APLICACIÓN:

CHEVROLET: Aveo L4 1.6L 1598cc 98cid 2004>2008, Aveo5 L4 1.6L 1598cc 98cid 2006>2008;

PONTIAC: Wave L4 1.6L 1598cc 98cid 2005>2008;

SUZUKI: Swift+ L4 1.6L 1598cc 98cid 2004>2008

ALTERNATOR / ALTERNATOR:

GM: 96540542, 96838439, 96954113

DELCO
GA1796


FEATURES / CARACTERÍSTICAS: 130A, 6 X50A Avalanche Diodes

REPLACES / REEMPLAZA:

Transpo: DR2911

APPLICATION / APLICACIÓN:


CHEVROLET: Optra L4 2.0L 1998cc 122cid 2004>2005, Optra L4 2.0L 2000cc 2006>2007, Optra L4 2.0L 2000cc 122cid 2006;

SUZUKI: Forenza L4 2.0L 2000cc 2004>2008, Reno L4 2.0L 1998cc 2005>2007, Reno L4 2.0L 1998cc 122cid 2008

ALTERNATOR / ALTERNATOR:

DELCO: 96408588;

SUZUKI: 31400-85Z00, 31400-85Z01, 31400-85Z02

DELCO
GA1797


FEATURES / CARACTERÍSTICAS: 28V, 6x35A Press-fit avalanche diodes 70A

REPLACES / REEMPLAZA:

Delco: 1988976, 10512366

APPLICATION / APLICACIÓN:

CATERPILLAR: 16H Cat 3406 1996>1999, 966F Cat 3306 1997>1999, 980G Cat 3406 1996>2003, 824C Cat 3406 1997>1999;

JOHN DEERE: 608L, 608S 6081H Diesel, 753G 6081H Diesel, 753GL, 853G 6081H Diesel, 953G 6081H Diesel, 1058, 850, 950, EC130, EC130LC, EC160, EC160LC, EC215, EC215LC, LW170, LW230

ALTERNATOR / ALTERNATOR:

DELCO: 19010111, 19010193, 19010185, 19010182, 19010195, 19010200, 19010205, 19020307, 19020382, 19020311, 19020346, 8600277, 19011153, 19011210, 19011168, 19011175, 19011191, 19011197, 19011152, 19011173, 19011218, 19011205, 19011207

DELCO
GA1798


FEATURES / CARACTERÍSTICAS: 120A, 6x50A

REPLACES / REEMPLAZA:

Delco: 10511353; 10501634; 10469265

APPLICATION / APLICACIÓN:

Caterpillar: 35, 45 and 55 Challenger; **John Deere:** CHT2500B and CHW2500B Scania engine; **GM:** Trucks 12.170; 14.190; 15.190

ALTERNATOR / ALTERNATOR:

DELCO: 1117965; 19010112; 19010196; 19010105

VOLTAGE REGULATOR:

GA205 / GA209

DELCO
GA1799


FEATURES / CARACTERÍSTICAS: 6X60A Diodes

REPLACES / REEMPLAZA:


Delco: 10501636, 12367; **WAI/Transpo:** DR5183

APPLICATION / APLICACIÓN:

INTERNATIONAL: Trucks

ALTERNATOR / ALTERNATOR:

DELCO: 19011104

DELCO
GA1800


FEATURES / CARACTERÍSTICAS: 140A, Diodes 6x50A Avalanche (Zener)

REPLACES / REEMPLAZA:

Delco: 10475800, DR5178; **Regitar:** RD-07; **Cargo:** 232068; **WAI/Transpo:** DR5178

APPLICATION / APLICACIÓN:

GM: Omega, Vectra.

ALTERNATOR / ALTERNATOR:

DELCO Séries CS &S: 10463169, 10463190, 10463196, 10463217, 10463295, 10463298, 10463300, 10463338, 10463343

DELCO
GA1801


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A Avalanche (Zener), 3x50A Button

REPLACES / REEMPLAZA:

Delco: 10467052, D3992, DR5176; **Regitar:** RD-06A; **Cargo:** 131881; **WAI/Transpo:** DR5176; **Magneti Marelli:** PR520536


APPLICATION / APLICACIÓN:

GM: Monza, Kadett;

IMPORTS: Chevy, Corvette, Buick Regal, Cadillac, Chevy Blazer.

ALTERNATOR / ALTERNATOR:

DELCO Séries CS &SI: 10459036, 10480121, 1101325, 1105656, 1105683, 1117242

DELCO
GA1802


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A Avalanche (Zener)

REPLACES / REEMPLAZA:

Delco: 10470609, D3992, DR5177; **Regitar:** RD-06; **Cargo:** 231062; **WAI/Transpo:** DR5177

APPLICATION / APLICACIÓN:

GM: Monza, Kadett, Truck B6 Series, Kodiak.

ALTERNATOR / ALTERNATOR:

DELCO Séries CS &SI: 10456319, 10456336, 10459028, 10459038, 10459040, 10459047, 10459050, 10459052, 10459053, 10459054

VOLTAGE REGULATOR:

GA408

DELCO

GA1803

FEATURES / CARACTERÍSTICAS: 140A, Diodos 6x50A Avalanche (Zener)

REPLACES / REEMPLAZA:

Delco: 10472095, DR5179; **Regitar:** RD-08; **Cargo:** 232069; **WAI/Transpo:** DR5179

APPLICATION / APLICACIÓN:

GM: Ómega, Vectra, Cadillac Deville, Eldorado, Seville.

ALTERNATOR / ALTERNATOR:

DELCO Series CS & SI: 10457160, 10463191, 10463216, 10463294, 10463296, 10463377, 10464079, 10464088, 10464403, 104799821

DELCO

GA1804

FEATURES / CARACTERÍSTICAS: 85A, Diodos 6x35A

REPLACES / REEMPLAZA:


Delco: 3472813, 3493721, 3493714, 3472057, 347205758, 3472059, 3472060, 3472061, 3472062, 3472065, 3472066, 3472067, 3472068, 3472069, 3472070, 6065301; **Regitar:** RD-18; **Cargo:** 131458; **WAI/Transpo:** DER1003

APPLICATION / APLICACIÓN:

OPEL; VAUXHALL; **GM:** Corsa Wind (after 94), Astra, Vectra, Ómega 2,2 (without AC 93>95), Ómega 2.0.

ALTERNATOR / ALTERNATOR:

DELCO: 3472057, 3472058, 3472059, 3472060, 3472061, 3472062, 3472065, 3472066, 3472067, 3472068, 3472813, 1204012, 120405, 1204018, 1204020, 1204021, 1204040, 1204042, 1204043, 12041109, 1204112, 1204121, 1204203, 1204217, 1204045, 1204068, 1204014, 3493714, 3493721

DELCO

GA1805

FEATURES / CARACTERÍSTICAS: 120A, Diodos 6x50A

REPLACES / REEMPLAZA:

Delco: 3493008, 3493716, 3493717, 3472106, 3472121, 3472134, 3473234, 3473244; **Opel:** 1205454; **Regitar:** RD-20; **Cargo:** 132931; **WAI/Transpo:** DER1004

APPLICATION / APLICACIÓN:

OPEL; VAUXHALL; **GM:** Ómega 3.4

ALTERNATOR / ALTERNATOR:

DELCO: 3472106, 3472121, 3472130, 3472134, 3472137, 3472144, 3493621, 3493634, 3493641, 3493644, 3493706, 3493716, 3493717, 3493741

DELCO

GA1806

FEATURES / CARACTERÍSTICAS: 95A, Diodos 6x50A

REPLACES / REEMPLAZA:

Delco: 1987061, D3986, 1984454, D3924; **Regitar:** RD-13HV; **Cargo:** 131874; **WAI/Transpo:** DR5054


APPLICATION / APLICACIÓN:

GM: Vehicles;

JEEP;

ALTERNATOR / ALTERNATOR:

DELCO: 310497082, 1105446, 1105541, 1105617, 1101134, 1105447, 1105542, 1105629, 1101240, 1105448, 1105543, 1105630, 1101241, 1105449, 1105544, 1105648, 1101245, 1105480, 1105545, 1105654, 1101280, 1105492, 1105547, 1105444, 1101299, 1105493, 1105562, 1105445, 1101301, 1105495, 1105572, 321267, 1101302, 1105496, 1105581, 321266, 1101304, 1105505, 1105582, 1105425, 1101308, 1105506, 1105592, 1105428, 1101324, 1105507, 1105604, 321269, 1101328, 1105441, 1105606, 321268, 1101484, 1105442, 1105402, 1105443; **PIC:** 240308,240309; **LESTER:** 7294, 729412, 7830

DELPHI

GA1402

FEATURES / CARACTERÍSTICAS: 115A, 6X50A Avalanche Diode, B+: M8x33mm

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

SSANGYONG: Actyon, Actyon Sports, Kyron, Rexton 2.0, 2.7 XDI 4WD

ALTERNATOR / ALTERNATOR:

Delphi: A 664 154 0102;

Lucas Electrical: LRA03262; **Delco Remy:** DRA0712

VOLTAGE REGULATOR:

GA707

DENSO

GA1141

FEATURES / CARACTERÍSTICAS: 130A, 12x35A, Avalanche Diode, B+: M8x18mm

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

CHEVROLET: Cruze 1.4 Turbo

ALTERNATOR / ALTERNATOR:

GM: 13587309; **DENSO:** 104211-3720

VOLTAGE REGULATOR:

GA159

DENSO

GA1142

FEATURES / CARACTERÍSTICAS: 120A, 12x35A, Avalanche Diode, B+: M8x19mm

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

Jeep: Renegade

ALTERNATOR / ALTERNATOR:

Denso: 104211-3210

VOLTAGE REGULATOR:

GA158

DENSO

GA1143

FEATURES / CARACTERÍSTICAS: 100A, 3x35A Avalanche diodes

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

Ford: KA 2015-2016

ALTERNATOR / ALTERNATOR:

Ford: E3B5-10300-AB, E3B5-10300-AC;

Denso: BC104210-7001, BC104210-7002

DENSO

GA1144

FEATURES / CARACTERÍSTICAS: 120A, 7x50A Bosch press-fit diode

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

TOYOTA: Corolla Gli 1.8 16V / Xei 2.0 16V 2014>

ALTERNATOR / ALTERNATOR:

DENSO: 104210-7020; **TOYOTA:** 27060-0T320

DENSO

GA1145

FEATURES / CARACTERÍSTICAS: 130A, 12x35A Avalanche diodes

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

HONDA: CR-V 2006>, New Civic 2012>

ALTERNATOR / ALTERNATOR:

Denso: 104210-1540, 104210-5370; **Honda:** 31100-R1P-H01

DENSO

GA1146

FEATURES / CARACTERÍSTICAS: 170A, 12x35A Avalanche Diode, B+: M8x12mm, Diameter: 133mm

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

BMW: 228i L4 2.0L, 228i xDrive L4, 320i L4 2.0L, 320i xDrive L4, 328i L4 2.0L, 328i GT xDrive L4 2.0L, 428i L4 2.0L, 428i Gran Coupe L4 2.0L, 428i xDrive L4 2.0L, 428i xDrive Gran Coupe L4 2.0L, 528i L4 2.0L, 528i xDrive L4 2.0L, Z4 L4 2.0L

ALTERNATOR / ALTERNATOR:

BMW: 7605 473-05;

Denso: 104210-6390, 104210-6391, 104210-6392, 104210-6393, 104210-6394, 104210-6395;

Bosch: 0 986 UR6 229

VOLTAGE REGULATOR:

GA146

DENSO

GA1147

FEATURES / CARACTERÍSTICAS: 120A, 12x35A Avalanche Diode, B+: M8x12mm

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

LAND ROVER: Discovery 4x4 3.0 TD 2009>; **RANGE ROVER:** Sport LS 3.0 D 4x4 2013>

ALTERNATOR / ALTERNATOR:

Denso: 104210-2420, DAN1105;

Land Rover: AH22-10300-AB, LR013847; **Delco:** DRA1437

VOLTAGE REGULATOR:

GA153

DENSO
GA1148


FEATURES / CARACTERÍSTICAS: 180A, 12x50A, Avalanche diode, B+: M8X12mm, Diameter: 133mm
REPLACES / REEMPLAZA:

APPLICATION / APLICACIÓN:

BMW: Series 5 / 6 / 7, 320i - 2013>, M5, X5

ALTERNATOR / ALTERNATOR:

Denso: 104210-6441

VOLTAGE REGULATOR:

GA146 / GA155

DENSO
GA1149


FEATURES / CARACTERÍSTICAS: 160A, 12x35mm Avalanche Diode, B+: M8x20mm, Diameter: 117mm
REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

CHRYSLER CAR: 200 V6 3.6L 2014, 200 V6 3.6L VIN G 2011>2013;

CHRYSLER VAN: Town & Country V6 3.6L 2011>2016;

DODGE CAR: Avenger V6 3.6L 2011>2014;

DODGE TRUCK: Journey V6 3.6L 2011>2016;

DODGE VAN: Grand Caravan V6 3.6L 2014>2016, Grand Caravan V6 3.6L VIN G 2011>2013;

LANCIA EUROPE VAN: Voyager MPV 3.6 V6 VVT 2011>2014;

RAM VAN: C/V V6 3.6L 2012>2015;

VOLKSWAGEN VAN: Routan V6 3.6L 2011>2014;

BUICK CAR: Regal L4 2.0L 2014>2015;

CHEVROLET CAR: Impala L4 2.5L 2014, Malibu L4 2.0L 2014>2015;

FIAT: 500

ALTERNATOR / ALTERNATOR:

Denso: TN421000-0770, P04801624AD, TN104210-1902, TN104210-1750, P56029582AB

GM: 13592810

VOLTAGE REGULATOR:

GA134 / GA154 / GA159

DENSO
GA1150


FEATURES / CARACTERÍSTICAS: 160A, 12x35A, B+: M8x20mm, Avalanche Diode, Diameter: 132mm

REPLACES / REEMPLAZA:

Mobiletron: RN-71

APPLICATION / APLICACIÓN:

CHRYSLER: 300 V6 3.6L 3604cc 220cid 2011>2016;

DODGE: Challenger V6 3.6L 3604cc 220cid 2015>2016, Charger V6 3.6L 3604cc 220cid 2011>2016, Durango V6 3.6L 3604cc 220cid 2011>2016;

JEEP: Grand Cherokee V6 3.6L 3604cc 220cid 2011>2015

ALTERNATOR / ALTERNATOR:

Denso: 4210007040; **Dodge:** P04801778AF

VOLTAGE REGULATOR:

GA134

DENSO
GA1151


FEATURES / CARACTERÍSTICAS: 150A, 12x35A Avalanche Diode, B+: M8x15mm

REPLACES / REEMPLAZA:

Transpo: INR437; **Regitar:** RN-39; **Mobiletron:** RN-39

APPLICATION / APLICACIÓN:

FORD: Focus C-MAX 1.8 2004>2007, Focus MK2 hatch 2.0/2.0 LPG/2.0 CNG 2004>2012, Focus MK2 Saloon 2.0 2005>2011, Focus MK2 Estate 2.0 2004>2012/2.0 LPG 2008>2011, Focus MK2 Convertible 2.0 2006>2011

ALTERNATOR / ALTERNATOR:

DENSO: 104210-5780

FORD: 3M5T-10300-XD

VOLTAGE REGULATOR:

GA159

DENSO
GA1152


FEATURES / CARACTERÍSTICAS: 130A, 12x50A, B+: M8x19.1mm, External diameter: 117mm

REPLACES / REEMPLAZA:

Denso: 021580-5891, 021580-5901; **Transpo:** INR421; **Cargo:** 235842; **Mobiletron:** RN29; **Regitar:** RN-29;

AS-Poland: ARC6021

APPLICATION / APLICACIÓN:

CHEVROLET: Cobalt L4 2.0 2005>2007; **LEXUS:** LS430 V8 4.3 2001>2003; **ACURA:** TL V6 3.2 2004, MDX V6 3.5 2003>2004; **HONDA:** Accord V6 3.0 2007; **LAND ROVER:** LR3 V6 4.0 2005>2008

ALTERNATOR / ALTERNATOR:

ACURA: 31100-RDJ-A01, CSC10; **CHEVROLET:** 22727494, 22731358, 88861823; **HONDA:** 31100-RCB-Y01, CSC50; **LAND ROVER:** LR008862, YLE500240, YLE500240E, YLE500410; **LEXUS:** 27060-50280, 27060-50280-84

DENSO

GA1161



FEATURES / CARACTERÍSTICAS: 70A, 8x35A Diode, B+: M6X20mm

REPLACES / REEMPLAZA:

Denso: 021580-3660, 021580-3830, 021580-4030, 021580-4080, 021580-4480;

Honda: 31127-PT2-003;

Toyota: 27357-42010, 27357-50040, 27357-62040, 27357-74050, 27357-74160

APPLICATION / APLICACIÓN:

ACURA: Vigor L5 2.5 1992>1994

HONDA: Civic 1.6 19191>95

LEXUS: ES250 V6 2.5 1990>1991, ES300 V6 3.0 1992

TOYOTA: Camry L4 2.2 1992>1993, Camry V6 2.5 1989>1991, Camry V6 3.0 1992, Echo L4 1.5 2004>2005, Yaris 1.3 16V 1999>2002, Yaris 1.5 16V 2001>2010, Yaris Verso 1.3 16V 2001>2010, Solara V6 3.0 2002>2003, Paseo L4 1.5 1992, Celica L4 1.6 1990>1993, Corolla L4 1.6 1991>1992, RAV4 L4 2.0/2.4 2001>2005, Tundra V6 3.4 2003>2004, Tundra V6 4.0 2005, Prado 4.0 2004>2007, Tundra V8 4.7 2003>2006, Previa L4 2.4 1991;

SCION: xA/xB L4 1.5 2004>2006;

SUZUKI: Aerio L4 2.0 2002>2003, Aerio L4 2.3 2004;

YANMAR: 6LP-DT/DTE/DTZE/DTZE1/DTZY/ST/STE/STZE Diesel 1997>2008

ALTERNATOR / ALTERNATOR:

Denso: 100211-7860, 100211-7861, 100211-8020, 100211-8030, 100211-8070, 100211-8300, 100211-8390, 100211-8391, 100211-8392, 100211-8550, 100211-8560, 100211-8570, 100211-8600, 100211-8601, 100211-8610, 100211-8611, 100211-8640, 100211-8660, 100211-8920, 101211-2690, 101211-5700, 101211-5840, 101211-5870, 101211-9110, 101211-9130, 101211-9940, 102211-1750, 102211-1950, 102211-1951, 102211-2120, 102211-2250, 102211-2340, 102211-2690, 102211-9070, 102211-9100, 102211-9470, 104210-8000, 104210-8010, 104210-8040, 9662219-195, 9664219-800, 9760211-855, DAN1080, DAN942, DAN951, DAN959;

Acura: 31100-PV1-A01, 31100-PV1-A01RM, 31100-PV1-A02, CJP56;

Bosch: 0 986 045 831;

Honda: 31100-P14-A01, 31100-P14-A02, 31100-P14-A02RM, 31100-P30-023, 31100-P30-0230W, 31100-P30-G02, 31100-P30-G03, 31100-P30-G04, CJN40, CJP62, CJP93, CJS85, CJS88, CJU11, CJU13; **Lexus:** 27060-62040, 27060-62070;

Prestolite: 20130227;

Scion: 27060-21030, 27060-21030-84, 27060-21031, 27060-21031-84, 27060-21140, 27060-21140-84;

Suzuki: 31400-77E30;

Toyota: 27060-03010, 27060-0A090, 27060-11220, 27060-15060, 27060-16230, 27060-16230-84, 27060-16240, 27060-21030, 27060-21030-84, 27060-21031, 27060-21031-84, 27060-21140, 27060-22180, 27060-28110, 27060-2811084, 27060-31010, 27060-50300, 27060-5030084, 27060-62040, 27060-62070, 27060-62240, 27060-62240-84, 27060-72180, 27060-76010, 27060-76030;

Yanmar: 119773-77200

VOLTAGE REGULATOR:

GA166

DENSO

GA1162



FEATURES / CARACTERÍSTICAS:

REPLACES / REEMPLAZA:

Denso: 021580-4110, 021580-4610, 021580-5040, 021580-5410, 021580-6700; **Toyota:** 27357-50080, 27357-74170; **Regitar:** RN-11;

Mobiletron: RN-11; **Cargo:** 137874; **WAI/Transpo:** INR733P; **AS Poland:** ARC6062

APPLICATION / APLICACIÓN:

John Deere: 7200/7400 Diesel, 7210/7410/7510 6.78 96>01, 6081AFM01 8.1/12.5, 6125AFM01 8.1, 6125AFM01 12.5, 6081AFM75 8.1/6125AFM75 12.5/6125SFM75 12.5 04>07;

Mazda: Millenia V6 2.5 97>02, Xedos 9 2.5 V6 94>98

ALTERNATOR / ALTERNATOR:

Denso: 100211-6110, 100211-6350, 100211-6370, 100211-6390, 100211-6410, 100211-6440, 101211-7000, 101211-7070, 101211-7071, 101211-7130, 101211-7170, 101211-7180, 101211-7240, 101211-7300, 101211-7301, 101211-7570, 101211-7760, 101211-7761, 102211-0400, 102211-0830, 121000-4360, 121000-4481, 121000-4540, 9761211-718;

Acura: 31100-PR7-J01, 31100-PR7-J010M, 31100-PR7-J01RM, CLG18;

Chrysler: 04848662AB, 4642031, 4848662AB, 5104772AA, 5170746AA, 56027221AD, 56027221AD1, 56041693AC;

John Deere: RE34890, RE60745, RE65414, SE501842;

Komatsu: 600-861-1951;

Lexus: 27060-50011, 27060-50040, 27060-50070, 27060-50080, 27060-50140, 27060-50140-84, 27060-50210, 27060-50230;

Lucas: LRA03134;

Mazda: KL47-18-300, KLK1-18-300;

Toyota: 27060-0A010, 27060-66040, 27060-74180

DENSO

GA1174 // NEW //



FEATURES / CARACTERÍSTICAS: 135A, Type Diode Avalanche, B+: M8x1,25x12mm

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

HONDA: Accord 1.5 2018, Civic 1.5 2018, CR-V 1.5 2017>2018

ALTERNATOR / ALTERNATOR:

DENSO: 104211-4340;

HONDA: 31100-5PA-A01, 31100-5PA-A01-RM, CSP71

DENSO
GA1183 // NEW //

FEATURES / CARACTERÍSTICAS: 170A, 12x50A, Type Diode Avalanche, B +: M8x1.25x13mm
REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

BMW: 335i Sedan(F30) 2012>2015, 335i GT xDrive F34 2014>2016, 335i xDrive Sedan(F30) 2013>2015, 435i Convertible(F33), Coupe(F32) 2014>2016, 435i Gran Coupe F36 2015>2016, 435i xDrive Convertible(F33), Coupe(F32) 2014>2016, 435i xDrive Gran Coupe F36 2015>2016, M235i Convertible(F23), Coupe(F22) 2014>2016, M235i xDrive Convertible(F23), Coupe(F22) 2015>2016

ALTERNATOR / ALTERNATOR:

...


DENSO
GA1256

FEATURES / CARACTERÍSTICAS: 130A, 8x35A Avalanche Diode, B+: M8X36mm
REPLACES / REEMPLAZA:

Denso: 021580-4250, 021580-4590, 021580-5570; **TRANSPO:** INR736; **REGITAR:** RN-10; **CARGO:** 233246; **MOBILETRON:** RN-10

APPLICATION / APLICACIÓN:

Hyundai: Azera 3.3/3.8 V6 2007>2011, Sonata 3.3 2006>2009, Santa Fé 3.3 V6 2007>2009, Veracruz 3.8 V6 2007>2012;

Kia: Borrego 3.8 V6 2010>2011, Sorento 3.3 V6 2007>2009

ALTERNATOR / ALTERNATOR:

DENSO: 02131-9153;

HYUNDAI: 37300-3C120

VOLTAGE REGULATOR:

GA766


DENSO
GA1257

FEATURES / CARACTERÍSTICAS: 70A, 8x50A, B+: M6x23.2mm, External diameter: 103mm
REPLACES / REEMPLAZA:

Cargo: 231236, 230671; **AS-Poland:** ARC6028; **Transpo:** INR5028; **Mobiletron:** RN-38; **Regitar:** RN-38

APPLICATION / APLICACIÓN:

ISUZU: 4BG1 1990>2007, 4BG1T 1990>2007, 4BG1TC 1990>2007, 6BG1 1988>2007, 6BG1T 1988>2007, 6BG1TC 1988>2007

JOHN DEERE: 5410 4 1998>2000, 5420 4 2001>2004, 5510 4 1998>2000, 5520 4 2001>2004, 5615F&V 0000

SUZUKI: Esteem L4 1.8 1999>2002, Sidekick L4 1.8 1997>1998

TOYOTA: Tercel L4 1.5 1998>1999

ALTERNATOR / ALTERNATOR:

ISUZU: 8-97168-246-1, 8971671570, 8971671571, 8971682460, 8971873040

JOHN DEERE: RE71763, RE72918, RE729181

SUZUKI: 31400-60G13, 31400-77E22, 31400-77E22, 31400-77E23, 31400-77E23-REM, 31400-77E24, 31400M79G00

TOYOTA: 27060-11170, 27060-78154, 27060-78154-71


DENSO
GA1259

FEATURES / CARACTERÍSTICAS: 120A, 8x50A, B+: M6x20.5mm, External Diameter: 114mm
REPLACES / REEMPLAZA:

Elccor: ARC-ND053; **Cargo:** 137671; **As-Poland:** ARC6016; **Transpo:** INR735; **Mobiletron:** RN-08; **Regitar:** RN-08

APPLICATION / APLICACIÓN:

LAND ROVER: Freelander V6 2.5 2002>2005, Freelander 2500 V6 2000>2007

LEXUS: RX300 V6 3.0 1999, LX470 V8 4.7 1998>2002

TOYOTA: Avalon V6 3.0 1998>1999, Land Cruiser V8 4.7 1999>2002, Camry V6 3.0 2002>2003

ALTERNATOR / ALTERNATOR:

LAND ROVER: YLE102480

LEXUS: 2706020110, 270602011084, 2706020140, 270602014084, 2706050260, 270605026084

TOYOTA: 27060-0A030, 27060-0A040, 27060-0A040-84, 27060-0A050, 27060-0A05084, 27060-0A070, 27060-0A070-84, 27060-17230, 27060-20090, 27060-20090-84, 27060-28100, 27060-28100-84, 27060-50260, 27060-50260-84


DENSO
GA1261

FEATURES / CARACTERÍSTICAS: 60A, 8x35A, B+: M6x22.5mm, External diameter: 114mm
REPLACES / REEMPLAZA:

Cargo: 132657; **AS-Poland:** ARC6041; **Mobiletron:** RN-41; **Regitar:** RN-41

APPLICATION / APLICACIÓN:

DAIHATSU: Fourtrak 2800 1992>2001, Rocky hard top 2.8 1987>1998, Rocky soft top 2.8 1987>1996

ALTERNATOR / ALTERNATOR:

DAIHATSU: 27030-87605, 27030-87605-000

TOYOTA: 27020-54012, 27020-54020, 27020-54021, 27020-54060, 27020-54061, 27020-54351, 27020-54354, 27020-64060, 27030-54010, 27030-54011, 27030-54012, 27030-54013, 27030-54020, 27030-54021, 27030-54022, 27030-54061, 27030-54241, 27030-54242, 27030-54243, 27030-54244, 27030-54260, 27030-54261, 27030-64030, 27030-64050, 27040-64010, 27040-64011



DENSO

GA1262



FEATURES / CARACTERÍSTICAS: 45A, 8x50A, B+: M6x19mm, External Diameter: 83mm

REPLACES / REEMPLAZA:

Cargo: 134306; **As-Poland:** ARC6004; **Transpo:** INR723; **Mobiletron:** RN-40; **Regitar:** RN-40

APPLICATION / APLICACIÓN:

BOBCAT: 320C Kubota D722B 1996>2000, 322 Kubota D722EB 2000>2006, 325 Kubota D1703B 1997>2011, 328 Kubota D1703E2B 1998>2007, 453C Kubota D750B 1994>1998, 553C Kubota D950B 1994>1997

CASE: CX27B Yanmar 3TNV82 2005>2012

NEW HOLLAND: E27B Yanmar 3TNV82A 2008>2012

JOHN DEERE: 3320 3 Cyl. 1.64 2005>2009, 3520 3 Cyl. 1.5 2005, 4310 3 Cyl. 1.50 2002>2004

DAIHATSU: Cuore 850 1985>1990, CUORE Eng.ED 10 0.8 1986>1988, HIJET Box (S85) Eng.CB41 1993>1998, SIRION (M1) Eng. EJ-DE 1.0 1998>2000

KOMATSU: FD20-11 Komatsu Diesel 1988>2007, FD20WC-11 Komatsu Diesel 1988>2007, FD30V-11 4D95L Komatsu Diesel 1990>2007

THERMO-KING: UMD 1991

TOYOTA: 3FGC-30 4Y Toyota Gas 1981>1999, 5FD-10 V1502 Engine 1986>1989, FG-10 4P / 4Y Engines 1986>2002

ALTERNATOR / ALTERNATOR:

BOBCAT: 6669618; **CASE:** VV12942377200; **DAIHATSU:** 27060-87201, 27060-87201-000, 27060-87211, 27060-87212, 27060-87212-000, 27060-87501-000; **JOHN DEERE:** AM877740, AM879908, LVA12357, RE42778, RE72915, RE729151; **KOMATSU:** 600-821-2350, 600-861-1350; **NEW HOLLAND:** SBA18504-6220, VV12942377200

THERMO-KING: 41-0749, 5D36221G01; **TOYOTA:** 27060-78001, 27060-78001-71

DENSO

GA1263



FEATURES / CARACTERÍSTICAS: 110A, 8x50A, B+: M6x20.8mm, External Diameter: 103mm

REPLACES / REEMPLAZA:

Cargo: 133672; **As-Poland:** ARC6002; **Transpo:** INR402; **Mobiletron:** RN-03; **Regitar:** RN-03

APPLICATION / APLICACIÓN:

HONDA: Acura Car CL L4 2.3 1998>1999, Odyssey L4 2.2 1995>1997

TOYOTA: Cressida L6 3.0 1989>1992, Supra L6 3.0 Turbo 1989>1992, Corolla L4 1.6/1.8 1993>1996

ISUZU: Oasis L4 2.2 1996>1997

CHEVROLET: Prizm L4 1.8 1998>2002

SUZUKI: Grand Vítara V6 2.7 2001

CATERPILLAR: 302.5C Mini Excavator 2004>2012, 303CR Mini Excavator 2001>2012

LEXUS: ES300 V6 3.0 1996

ALTERNATOR / ALTERNATOR:

CATERPILLAR: 0R4328, 0R9274, 1052813, 1052814, 1449963; **CHEVROLET:** 94853222, 94854195, 94857218; **HONDA:** 06311P2T003, 06311P2T003RM, 06311P3FJ51RM, 06311P5M003RM, 06311PAA505RM, 06311PAA506RM; **ISUZU:** 2903725850, 5862025850, 5862052600, 5862061630, 8972103730; **LEXUS:** 2706020010, 270602001084, 2706020070, 2706020120, 270602012084, 2706050250; **SUZUKI:** 3140052D00, 3140077E11, 3140077E12, 3140085D00; **TOYOTA:** 2704054300, 2704054310, 2704054391, 2704054410, 2704054440, 2704054500

DENSO

GA1264



FEATURES / CARACTERÍSTICAS: 100A, 8x50A, B+: M8x29mm, External Diameter: 114mm

REPLACES / REEMPLAZA:

Cargo: 136741; **As-Poland:** ARC6018; **Transpo:** INR739; **Mobiletron:** RN-04; **Regitar:** RN-04

APPLICATION / APLICACIÓN:

ACURA: CL V6 3.2 2001>2002, TL V6 3.2 2000>2002

HONDA: Accord 3.0 Non-Turbo 2001

HYUNDAI: Azera V6 3.8 2006>2007

JAGUAR: X-Type V6 2.5 2002>2005, X-Type V6 3.0 2002>2008, X-Type 2000 V6 2001>2005, X-Type 2500 V6 2001>2006, X-Type 3000 V6 2001>2006

TOYOTA: MR2 L4 2.0/2.2 1992>1993

VOLVO: 740 L4 2.3 1989>1990, 940 L4 2.3 1991

ALTERNATOR / ALTERNATOR:

ACURA: 06311-P8E-A21RM, 06311-PGE-506RM, 31100-P8E-A21, 31100-P8E-A21RM, 31100-P8E-A22, 31100-P8E-A22RM; **HONDA:** 06311-P8E-A21RM, 06311-PGE-506RM, 31100-P8E-A21, 31100-P8E-A21RM, 31100-P8E-A22, 31100-P8E-A22RM; **HYUNDAI:** 37300-3C150; **JAGUAR:** C2S-3710; **TOYOTA:** 27060-74330, 27060-74440, 27060-74500

VOLVO: 3544118, 3544118-7, 3544119, 3544119-0, 5003807-4, 5003808, 5003808-2

DENSO
GA1267 // NEW


FEATURES / CARACTERÍSTICAS: 60A, 8x50A, B+: M6 x 1.0 x 26.3mm

REPLACES / REEMPLAZA:

Denso: 021580-4820, 021580-5260; **Transpo:** INR734

APPLICATION / APLICACIÓN:

CHRYSLER: Daytona L4 2.2L 135cid 1989, Daytona L4 2.5L 2507cc 153cid 1989, Dynasty L4 2.5L 2507cc 153cid 1989, LeBaron L4 2.2L 135cid 1988-1989, LeBaron L4 2.5L 2507cc 153cid 1988-1989, Town & Country L4 2.2L 135cid 1988, Town & Country L4 2.5L 2507cc 153cid 1988;

DODGE: Aries L4 2.2L 135cid 1989, Aries L4 2.5L 2507cc 153cid 1988-1989, Daytona L4 2.2L 135cid 1989, Daytona L4 2.5L 2507cc 153cid 1989, Dynasty L4 2.5L 2507cc 153cid 1989, Lancer L4 2.2L 135cid 1989, Lancer L4 2.5L 2507cc 153cid 1989, Omni L4 2.2L 135cid 1988-1989, Shadow L4 2.2L 135cid 1988-1989, Shadow L4 2.5L 2507cc 153cid 1989, Spirit L4 2.5L 2507cc 153cid 1989, Caravan L4 2.5L 2507cc 153cid 1989, Grand Caravan V6 3.0L 2972cc 181cid VIN 3 1989;

PLYMOUTH: Acclaim L4 2.5L 2507cc 153cid 1989, Expo L4 2.2L 135cid 1988-1989, Horizon L4 2.2L 135cid 1989, Reliant L4 2.2L 135cid 1989, Reliant L4 2.5L 2507cc 153cid 1988-1989, Sundance L4 2.2L 135cid 1988-1989, Sundance L4 2.5L 2507cc 153cid 1989, Grand Voyager V6 3.0L 2972cc 181cid VIN 3 1989, Voyager L4 2.5L 2507cc 153cid 1989

ALTERNATOR / ALTERNATOR:

CHRYSLER: 04609230AA, 04727325AA, 04727329AA1, 05104763AA, 4609230, 4609230AA, 4671320, 4686099, 4727221, 4727329, 4727329A, 4727329AA, 5104763AA, 5104775AA, 5233599, 5233608, 5233660, 5234033, 5234199, 5234206, 5234260, 5234374, 5234651, 53008651, 56005686, 56005686AB, 56027221, 56027221AB, 56027913, 56027913AB, 56027913AC, 56028920AA, 56028920AA1, 56041394AA, R5234208, RL104762AA, RL104763AA;

DENSO: 101211-4050, 101211-7960, 102211-3290, 102211-4050, 121000-4000, 121000-4010, 121000-4030, 121000-4040, 121000-4041, 121000-4050, 121000-4060, 121000-4070, 121000-4080, 121000-4090, 121000-4120, 121000-4122, 121000-4130, 121000-4150, 121000-4151, 121000-4160, 121000-4161, 121000-4170, 121000-4171, 121000-4210, 121000-4211, 121000-4260, 121000-4261, 121000-4270, 121000-4280, 121000-4290, 121000-4291, 121000-4300, 121000-4330, 121000-4331, 121000-4332, 121000-4333, 121000-4350, 121000-4351

DENSO
GA1268 // NEW


FEATURES / CARACTERÍSTICAS: 70A, 6x50A, B+: M6 x 1.0 x 26.0mm

REPLACES / REEMPLAZA:

Denso: 021580-4990; **Transpo:** INR502

APPLICATION / APLICACIÓN:

TOYOTA: 4Runner L4 2.7L 2694cc 1997>1999, T100 L4 2.7L 2694cc 1997>1998, Tacoma L4 2.4L 2438cc 1997>1999, Tacoma L4 2.7L 2694cc 1997>1999

ALTERNATOR / ALTERNATOR:

DENSO: 101211-0520, 101211-0521, 101211-0522, 101211-0840, 101211-4220, 102211-5020, 102211-5040, 102211-5041, 102211-5042, 102211-5050, 102211-5051, 102211-5052, 102211-5130, 102211-5131, 102211-5190, 102211-5240, 102211-5380, 102211-5650, 9761219-422; **MAGNETI MARELLI:** 063377442010; **MITSUBISHI:** A005TA6191ZC, A005TA6191ZE, A005TA6891, A005TA6891A

DENSO
GA1309


FEATURES / CARACTERÍSTICAS: 90A, 6x35A Avalanche Diode

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

TOYOTA: Corolla 1.8 VVTI 2008>2011

ALTERNATOR / ALTERNATOR:

Denso: 27060-0D190/ 0D140, 27060-22230

VOLTAGE REGULATOR:

GA131

DENSO
GA1316


FEATURES / CARACTERÍSTICAS: 28V

REPLACES / REEMPLAZA:

Denso: 021580-6150, 021580-5350

Transpo: INR9535

APPLICATION / APLICACIÓN:

CATERPILLAR: Medium and heavy trucks

ALTERNATOR / ALTERNATOR:

DELCO: 8600127;

DENSO: 101211-8040, 101211-8050, 101211-8060, 101211-8070, 101211-8080, 101211-8090, 101211-8100, 101211-8110, 101211-8120, 101211-8130, 101211-8140, 101211-8260, 101211-8360, 101211-8380, 101211-8390, 101211-8431, 23577132, 23577133, 2887993, 1572492, 1978820, 9W3043

VOLTAGE REGULATOR:

GA448

DENSO
GA1317


FEATURES / CARACTERÍSTICAS: 6x50A Bosch press-fit diode

REPLACES / REEMPLAZA:

Denso: 0215806610; **Toyota:** 2735730070

APPLICATION / APLICACIÓN:

TOYOTA: Corolla 2008>, Camry 2008>, RAV4 2005>

ALTERNATOR / ALTERNATOR:

Denso: 1042010-5481, 104210-2802;

Toyota: 27060-37081

DENSO
GA1322


FEATURES / CARACTERÍSTICAS: 110A, 6x50A Avalanche Diode, B+: M8X34mm, Bolt B-: M5x15mm
REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

FIAT: Mobi 1.0 2014> All with A/C, Strada Work 1.4, Strada Working plus 1.4, Strada hard working 1.4, Strada work 1.4 CE/CD flex todas 2014>

ALTERNATOR / ALTERNATOR:

Denso: 101210-1601

Fiat: 51846954

VOLTAGE REGULATOR:
GA171

DENSO
GA1484 // NEW //


FEATURES / CARACTERÍSTICAS: 110A, 6x50A Avalanche Diode, B+: M8X34mm, Bolt B-: M5x15mm
REPLACES / REEMPLAZA:

Denso: 021580-5920; **Transpo:** INR425; **AS Poland:** ARC6034; **Mobiletron:** RN-44

APPLICATION / APLICACIÓN:

FORD: Thunderbird V8 3.9L 2003>2005;

LINCOLN: LS V8 3.9L 2003>2006;

CADILLAC: DeVille V8 4.6 2001>2005, Seville V8 4.6 2001>2004;

PONTIAC: Bonneville V8 4.6 2004>2005

ALTERNATOR / ALTERNATOR:

DENSO: 104210-3060, 104210-3070, 104210-3191, 104210-3201, 104210-3202, 104210-3260, 104210-3261, 104210-3280, 104210-3310, 104210-3320, 104210-4150, 104210-4360, 104210-4430, 104210-4540, 104210-4910, 104210-4990;

FORD: 3W4T-10300-AF, 3W4T-10300-AG, 3W4T-10300-AH, 3W4Z-10346-AA, 3W4Z-10346-AARM, 4W4T-10300-AA, 4W4Z-10346-AA, 6W4T-10300-AA, 6W4Z-10346-AA, 3W4T-AG, 3W4T-AH, 4W4T-AA, 6W4T-AA

DENSO
GA1486 // NEW //


FEATURES / CARACTERÍSTICAS: 136A, 12x35A Avalanche Diode, B+: M8x1.25x21.6mm

REPLACES / REEMPLAZA:

Denso: 0215805911, 0215805931; **Mobiletron:** RN-30; **Transpo:** INR420; **AS Poland:** ARC6045; **Cargo:** 333440

APPLICATION / APLICACIÓN:

CHRYSLER: 300M V6 3.5L 3497cc 215cid 2002>2004, Concorde V6 3.5L 3497cc 215cid 2002>2004, Intrepid V6 3.5L 3497cc 215cid 2002>2004;

DODGE: Intrepid V6 3.5L 3497cc 215cid 2002>2004

ALTERNATOR / ALTERNATOR:

CHRYSLER: 04606622AA, 04608826AA, 04727324AB, 04801866AB, 05037198AA, 4606622AA, 4608826AA, 4727324AB, 4801866AB, 4801866AC, 5037198AA, 56029701AA, 56029915AA, RL606622AA;

DENSO: 421000-0030, 421000-0051, 421000-0111, 421000-0113, 421000-0120, 421000-0121, 421000-0122, 421000-0180, 421000-0190, 421000-0191, 421000-0800, TN421000-0800

FORD
GA1201


FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x35A, B+ Post: M6x22A, M6x22A, Ø:133 mm, with capacitor

REPLACES / REEMPLAZA:

Ford: F5AZ-10346-BA, F1TZ-10346-B, F5AZ-10304-BA; **Regitar:** RF-043; **Cargo:** 136209; **WAI/Transpo:** FR2013

APPLICATION / APLICACIÓN:

FORD: Passenger cars, Light Trucks, Aerostar 3.0L (95-97), 4.0L (92-97), Bronco 5.0L, 5.8L (93-96), E Series Van 4.2L (97-03), 5.0L, 5.8L (93-96), Escort 2.0L (98-02), Explorer 4.0L (91-00), F Series Pickup 4.2L (97-01), 5.0L, 5.8L (93-97), Ranger (92-05), 2.5L (98-02);

MAZDA: Pickup 2.3L (92-97), 2.5L (98-02), 3.0L (96-05), 4.0L w/ MT (92-01), Navajo 4.0L;


MERCURY: Tracer 2.0L (98-99)

ALTERNATOR / ALTERNATOR:

FORD: F0CZ-10346-A, F0CZ-10346-C, F0DZ-10346-A, 1160931FD, E9DF-10300-CA, F07F-10300-A, F07F-10300-AA, F07U-10300-AA, F0CF-10300-AA, F0CU-10300-AA, F0CZ-10346-A, F0CZ-10346-C, F0DZ-10346-A, F0DZ-10346-D, F0FV-10300-AA, F0VY-10346-A, F0VY-10346-B, F13U-10300-AC, F13Z-10346-A

VOLTAGE REGULATOR:

GA810 / GA890

FORD
GA1202


FEATURES / CARACTERÍSTICAS: 130A, Diodes 8x50A, B+ Post: M6x22, Ø:147 mm, with capacitor

REPLACES / REEMPLAZA:

Ford: F5AZ-10304-AA, F0DU-10A366-DAIP; **Regitar:** RF-053; **Cargo:** 136210; **WAI/Transpo:** FR2023

APPLICATION / APLICACIÓN:

FORD: Passenger cars, Light Trucks

ALTERNATOR / ALTERNATOR:

FORD: 94BB10300AE, F3AU10300BA, F5AU10300AA, 96BB10300AB, F3AU10300CA, F5PU10346CA, 97BB10300AC, F3DU10300BB, F5PU10346PA, F0DF10300BA, F4DU10300AA, F5PZ10346PA, F0DU10300BC, F4DU10300BA, F5PZ10346PARM, F0DZ10346B, F4DU10300CA, F5RU10300BA, F0DZ10346C, F4DU10300DA, F5UU10300AA, F0DZ10346E, F4PU10300AA, F5UU10300BA, F1DU10300AD, F4PU10346BA, F65U10300BB, F1DZ10346A, F4PU10346DA, F6AU10300AA

VOLTAGE REGULATOR:

GA812 / GA892

FORD
GA1203


FEATURES / CARACTERÍSTICAS: 130A, Diodes 8x50A, Ø: 133 mm, with capacitor

REPLACES / REEMPLAZA:

Ford: F6LU-10300CA, F5Z-10300FA, F6OU-10300AA, F6ZU-10300BB, F6DU-10300BB; **Regitar:** RF-063HV; **WAI/Transpo:** FR300-1

APPLICATION / APLICACIÓN:

FORD: Lincoln, Mercury

ALTERNATOR / ALTERNATOR:

FORD: A006T41491, F6LU10300CA, F77U10300AB, F50U10300FC, F6LU10300CB, F77U10300AC, F5DU10300DB, F6LU10300CC, F77Z10346AB, F5OU10300FA, F6LU10300CD, F77Z10346ABRM, F5OU10300GS, F6LU10346A, F78U10300AA, F6OU10300AA, F6LY10346A, F78Z10346AA, F6OU10300AB, F6OU10300AA, F78Z10346AARM, F60Y10346AA, F6ZU10300BB, F80U10300CA, F68U10300AD, F6ZU10300BC, F80U10300CB, F68U10300AF, F6ZU10300BE, F80Z10346CA, F68U10300AS

VOLTAGE REGULATOR:

GA813 / GA814

FORD
GA1204


FEATURES / CARACTERÍSTICAS: 105A, 8x50A Diodes 50A, Ø: 136 mm, with capacitor

REPLACES / REEMPLAZA:

Ford: F8WU10A366AAIP; **Cargo:** 230842; **Regitar:** RF-103; **WAI/Transpo:** FR600

APPLICATION / APLICACIÓN:

FORD: Windstar, Mustang

ALTERNATOR / ALTERNATOR:

FORD: 1S4110300BB, F81U10300DB, F81Z10346CA, 98AB10300FC, F81U10300DC, F81Z10346DA, 98AZ10346FA, F81U10300DD, F81U10300CC, F81Z10346EA, F81U10300BA, F81U10300EB, F81Z10346GA, F81U10300BC, F81U10300GA, XF2U10300AB, F81Z10346BA, XF2Z10346AARM, F81U10300CD, XR3Z10346AARM, XR3U10300AA, XR3Z10346AA, ZR3U10300AB, XR3U10300AB;

LESTER: 7788, 7796, 7797, 7798, 7799, 8252, 8261, 8262; **MOTORCRAFT:** GL409, GL410, GL411, GL412, GL422, GL424, GL425, GL455; **PIC:** 250283, 250401, 250402, 250403, 250404, 250405, 250416A, 250420

FORD
GA1205


FEATURES / CARACTERÍSTICAS: 105A, 8x50A Diodes 50A, Ø:136 mm, with Capacitor

REPLACES / REEMPLAZA:

Ford: F8RU10A366CAIP; **Cargo:** 233208; **Regitar:** RF-11; **WAI/Transpo:** FR601

APPLICATION / APLICACIÓN:

FORD: Contour, Mercury Cougar, Mystique

ALTERNATOR / ALTERNATOR:

FORD: 98AZ10346EA, F8AU10300AC, XS8Z10346BBRM, 98BB10300CC, F8RZ10346CC, XS9110300BB, A8ZU10300AC, XS8Z10346BB, XS9110300BC; **LESTER:** 8250; **MOTORCRAFT:** GL419, GL431; **PIC:** 250406

VOLTAGE REGULATOR:

GA846

FORD
GA1206


FEATURES / CARACTERÍSTICAS: 135A, 8x50A Diodes 50A, Ø:149 mm, with capacitor

REPLACES / REEMPLAZA:

Ford: F8AU10A366AAIP; **Cargo:** 230870; **Regitar:** RF-123; **WAI/Transpo:** FR6023


APPLICATION / APLICACIÓN:

FORD: Crown Victoria, Mercury, Lincoln Continental

ALTERNATOR / ALTERNATOR:

FORD: 3W1U10300BB, F8AZ10346AB, XF2U10300BD, 3W1Z10346BARM, F8AZ10346ABRM, XF2Z10346BA, F8AU10300AB, F8ZU10300AC, XF2Z10346BARM, XF2U10300BC; **LESTER:** 7795, 8253, 8315; **MOTORCRAFT:** GL407, GL426, GL534;

PIC: 250293, 250400, 250408

FORD
GA1207


FEATURES / CARACTERÍSTICAS: 130A, 8x50A Avalanche Diode, B+: M6x25.9mm, External Diameter: 112mm

REPLACES / REEMPLAZA:

Elccor: ARC-F0138; **Cargo:** 236658; **AS-Poland:** ARC9028; **Transpo:** FR6103

APPLICATION / APLICACIÓN:

FORD: Tourneo Connect 1.8 2002>2013, Transit Connect 1.8 2002>2013

ALTERNATOR / ALTERNATOR:

FORD: 1229421, 1429688, 1429689, 1464784, 1464785, 1465173, 1477971, 1477972, 1478187, 2T1U10300AB, 2T1U10300AC, 2T1U10300AD, 2T1U10300AE, 2T1U10300AF, 2T1U10300AG, 2T1U10300AH, 2T1U10300AK, 2T1U10300AL, 2T1U10300BB, 2T1U10300BC, 2T1U10300BD, 2T1U10300CA, 2T1U10300CB, 2T1U10300CC, 2T1U10300CD, 2T1U10300CE, 2T1U10300CF, 4362258, 4371000, 4371001, 4374447, 4374448, 4394204, 4531025, 4531026, YC1U10300EA

FORD
GA1210

FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A

REPLACES / REEMPLAZA:
Ford: D6AZ10304A, D9VY-10304-A, GY-1327; **Delco:** A3900; **Cargo:** 131421; **Motorcraft:** GY1306A; **Regitar:** RF-08H;

WAI/Transpo: FR1040

APPLICATION / APLICACIÓN:
FORD: Mercury, Light Trucks

ALTERNATOR / ALTERNATOR:
FORD: D64Z10304A, GY1306A; **LESTER:** 7070, 7078; **MOTORCRAFT:** GL153, GL167A, GL209A, GL210, GL211, GL52, GL63, GL86, GL88; **PIC:** 250100, 250103, 250104, 250106, 250107, 250110

FORD
GA1211

FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A

REPLACES / REEMPLAZA:
Ford: D2OZ10304A, F0TZ-10304-A, GY-1026-A; **Regitar:** RF-09H; **WAI/Transpo:** FR1270

APPLICATION / APLICACIÓN:
FORD: Passenger cars, Light Trucks

ALTERNATOR / ALTERNATOR:
FORD: D9AF10300CA, E3TF10300AB, E4LF10300CA, E6DF10300CA, E9TF10300AA, F0TU10300AA; **LESTER:** 7072, 70729; **MOTORCRAFT:** GL215, 250118

FORD
GA1212

FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A

REPLACES / REEMPLAZA:
Ford: D6AZ10304A, D9VY-10304-A, GY-1327; **Delco:** A3900; **Cargo:** 131421; **Regitar:** RF-08H; **WAI/Transpo:** FR1040

APPLICATION / APLICACIÓN:
FORD: Mercury, Light Trucks

ALTERNATOR / ALTERNATOR:
FORD: D64Z10304A, GY1306A; **LESTER:** 7070, 7078; **MOTORCRAFT:** GL153, GL167A, GL209A, GL210, GL211, GL52, GL63, GL86, GL88; **PIC:** 250100, 250103, 250104, 250106, 250107, 250110

FORD
GA1213

FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A

REPLACES / REEMPLAZA:
Ford: D4VY10304A, E2HZ10304B, F0HZ-10304-A, GY-1302-B, GY-1345-A; **Cargo:** 131430; **WAI/Transpo:** FR1280

APPLICATION / APLICACIÓN:
FORD: Passenger cars, Light Trucks

ALTERNATOR / ALTERNATOR:
FORD: D3VF-10300-AA, D3VF-10300-AB, D3VF10346-A, D3VF-10346-BA, D3VY-10346-A, D4TF-10300-DA, D4TZ-10346-A, D5OF-10300-BA, D5UF-10300-AA, D5ZF-10300-BA, D6UF-10300-AA, D7OF-10300-BA, D7UF-10300-BA, D7VF-10346-AA, D7VZ-10346-A, D7ZF-10300-BA, D7ZF-10300-CA, D8VF-10300-BA, D8VF-10346-BA, D9BF-10300-AA, D9VY-10346-D, E1BF-10300-CA, E1NF-10300-AA, E1VF-10300-AA, E1VF-10346-AA, E1VZ-10346-A, E7PF-10346-RA, E7PZ-10346-A, E7TF-10300-GA, E8DF-10300-CA, E8DZ-10300-B, E8PF-10346-BA, E8PZ-10346-B, E9DF-10300-EA, E9PF-10346-DA, E9PZ-10346-E, EZHT-10346-EB, F0DU-10300-DA, F0PU-10346-RA, F0PZ-10346-C, F0UU-10300-BA, GL-108, GL-108A, GL-203, GL-203A, GL-203B, GL-256, GL-256A, GL-286

GM
GA1888

FEATURES / CARACTERÍSTICAS: 130A, 12X 35A Avalanche diodes

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:
Chevrolet: Cobalt L4 2008-2010, Malibu L4 Exc. Hybrid 2008, Malibu L4 2009-2010;

Pontiac: G5 L4 2008-2010;

Saturn: Aura L4 2008-2009, Sky L4 2008, Vue L4 2008-2010

ALTERNATOR / ALTERNATOR:

 2650532; **GM:** 15828450

VOLTAGE REGULATOR:

GA994

HITACHI
GA1748 // NEW //

FEATURES / CARACTERÍSTICAS: 110A, 8x35A, B+: M8x1.25x42.0mm

REPLACES / REEMPLAZA:
Transpo: IHR768; **AS Poland:** ARC2057; **Mobiletron:** RH-104

APPLICATION / APLICACIÓN:
ISUZU: Medium/Heavy Truck NPR L4 4.8L 290cid 2003>2006

ALTERNATOR / ALTERNATOR:
HITACHI: LR1110-501, LR1110-501B, LR1110-501BAM; **ISUZU:** 2902768400, 8972482970, 8972482971

HITACHI
GA1750 // NEW //


FEATURES / CARACTERÍSTICAS: 90A, 8x35A, B+: M6x8.5mm, External Diameter: 114mm

REPLACES / REEMPLAZA:

Cargo: 235226

APPLICATION / APLICACIÓN:

NISSAN: Almera Tino 16V 2000>2010, Almera Tino 2.0 2000>2003, Primera 2.0 16V 1999>2001, Primera hatchback 2.0 16V 1999>2002, Primera Traveller 2.0 16V 1999>2001

ALTERNATOR / ALTERNATOR:

NISSAN/ INFINITI: 23100-AN000, 23100-BU500, 23100-VC100, 23100-VC101, 23100VC10C

HITACHI
GA1751


FEATURES / CARACTERÍSTICAS: 90A, 8x35A, B+: M6x8mm, External Diameter: 114mm

REPLACES / REEMPLAZA:


Cargo: 234315; As-Poland: ARC2042; **Transpo:** IHR737; **Mobiletron:** RH-76; **Regitar:** RH-76

APPLICATION / APLICACIÓN:

NISSAN TRUCK: Pathfinder V6 3.3 1997>2000

ALTERNATOR / ALTERNATOR:

NISSAN: 23100-0W001, 23100-0W001R, 23100-0W002, 23100-0W003

HITACHI
GA1760


FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x35A

REPLACES / REEMPLAZA:

Hitachi: L170G23203, L170G23202, L170G2320; **Regitar:** RH-25; **Cargo:** 135318; **WAI/Transpo:** IHR754

APPLICATION / APLICACIÓN:

CHEVROLET: Astra, Corsa, Vectra, Combo;

NISSAN: 100NX 1.6; Primera 1.6 Stationcar, Sunny 1.4i, 1.6i Stationcar

ALTERNATOR / ALTERNATOR:

HITACHI: LR170-738C

HITACHI
GA1752


FEATURES / CARACTERÍSTICAS: 60A, 8x35A, B+: M8x22mm, External diameter: 114mm

REPLACES / REEMPLAZA:

Cargo: 231442; **AS-Poland:** ARC2032; **Mobiletron:** RH-65; **Regitar:** RH-65

APPLICATION / APLICACIÓN:

JOHN DEERE: 244H Yanmar Diesel 0000, 80 0000

NISSAN: Pickup III 2.5 1998>2002, D22 Pickup 2500 1996>2001

ALTERNATOR / ALTERNATOR:

JOHN DEERE: 244H Yanmar Diesel 0000, 80 0000

NISSAN: Pickup III 2.5 1998>2002, D22 Pickup 2500 1996>2001

HITACHI
GA1754


FEATURES / CARACTERÍSTICAS: 70A, 6x35A Diode, B+: M8X45mm

REPLACES / REEMPLAZA:

Isuzu: 8-97122-644-0; **Transpo:** IHR749; **Regitar:** RH-48; **Cargo:** 230094; **Mobiletron:** RH-48

APPLICATION / APLICACIÓN:

OPEL: Astra Mk3 1.7 96>98, Corsa B 1.5/1.7 96>00, Corsa B Box 99>00, Vectra B 1.7 95>96, Astra Van 1.7 96>98, Corsa/Combo 1.7 96>01;

VAUXHALL: Vectra B/Vectra B Hatchback 95>96

ALTERNATOR / ALTERNATOR:

HITACHI: LR170-505, LR170-505B

VOLTAGE REGULATOR:

GA251

HITACHI
GA1761


FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x35A, with diode trio

REPLACES / REEMPLAZA:

Hitachi: L165G1320, L170G1320, L190G13201; **Regitar:** RH-26; **Cargo:** 136976; **WAI/Transpo:** IHR755

APPLICATION / APLICACIÓN:

NISSAN: 100NX 1.6, Primera 1.6 Stationcar, Sunny 1.4i, 1.6i Stationcar;

MAZDA: 121 1.1, 1.3i, 1.4i

ALTERNATOR / ALTERNATOR:

HITACHI: LR160725, LR160725B, LR160726, LR160738, LR170738B; **LESTER:** 13334, 13564, 13642, 14960; **NISSAN:** 2310050Y09;

PIC: 204341A, 204354A, 204365, 204367

HITACHI
GA1762


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, with diode trio, Ø:103 mm

REPLACES / REEMPLAZA:

Hitachi: L170G1320; **Regitar:** RH-26; **Cargo:** 136976; **WAI/Transpo:** IHR755

APPLICATION / APLICACIÓN:

NISSAN: 100NX 1.6, Primera 1.6 Stationcar, Sunny 1.4i, 1.6i Stationcar;


MAZDA: 121 1.1, 1.3i, 1.4i;

HONDA;

ISUZU

ALTERNATOR / ALTERNATOR:

HITACHI: LR150-711

HITACHI
GA1763


FEATURES / CARACTERÍSTICAS: 90A, 6x35A, B+: M6x8mm, with Diode Trio

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

ASIA MOTORS: Towner, Effa, Hafei, Chana

ALTERNATOR / ALTERNATOR:

HITACHI: 1105 02312 498

HITACHI
GA1764


FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x35A, Ø 103mm

REPLACES / REEMPLAZA:

Hitachi: L170-33202; **Subaru:** 23830-AA-040; **Cargo:** 135038; **Regitar:** RH-21; **WAI/Transpo:** IHR750

APPLICATION / APLICACIÓN:

Subaru: Legacy 1.6, 1.8, 2.0, 16V, 2.2

ALTERNATOR / ALTERNATOR:

HITACHI: LR170732B, LR170732C; **LESTER:** 13275; **PIC:** 204347, 23700AA090

HITACHI
GA1765


FEATURES / CARACTERÍSTICAS: 95A, Diodes 6x35A, Ø 103mm, with diode trio

REPLACES / REEMPLAZA:

Hitachi: L170-43202; **Subaru:** 23830-12G01; **Cargo:** 136650; **Regitar:** RH-22; **WAI/Transpo:** IHR751

APPLICATION / APLICACIÓN:

NISSAN: Pick-up, Pathfinder, Terrano 13.0 V6

ALTERNATOR / ALTERNATOR:

HITACHI: LR170734, LR170734B, LR170739, LR170739B, LR180729; **LESTER:** 13285, 13533; **NISSAN:** 2310012G02, 2310088G00;

PIC: 204344A, 204346, 204352, 204352A

HITACHI
GA1766


FEATURES / CARACTERÍSTICAS: 85A 6x35A press-fit diodes, M5x8mm Battery Post, Outside diameter: 103mm With Trio

REPLACES / REEMPLAZA:

Hitachi: L18013202; **NISSAN:** 2323064LJ00

APPLICATION / APLICACIÓN:

NISSAN: Pick up, Pathfinder;

SUBARU: Legacy

ALTERNATOR / ALTERNATOR:

Hitachi: LR160-723, LR160-723B, LR160724, LR180-725; **Nissan:** 23100-64J00, 23100-80G08, 23100-80G09; **AC Delco:** 334-1944

HITACHI
GA1768


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A, Ø 103mm

REPLACES / REEMPLAZA:

Hitachi: L180G-7320; **Regitar:** RH-29; **Cargo:** 135039; **WAI/Transpo:** IHR758

APPLICATION / APLICACIÓN:

NISSAN: Altima, Axxess

ALTERNATOR / ALTERNATOR:

NISSAN: LR180725b, LR180725C, LR180736B

HITACHI
GA1770


FEATURES / CARACTERÍSTICAS: 95A, DIODES 8x35A, without diode trio, B+ POST M5x8mm, terminal W
REPLACES / REEMPLAZA:
Hitachi: L170-23203, L170G-23203; **Nissan:** 23230-50Y06;
APPLICATION / APLICACIÓN:
NISSAN: 1991 Nissan
ALTERNATOR / ALTERNATOR:
HITACHI: LR170-738B, LR170-738; **NISSAN:** 23100-50Y06, 23100-50Y09;

HITACHI
GA1771


FEATURES / CARACTERÍSTICAS: 85A, DIODES 6x35A, with diode trio, B+ POST M5x8mm, Terminal D+
REPLACES / REEMPLAZA:
Hitachi: L160-73203, L180-13202; **Nissan:** 23230-64J00, 23230-80G08;
APPLICATION / APLICACIÓN:
NISSAN: INFINITI 90>93
ALTERNATOR / ALTERNATOR:
HITACHI: 2310064J00

HITACHI
GA1772


FEATURES / CARACTERÍSTICAS: 95A, DIODES 8x35A, without diode trio, B+ POST M8x45mm, Terminal W
REPLACES / REEMPLAZA:
Hitachi: GD109578B, L170G-13201, L190G-43203; **Nissan:** 23230-0M000, 23230-0W000
APPLICATION / APLICACIÓN:
NISSAN: 1997-95 Nissan
ALTERNATOR / ALTERNATOR:
Hitachi: GD109578B, L170G-13201, L190G-43203; **Nissan:** 23230-0M000, 23230-0W000; **Cargo:** 138732

HITACHI
GA1773


FEATURES / CARACTERÍSTICAS: 85A, DIODES 6x35A Avalanche, without diode trio, Terminal W
REPLACES / REEMPLAZA:
Hitachi: GD214675G; **Nissan:** 23100-1E800, 23230-0M800;
APPLICATION / APLICACIÓN:
NISSAN: 1999 - 95, Nissan lift Truck
ALTERNATOR / ALTERNATOR:
HITACHI: LR180-744, LR180-741H; **NISSAN:** 23100-1E800

HITACHI
GA1774


FEATURES / CARACTERÍSTICAS: 95A, DIODES 8x35A Avalanche, without diode trio, Terminal W
REPLACES / REEMPLAZA:
WAI/Transpo: 1HR739; **Regitar:** RH-69
APPLICATION / APLICACIÓN:
NISSAN: 98>01
ALTERNATOR / ALTERNATOR:
HITACHI: LR1100-722, LR170-709B; **NISSAN:** 23100-9E000, 23100-5M000;

HITACHI
GA1775


FEATURES / CARACTERÍSTICAS: 95A, DIODES 8x35A Avalanche, without diode trio, Terminal W
REPLACES / REEMPLAZA:
Hitachi: L185G-1320, L190G-33204; **Subaru:** 23830-AA080, 23830-AA100, 23830-AA140;
APPLICATION / APLICACIÓN:
SUBARU: 1995
ALTERNATOR / ALTERNATOR:
HITACHI: LR185-702, LR185-701C, LR185-701;

HITACHI
GA1776


FEATURES / CARACTERÍSTICAS: 95A, DIODES 8x35A Avalanche, without diode trio, Terminal W

REPLACES / REEMPLAZA:

Hitachi: GD213418K, L1110G-4320, L1125G-2320, L1125G-7320; **Isuzu:** 84252700; **Nissan:** 23230-31U01, 23230-31U08, 23230-31U09, 23230-40U00;

APPLICATION / APLICACIÓN:

NISSAN; INFINITI: 99-95

ALTERNATOR / ALTERNATOR:

HITACHI: LR1125-702B, LR1110-705; **NISSAN:** 23100-31U02, 23100-31U01;

HITACHI
GA1777


FEATURES / CARACTERÍSTICAS: 85A, DIODES 6x35A, without diode trio, B+ Post M8x45mm, Terminals W

REPLACES / REEMPLAZA:

WAI/Transpo: 1HR745; **Regitar:** RH-30; **Cargo:** 138732

APPLICATION / APLICACIÓN:

NISSAN: 1999-97

ALTERNATOR / ALTERNATOR:

HITACHI: LR170-745;

HITACHI
GA1778


FEATURES / CARACTERÍSTICAS: 70A, 6x35A, B+: M5x12.2mm, External diameter: 118mm

REPLACES / REEMPLAZA:

Elccor: ARC-HI056; **Cargo:** 131598; **AS-Poland:** ARC2001; **Transpo:** IHR603; **Mobiletron:** RH-01; **Regitar:** RH-01

APPLICATION / APLICACIÓN:

NISSAN: 200SX 2.0 1984>1986, Stanza 2.0 1982>1983, Prairie

SUBARU: GL H4 1.6L 1595 1986>1987, GL H4 1.8 1982>1984, Standard H4 1.6 1985>1987

ALTERNATOR / ALTERNATOR:

ISUZU: 8970959640

NISSAN: 23100-01D00, 23100-01N13, 23100-04M10, 23100-06S10, 23100-17C00, 23100-17C00R

SUBARU: 42990-7320, 42990-7330, 42990-7340, 42990-7400, 42990-7500, 42990-7700, 72990-7500

HITACHI
GA1780


FEATURES / CARACTERÍSTICAS: 120A, 6x50A Hitachi Press-fit diodes, 100mm OD, M6 x 1.0 x 44mm Batt. Term.

REPLACES / REEMPLAZA:

Hitachi: L170-9320; **Nissan:** 23230-51S00; **Regitar:** RH-39C; **Cargo:** 132098; **WAI/Transpo:** IHR719

APPLICATION / APLICACIÓN:

NISSAN: 16V 86-88, Sentra, Sunny.

ALTERNATOR / ALTERNATOR:

HITACHI: 70A IR/IF Alternators

HITACHI
GA1781


FEATURES / CARACTERÍSTICAS: 120A, 6x50A Hitachi Press-fit diodes, 118mm OD / with diode trio

REPLACES / REEMPLAZA:

Hitachi: L160-23202; **Regitar:** RH-15; **Cargo:** 135037; **WAI/Transpo:** IHR721

APPLICATION / APLICACIÓN:

NISSAN: Diesel (1986 - 87);

ISUZU: Truck, NPR, Hino

ALTERNATOR / ALTERNATOR:

HITACHI: 60-70A IR/EF Alternators, LR170-404, LR170-406B, LR170-402, LR160-422B

HITACHI
GA1782


FEATURES / CARACTERÍSTICAS: 85A, 6x35A Hitachi Press-fit diodes, 100mm OD / with diode trio

REPLACES / REEMPLAZA:

Hitachi: L140-53201; **Isuzu:** 8942469571, 8942469570, 5812180330

APPLICATION / APLICACIÓN:

ISUZU: Pickup L4 2.2L Diesel 1981

CHEVROLET: Luv L4 2.2L Diesel 1981>1982

ALTERNATOR / ALTERNATOR:


Hitachi: LR140-112, LR140-131, LR140-131B, LR140-138

Isuzu: 8942214514, 8942469570, 8942469571


GM: 94246957

HITACHI
GA1783


FEATURES / CARACTERÍSTICAS: 85A, 6x35A Hitachi Press-fit diodes, 100mm OD, M5x0.8x26.88mm Batt. Term. / with diode trio
REPLACES / REEMPLAZA:
Hitachi: L135-13208
APPLICATION / APLICACIÓN:
NISSAN; DATSUN
ALTERNATOR / ALTERNATOR:
HITACHI: 20-35A IR/EF Alternators

HITACHI
GA1784


FEATURES / CARACTERÍSTICAS: 95A, 6x35A
REPLACES / REEMPLAZA:
Nissan: Infiniti 23230-3S501
APPLICATION / APLICACIÓN:
NISSAN: D-21 2000
ALTERNATOR / ALTERNATOR:
HITACHI: 70A IR/IF Alternators

HITACHI
GA1785



FEATURES / CARACTERÍSTICAS: 55A, 6 X 35A Avalanche diodes
REPLACES / REEMPLAZA:
IHR604; Regitar: RH-02, RH-02C; **Cargo:** 131599; **WAI/Transpo:** IHR604, IHR604HD
APPLICATION / APLICACIÓN:
Chevrolet: LUV, Caprice, Malibu
Isuzu: Pickup
Nissan: 720
ALTERNATOR / ALTERNATOR:
Hitachi: LR140-130B

HITACHI
GA1786


FEATURES / CARACTERÍSTICAS: 60A, 6 X 35A
REPLACES / REEMPLAZA:
Hitachi: L14013202, L14053202; **Regitar:** RH-04, RH-04C, RH-50; **Cargo:** 131603; **WAI/Transpo:** IHR723, IHR723HD, IHR1002
APPLICATION / APLICACIÓN:
Nissan: Diesel Europe
ALTERNATOR / ALTERNATOR:
Hitachi: LR140-130P, LR140402

HITACHI
GA1787


FEATURES / CARACTERÍSTICAS: 60A, 6x35A
REPLACES / REEMPLAZA:
Hitachi: L150-13206, L160-6320; **Regitar:** RH-03, RH-03C, RH-10C; **Cargo:** 131600; **WAI/Transpo:** IHR710, IHR710HD, IHR722
APPLICATION / APLICACIÓN:
Nissan: F10, Pathfinder; Subaru: DL, GL, RX.
ALTERNATOR / ALTERNATOR:
Hitachi: GD105700-D, GD207976-A, LR150-125, LR150-125B, LR150-163, LR150-165, LR150-177, LR150-94B, LR150-98, LR150-98B, LR150-99, LR150-99B, LR155-23, LR155-25, LR160-121, LR160-124, LR160-137, LR160-138, LR160-166, LR160-36, LR160-78, LR160-78B, LR160-78C, LR165-03, LR235-65P, LR235-65S, LR235-69; **Hyster:** 1360815, 3068340, 3122810; **Isuzu:** 5812003470; **Nissan:** 23100-04M00, 23100-10W00, 23100-10W01, 23100-37M00, 23100-95013, 23100-95013X, 23100-M5960, 23100-M5961, 23100-M6600, 23100-M6601, 23100-N8500, 23100-W5802, 23100-W5803, 23100-W5805, 23100-W5806, 23100-W5807, 23100-Z5560; **Subaru:** 23700-AA000, 23700-AA020, 23700-AA160, 42990-7600, 42990-7800; **Valeo:** 436505, 436506, 436518, 436551

HITACHI
GA1788

FEATURES / CARACTERÍSTICAS: 80A, 8x35A

REPLACES / REEMPLAZA:
WAI/Transpo: IHR783

APPLICATION / APLICACIÓN:
Chevrolet: W3500, W4500, W5500 (Tiltmaster); GMC: W3500, W4500, W5500 (Forward); Isuzu: NPR L4, NQR L4

ALTERNATOR / ALTERNATOR:
GM: 97116697, 97189650;

Hitachi: LR180-509, LR180-509C, LR180-509R;

Isuzu: 2-90276-810-0, 8971166973, 8971896500

HITACHI
GA1789

FEATURES / CARACTERÍSTICAS: 35A, 6x35A

REPLACES / REEMPLAZA:
GM: 94021546, 94024356; **Hitachi:** L125-6320, L125-8320, L140-24356, L140-6320, L140-7320, L140-9320, L160-13201; **Iseki:** 658-1218-021-0; **Isuzu:** 5-81218-0010, 5-81218-0210, 5-81218-0220, 9-82231-6190; **Lucas Industries:** 36511042, 36511050, UB.J102X, UB.J107X; **Nissan Infiniti:** 23230-H0300, 23230-U0100, 23232-B8000, 23232-E6200, 23232-E6601, 23232-H6200, 23232-N3300, 23232-U0102; **Subaru:** 3144100808, 395342501, 89534-6111, 895346101; **Yanmar:** X-L1258320, X-L125832000; **Regitar:** RH-49;

Cargo: 130618; **WAI/Transpo:** IHR1000, IHR1000HD

APPLICATION / APLICACIÓN:
Chevrolet: 1972>1980; **Ford:** 1973>1983; **New Holland:** 1973>1983; **Nissan:** 1969>2005; **Nissan - Europe:** 1977>1982;

Subaru: 1972-1974; **Yanmar:** 1975>1990.

ALTERNATOR / ALTERNATOR:
DELCO: 94207358; **FORD:** SBA18504-6071; **GM:** 94021045, 94023539, 94024347, 94024348, 94206081; **HITACHI:** GB108614-A, GD102423-A, LT110-04, LT115-52, LT120-05, LT120-07, LT123-16, LT125-06, LT125-06B, LT130-37K, LT130-72, LT130-72B, LT130-75, LT130-81, LT130-83, LT130-89, LT133-04, LT133-05, LT135-13, LT135-138, LT135-13B, LT135-13C, LT135-14, LT135-16, LT135-17, LT135-19, LT135-19B, LT135-19C, LT135-19E, LT135-20, LT135-22, LT135-24, LT135-24B, LT135-26, LT135-27, LT135-30, LT135-35, LT135-35B, LT135-35C, LT135-36, LT135-36B, LT135-36C, LT135-68, LT135-69, LT135-69B, LT135-69BR, LT135-73, LT135-73B, LT135-73BR, LT138-02, LT140-135, LT140-80, LT140-87B, LT140-90, LT140-95, LT150-03, LT150-05, LT150-05B, LT150-10, LT150-10B, LT150-12, LT150-13B, LT150-16, LT150-17, LT150-21, LT150-22, LT150-22B, LT150-23, LT150-23B, LT150-24, LT150-24B, LT150-25B, LT150-26B, LT150-46, LT150-47, LT150-47B, LT150-57E, LT160-10, LT160-13, LT160-16, LT160-17, LT160-19, LT160-19B, LT160-20, LT160-20B, LT160-23, LT160-23B, LT160-23C, LT160-23E, LT160-24, LT160-24B, LT160-24C, LT160-24E, LT160-28, LT160-28B, LT160-28E, LT160-34, LT160-34B, LT160-35, LT160-45; **HYSTER:** 3004578; **ISHIKAWAJIMA:** 18504-6070, 18504-6071; **ISUZU:** 5812000530, 5812000840, 5812000860, 5812001140, 8941271840, 8942060810, 8942073580, 9-82200-763-0, 9822007640; **MITSUBISHI:** AG2050N1, AG2050N11, AG2050N16, AG2050N24, AG2050N4, AG2050N6; **NEW HOLLAND:** SBA18504-6071; **NISSAN/INFINITI:** 23099-V0604, 23100-61700, 23100-80210, 23100-80215, 23100-90060, 23100-A4601, 23100-A4602, 23100-A5500, 23100-A5501, 23100-B8001, 23100-B8002, 23100-C6000, 23100-H0300, 23100-H6200, 23100-H6201, 23100-H6202, 23100-H6203, 23100-H7200, 23100-L1802, 23100-M0400, 23100-M0401, 23100-M0402, 23100-M0403, 23100-M6900, 23100-N3300, 23100-N3301, 23100-N3302, 23100-N3303, 23100-P0100, 23100-P0101, 23100-P0102, 23100-P0103, 23100-P0110, 23100-P0111, 23100-P0112, 23100-P0113, 23100-P4500, 23100-P4501, 23100-P4502, 23100-U0100, 23100-U0101, 23100-U0102, 23100-U0103, 23100-U0104, 23100-U0105, 23100-U0110, 23100-U0500, 23100-U0501, 23100-U0502, 23100-U0503, 23100-U0504, 23100-U0505, 23100-U0701, 23100-U0702, 23100-U0703, 23100-U0704, 23100-U5800, 23100-U5801, 23100-U5802, 23100-U5803, 23100-U6000, 23100-U6001, 23100-U6002, 23100-U6003, 23100-U6100, 23100-U6101, 23100-U6103, 23100-U6500, 23100-U6501, 23100-U6502, 23100-U6503, 23100-U6504, 23100-U6505, 23100-U0502; **SUBARU:** 23990-0100, 32990-0100, 32990-5300, 82990-6100, 82990-6110, 82990-7600; **VALEO:** 436502, 437149; **YALE:** 2200073-94; **YANMAR:** 124560-77200, 124756-77210

HITACHI
GA1790

FEATURES / CARACTERÍSTICAS: 110A, 8x35A Avalanche Diodes

REPLACES / REEMPLAZA:
WAI/Transpo: IHR769; **Regitar:** RH-68; **Cargo:** 235729; **Mobiletron:** RH-73

APPLICATION / APLICACIÓN:
Honda: Civic 1700, MKVII;

Opel: Vectra, Astra G, Combo C, Corsa C, D, Meriva A, Astra Van G, Corsa/Combo I; Vauxhall: Astra G, Corsa C, Astravan G

ALTERNATOR / ALTERNATOR:
GM: 93175799, 97189113;

Hitachi: LR1100-502, LR1100-502E, LR1100-502F, LR1100-502G, LR1100-502H, LR1100-502J, LR1100-502K, LR1100-502MD, LR1100-504B, LR1100-504E;

Isuzu: 8-97189-113-0, 8-97189-113-3, 8-97189-113-4, 8-97189-113-5, 8-97189-113-6, 8-97189-113-7, 8-97369-507-0, 89711891133, 89711891134, 89711891135, 89711891136, 89711891137;

Opel: 12-04-158, 6204183, 93175944, 9512785, 97-189-113, 97326180;

Valeo Tech: 584373;

Vauxhall: R1530037

HITACHI
GA1791

FEATURES / CARACTERÍSTICAS: 80A, 8x35A Diode

REPLACES / REEMPLAZA:
Hitachi: L150-53203, L165-6320, L165-7320, L170-6320, L180-33201; **Isuzu:** 8-94462-853-0; **Nissan/ Infiniti:** 23230-30R00, 23230-30R60, 23230-58S00, 23230-77A00, 23230-D4400; **Subaru:** 23830-AA020; **Transpo:** IHR720; **AS-Poland:** ARC2048;

Mobiletron: RH-40C; **Regitar:** RH-40C

APPLICATION / APLICACIÓN:
ISUZU TRUCK: Amigo 2.3/2.6, Pickup 2.3/2.6, Rodeo 2.6, Trooper 2.3/2.6;

NISSAN: 240SX 2.4, Axxess 2.4, Stanza 2.0/2.4, Pulsar NX 1.6/1.8, Sentra 1.6, Sunny 1.6

ALTERNATOR / ALTERNADOR:
HITACHI: LR150-704, LR150-704H, LR160-715, LR160-718, LR160-718H, LR165-704B, LR165-707, LR165-707B, LR165-708, LR165-715B, LR165-716, LR165-716B, LR165-717, LR170-714, LR170-715, LR170-715B, LR170-716, LR170-716B, LR170-727, LR170-727R, LR180-715, LR180-719; **ISUZU:** 23700AA150, 2912769200, 2912769300, 2912769320, 8943367300, 8943367310, 8944367300, 8944492650, 8944492660; **NISSAN/ INFINITI:** 23100-30R00, 23100-30R00R, 23100-30R60, 23100-30R60R, 23100-53A00, 23100-58S00, 23100-70A00, 23100-70A00-R, 23100-70A00R, 23100-70A00R, 23100-77A00, 23100-77A00R, 23100-D4400, 23100-D4400R, 23100-D4405, 23100-D4405R; **SUBARU:** 23700-AA150; **VALEO:** 436545, TA000B43001Z

HITACHI
GA1792 // NEW //

FEATURES / CARACTERÍSTICAS: 100A, Avalanche Diode, B+: M5x0.8x19.4mm

REPLACES / REEMPLAZA:
Hitachi: L1100G-5320; **Elccor:** ARC-HI128; **Cargo:** 231081; **AS-Poland:** ARC2028; **Mobiletron:** RH-63; **Regitar:** RH-63

APPLICATION / APLICACIÓN:
Opel: Astra Mk3 1.7 1996>1998, Vectra B 1.7 1995>1996;

Vauxhall: Vectra B 1.7 1995>1996, Vectra B Hatchback 1.7 1995>1996

ALTERNATOR / ALTERNADOR:
HITACHI: LR1100-501B

HITACHI
GA1793 // NEW //

FEATURES / CARACTERÍSTICAS: 70A, 6x35A Diode, B+: M6X37.5mm, External Diameter 118mm

REPLACES / REEMPLAZA:
Cargo: 138617; **AS-Poland:** ARC2027; **Mobiletron:** RH-60; **Regitar:** RH-60

APPLICATION / APLICACIÓN:
NISSAN: Pick-Up II 2.5 1987>1998, Terrano II 2.7 1989>1996, Urvan Box 2.3/2.5 1988>1997

ALTERNATOR / ALTERNADOR:
HITACHI: LR170-502C, LR190-505E, LR190-511, LR190-511B

NISSAN: 23100-86N00, 23100-86N01

INDIEL
GA1939

FEATURES / CARACTERÍSTICAS: 65A, Diodos 6x35A, 115mm


REPLACES / REEMPLAZA:
Indiel: 35213939, K03939

APPLICATION / APLICACIÓN:
GM: D20, Silverado; **Ford:** Escort, Verona, with motor AP 1.6, 1.8, 2.0 **VW:** GOL, PARATI, SAVEIRO, POINTER with motor AP 1.6, 1.8, 2.0, Gol Diesel 1.6; **MBB:** MB 180D

ALTERNADOR:
INDIEL: 35213795, 35213940, 35214040, 35214325, 35214405

VOLTAGE REGULATOR:

GA720

ISKRA
GA1328

FEATURES / CARACTERÍSTICAS: 55A, 6 X 35A Avalanche Diodes

REPLACES / REEMPLAZA:
LETRIKA: 16.907.902, 6230931M91;

ISKRA: 16.907.902, 6230931M91

APPLICATION / APLICACIÓN:
MASSEY FERGUSON: MF200, MF250, MF255, MF262, MF275, MF283, MF290, MF291, MF400, MF415, MF4200, MF425, MF4265, MF4275, MF4283, MF4290, MF4291, MF4292, MF435, MF440, MF445, MF450, MF455, MF460, MF465, MF5300, MF5320, MF5200, MX720, MX750

ALTERNATOR / ALTERNADOR:
ISKRA: 11203130, 11203131, 11203634, 11203635, 11203636, 11203783, 11203784, 11203785, 11203786, 11203787, 11203841, 11204055, 11204082, 11204101, 11204111, 11204112, 11204113, 11204114, 11204124, 11204458, 11204609, 11204610, 11204615, 11204616, 11204617, 11204618, 11204619, 11204695

VOLTAGE REGULATOR:

GA407

ISKRA

GA1329

FEATURES / CARACTERÍSTICAS: 120A , 8x50A Avalanche Diodes
REPLACES / REEMPLAZA:
ISKRA: 16907048
APPLICATION / APLICACIÓN:
Valtra: BM, BH;
Massey Ferguson: MF6360;
New Holland: TC57, 5090
ALTERNATOR / ALTERNATOR:
Iskra: 11203540 / 11204311

ISKRA

GA1330

FEATURES / CARACTERÍSTICAS: 95A, 8x35A Avalanche Diodes, B+ Bolt M8, D+ Bolt M5, with diode trio and capacitor
REPLACES / REEMPLAZA:
ISKRA: 16903314; **Cargo:** 231050
APPLICATION / APLICACIÓN:
Lada: Niva 1.7 1995>1997
ALTERNATOR / ALTERNATOR:
ISKRA: 11201498, AAK5102, AAK5105

ISKRA

GA1331

FEATURES / CARACTERÍSTICAS: 135A, 8x50A Avalanche Diode (Zener), with diode trio
REPLACES / REEMPLAZA:
Iskra: 16903507; **Cargo:** 231472
APPLICATION / APLICACIÓN:
 Tractors
ALTERNATOR / ALTERNATOR:
ISKRA: 11201666, AAK5115, 11201597, AAK5114, 11201758, 11201675, AAK5132, 11201667, AAK5118;

JAC


GA1673 // NEW //

FEATURES / CARACTERÍSTICAS: 110A, 6x50A Avalanche Diode (Zener), B + : M8x1.25x12mm
REPLACES / REEMPLAZA:
 ...
APPLICATION / APLICACIÓN:
JAC: T6
ALTERNATOR / ALTERNATOR:
JAC: 1015301GD173
VOLTAGE REGULATOR:
 GA673

JHECO

GA1388

FEATURES / CARACTERÍSTICAS: 85A, Diodes Avalanche 6x35A , M8x55 B+ Paraf., 80mm Distance between holes, with capacitor
REPLACES / REEMPLAZA:
Jheco: J11D19
APPLICATION / APLICACIÓN:
JAC: J3 Turin, J3 Hatch, J2 2010>
ALTERNATOR / ALTERNATOR:
JHECO: JFZ1929L, 1025100GG010, L21580
VOLTAGE REGULATOR:
 GA806

LEECE NEVILLE

GA1600


FEATURES / CARACTERÍSTICAS: 150A, Diodes 3x50A, Plate Positive
REPLACES / REEMPLAZA:
Mobiletron: RC-03H, **Regitar:** RC-03H, **WAI/Transpo:** LR71180
APPLICATION / APLICACIÓN:
 Truck Fire Department.
ALTERNATOR / ALTERNATOR:
LESTER: 7613

LEECE NEVILLE
GA1601


FEATURES / CARACTERÍSTICAS: 150A, Diodes 3x50A, Plate Negative
REPLACES / REEMPLAZA:
Mobiletron: RC-04H; **Regitar:** RC-04H; **WAI Transpo:** LR71181
APPLICATION / APLICACIÓN:
 Truck Fire Department.
ALTERNATOR / ALTERNATOR:
LESTER: 7613; **PIC:** 270423

LUCAS
GA1137


FEATURES / CARACTERÍSTICAS: 85A, Diodes: 6x35A Dish, with diode trio Ø ext: 115 mm, B+ Post: M6x40 mm, D+ Post: M4x27 mm, W Post: M5x52 mm
REPLACES / REEMPLAZA:
Lucas: 80150, 80367, 84469, 84469H, 84886, 84886E, UBB137; **Regitar:** RL-09H; **Cargo:** 132721; **WAI/Transpo:** ILR568
APPLICATION / APLICACIÓN:
FORD: Tractor, Fiesta with alternator Lucas;
LAND ROVER
ALTERNATOR / ALTERNATOR:
LUCAS: 24129, 24161, 24616A, 24206, 24207, 24217, 24220, 24221, 24221A, 24221D, 24240, 54022058A, 54022058B, 54022060A, 54022097A, 54022097B, 54022162, 54022191, 54022192, 54022193, 54022197, 54022229, 54022235, 54022242, 5402244, 54022255, 54022262, 54022282, 54022306, 54022309, 54022379, 54022483, 54022552, 54022616, 54022635, 54022648, 54022663, 54022666

LUCAS
GA1138


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, with diode trio, B+ Post: M6x40 mm, W Post: M5x52 mm
REPLACES / REEMPLAZA:
Lucas: 80556, 84201, 84422, 84455, 84499, 84499F, UBB133, UBB135, UBB141; **Regitar:** RL-01H; **Cargo:** 131304; **WAI/Transpo:** ILR566
APPLICATION / APLICACIÓN:
LAND ROVER: Range Rover 3.5, Defender 2.5 Diesel, Land Rover 2.5;
FORD: Escort, Fiesta, Granada 1.8, 2.0, Orion, Scorpio, Sierra, Transit.;
MASSEY FERGUSSON: Tractors;
NEW HOLLAND: Tractors;
PERKINS: Engines
ALTERNATOR / ALTERNATOR:
LUCAS: 24129, 24145, 24145A, 24145D, 24156, 24157, 24157AVE, 24158, 24161, 24161A, 24169, 24198, 24198A, 24198B, 24198E, 24199, 24199A, 24199B, 24200, 24200A, 24208, 24240, 24245, 24246, 24246B, 24256, 24256A, 24256B, 24256C, 24256D, 24273, 24273A, 24274, 24274D, 24276, 24277, 24294, 24294B, 24327, 24327A, 51022337D, 54022053, 54022054, 54022058A, 54022058B, 54022059, 54022060A, 54022096, 54022097A, 54022097B, 54022108, 54022109, 54022162, 54022167, 54022178, 54022182, 54022186, 54022188, 54022191, 54022192, 54022193, 54022193, 54022195, 54022196, 54022196B, 54022206, 54022211, 54022212, 54022214, 54022217, 54022218, 54022219, 54022220, 54022225, 54022225A, 54022226, 54022227, 54022228, 54022229, 54022234D
VOLTAGE REGULATOR:
 GA148

LUCAS
GA1139


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, with diode trio, B+ Post: M6x52 mm, D+ Post: M5x30 mm, W Post: M5x47 mm
REPLACES / REEMPLAZA:
Lucas: 84976, 28500, 28506; **Regitar:** RL-10H; **Cargo:** 136324; **WAI/Transpo:** ILR576
APPLICATION / APLICACIÓN:
NISSAN: Primera 1.6 Sedan, Hatch/B
ALTERNATOR / ALTERNATOR:
LUCAS: 24286

LUCAS
GA1214


FEATURES / CARACTERÍSTICAS: 70A, 6x35A, B+: M6x42mm, External Diameter: 112mm
REPLACES / REEMPLAZA:
Lucas: 84456, UBB140; **Transpo:** ILR570; **Cargo:** 132718; **Mobiletron:** RL06H; **Regitar:** RL-06; **As-Poland:** ARC4005
APPLICATION / APLICACIÓN:
FORD: Transit Box 2.5 1996, Transit Bus 2.5 1991>1992, Transit Tourneo 2.5 1994>1997, Transit 2500 1986>1992
ALTERNATOR / ALTERNATOR:
 Ford: 864F-10300-FD, 864F-10300-FE, 864F-10K359-FC, 864F-10K359-FD, 864F-10K359-FE, 864FX-10K359-FE, 894F-10300-AA, 894FX-10300-AA, 914F-10300-AA, 914F-10300-AB, R894FX-10300-AA

LUCAS
GA1140


FEATURES / CARACTERÍSTICAS: 43A, 6x25A

REPLACES / REEMPLAZA:

Cargo: 130643; **As-Poland:** ARC4010; **Transpo:** ILR166; **Mobiletron:** RL-08; **Regitar:** RL-08

APPLICATION / APLICACIÓN:

MASSEY FERGUSON: MF-1200 1971>1972, MF-44B Wheel Loader 1971>1977


BARBER GREENE FINISHER: SA35 Perkins Engines 1976>1984, SA41 Perkins Engines 1976>1997, SB110 Perkins Engines 1972>1984, SB111 Perkins Engines 1973>1984, SB30 Perkins Engines 1976-1997

ALTERNATOR / ALTERNATOR:

MASSEY FERGUSON: 1096-462-M91, 3743-639-M91; **PERKINS ENGINE:** 2871622, 2871A101, 2871A121, 2871A129

VOLTAGE REGULATOR:

GA159

LUCAS
GA1271


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, with diode trio

REPLACES / REEMPLAZA:

Lucas: 352.13.672, 352.13.437

APPLICATION / APLICACIÓN:

FORD: Ford Pick-up F 1000, Truck F350;

PERKINS: Motor Prima;

RENAULT: Clio 1.6, Trafic TA12, TA52, T312 and T352.

ALTERNATOR / ALTERNATOR:

LUCAS: 35213845, 35213680, 35213670, 35214170, 7702099331, 7702099330, 91TR-10300A, 9120080231

VOLTAGE REGULATOR:

GA610 / GA690

LUCAS
GA1272


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x 35A , with diode trio

REPLACES / REEMPLAZA:

Lucas: 352.13.894

APPLICATION / APLICACIÓN:

FORD: F 1000, F 4000, Truck F350.

ALTERNATOR / ALTERNATOR:

LUCAS: 35213855, TNM 903015RA

LUCAS
GA1273


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x 35A, with diode trio

REPLACES / REEMPLAZA:

Lucas: 352.13.682

APPLICATION / APLICACIÓN:

FORD: Escort 1.8 with AC, Versailles with and without AC;

VW: Gol, Santana 2.0 with and without AC.

ALTERNATOR / ALTERNATOR:

LUCAS: 35213790, 35213865, 35213970, 35214130, 026903015RD, 026903015RB, 0279090156

VOLTAGE REGULATOR:

GA540 / GA990

LUCAS
GA1274


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x 35A, with diode trio

REPLACES / REEMPLAZA:

Lucas: 352.13.274

APPLICATION / APLICACIÓN:

FORD: Escort Guarujá, Hobby L/ GL with CHT and 1000;

VW: Gol, Voyage, Saveiro with CHT/AE 1.6, Gol 1000.

ALTERNATOR / ALTERNATOR:

LUCAS: 35213725, 35213730

VOLTAGE REGULATOR:

GA705 / GA990

LUCAS
GA1120


FEATURES / CARACTERÍSTICAS: 50A, 3x35A Diodes, Negative Plate, compatible with GA1274

REPLACES / REEMPLAZA:

Lucas: 352.13.120

APPLICATION / APLICACIÓN:

FORD: Escort Guarujá, Hobby L/ GL with CHT and 1000;

VW: Gol, Voyage, Saveiro with CHT/AE 1.6, Gol 1000

ALTERNATOR / ALTERNATOR:

...

LUCAS
GA1404


FEATURES / CARACTERÍSTICAS: 105A, 3x35A Diodes 35A 35A, Positive Plate, Compatible with GA1274

REPLACES / REEMPLAZA:

Lucas: 352.13.404

APPLICATION / APLICACIÓN:

FORD: Escort Guaruja, Hobby L/ GL with CHT and 1000;

VW: Gol, Voyage, Saveiro with CHT/AE 1.6, Gol 1001

ALTERNATOR / ALTERNATOR:

...

LUCAS
GA1408 // NEW //


FEATURES / CARACTERÍSTICAS: 65A, 6x35A, B+ M6X28mm, External Diameter 112mm

REPLACES / REEMPLAZA:

Nissan: 23230-Q9000; **Mobiletron:** RL-22H; **Regitar:** RL-22H; **AS-Poland:** ARC4011; **Era:** 215501; **Cargo:** 138808;

Transpo: ILR569

APPLICATION / APLICACIÓN:

NISSAN: Bluebird 1600 T12/T72 1986>1990, Bluebird 1800 T12/T72 1986>1990, Bluebird 2000 T12/T72 1986>1990

ALTERNATOR / ALTERNATOR:

LUCAS: 24223, 24223A, 24235, 24235A/D, 54022238; **NISSAN:** 23100-Q9000

MAGNETI MARELLI
GA1130 // NEW //


FEATURES / CARACTERÍSTICAS: 100A, Avalanche Diodes 6x50A, B+: M8X41.0mm, External diameter: 110mm

REPLACES / REEMPLAZA:

Magneti Marelli: 63625002, 85552103, 85552104, 85552105, 85552106, 85552107, 85552108, 85552109, 85552110; **Mobiletron:**

RI-35; **AS-Poland:** ARC4037; **Transpo:** IXR640; **Cargo:** 231025; **Era:** 215961

APPLICATION / APLICACIÓN:

FIAT: 500 1200/1400 2008>2012, Bravo 1400 16V / 16V TURBO 2007>2012, Doblo Box Body/Estate 2010, Grande punto 1.2 2005, Grande punto 1.4 2005, Idea 1400 16V 2004>2010, Panda 1.2 2010, Punto 1.2 16V 1999>2006, Stilo 1400 16V 2004>2007; **ALFA ROMEO:** Mito 1.4 2008>2011; **CATERPILLAR:** D80 C4.4, 4.41L Cat. Dsl. 2008>2013, AP255E C2.2 Caterpillar Dsl. 2015, CB14 C1.1, 1.3L Caterpillar Dsl. 2008>2014, CB24B C1.5, 1.5L Caterpillar Dsl. 2014>2016, CC24B C1.5, 1.5L Caterpillar 2015, D50 C4.4, 4.41L Cat. Dsl. 2006>2007

JCB: 530 Perkins 3711HO Dsl. 1998>2007; **OPEL:** Corsa D 1.2 2009>2011, Corsa D 1.4 2006; **CASE AGRICULTURAL**

TRACTOR: JX100U Iveco 4-239 Diesel 2002>2012, JX1060C Iveco 3-179 2003>2008, JX80U Iveco 4-239 Diesel 2002>2012, JX95 Iveco 4-239 Diesel 2002>2014; **NEW HOLLAND:** TL100 4 Cyl. 3.91L 3908cc 238cid 1998>2004, TL70 4 Cyl. 3.61L 3613cc 220cid 1998>2004, TL80 4 Cyl. 3.91L 3908cc 238cid 1998>2004, TL90 4 Cyl. 3.91L 3908cc 238cid 1998>2004, TN60DA/TN60SA/TN70DA/TN70SA 2.9L (57HP) 2004>2008

ALTERNATOR / ALTERNATOR:

FIAT: 46407647, 46420960, 46530060, 46530261, 46544329, 46554402, 46554404, 46554405, 46736968, 46740238, 46765838, 46782212, 46782213, 46800158, 46813059, 46843091, 46843093, 51700670, 51700675, 51700675, 51709131, 51709133, 51714791, 51714794, 51727333, 51784846, 51854903, 51854912, 51859038, 51859042, 51859044, 51859053, 51880173, 55185076, 60816557, 71722862, 71784031, 71794526, 91600758; **ALFA ROMEO:** 51880173, 52003532, 71784509; **CATERPILLAR:** 225-3141, 225-3143; **OPEL:** 13-222-929, 13153237, 13222934, 13222935, 13222936, 13256932, 13256933, 13283344BW, YZ13153237; **CASE:** 47134024, 47134024R, 500364130; **NEW HOLLAND:** 500364130

MAGNETI MARELLI
GA1300


FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x35A Avalanche (Zener), B+ Post M8, Ø: 111mm

REPLACES / REEMPLAZA:

Magneti Marelli: 636.23.701, 636.24.901, PR520435; **Regitar:** RI-19H; **Cargo:** 138800; **WAI/Transpo:** IXR634

APPLICATION / APLICACIÓN:

FIAT: Brava, Palio, Punto;

LAND ROVER

ALTERNATOR / ALTERNATOR:

MAGNETI MARELLI: 63321287, A 115 IM, A 127IM, 63321240

MAGNETI MARELLI
GA1301


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A Avalanche (Zener), B+ Post M8, Ø: 111mm

REPLACES / REEMPLAZA:

Magneti Marelli: 63623301, RDD35, 6362350, 636 233 01, 636 235 01, PR520436; **Regitar:** RI-14; **Cargo:** 136423; **WAI/Transpo:** IXR633

APPLICATION / APLICACIÓN:

FIAT: Pálio, Tempra, Punto, Marea, Bravo, Brava, Scudo, Lancia

ALTERNATOR / ALTERNATOR:

MAGNETI MARELLI: 0633 2020 3010, 0633 2020 04010, 0633 2020 19010, 0633 2020 27010, 0633 2020 38010, 0633 2120 0010, 0633 2120 04010, 0633 2120 05010, 0633 2120 33010, 0633 2120 34010, 0633 2120 35010, 0633 2120 52010

VOLTAGE REGULATOR:

GA121 / GA122 / GA122R

MAGNETI MARELLI
GA1302


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A Avalanche (Zener), B+ Post M8, Ø: 111mm

REPLACES / REEMPLAZA:

GM: 93369033; **Magneti Marelli:** PR520561

APPLICATION / APLICACIÓN:

Corsa, Celta, Prisma, Classic 95>09

ALTERNATOR / ALTERNATOR:

MAGNETI MARELLI: 93.390.879; **GM:** 93260364, 93339575, 93390879

VOLTAGE REGULATOR:

GA121 / GA129 / GA151

MAGNETI MARELLI
GA1303


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A Avalanche (Zener), B+ Post: M6, Ø 111mm

REPLACES / REEMPLAZA:

Magneti Marelli: 85582601010, PR520568

APPLICATION / APLICACIÓN:

FORD: Focus 1.8, 2.0 00>05, EcoSport, Fiesta

ALTERNATOR / ALTERNATOR:

MAGNETI MARELLI: 85582601010, 63341678

VOLTAGE REGULATOR:

GA123

MAGNETI MARELLI
GA1306


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A Avalanche (Zener), Post B+ M8, Ø 120mm

REPLACES / REEMPLAZA:

Magneti Marelli: 63624201, RDD42, RDD42A, RDD760724; **Lucas:** UBB814; **Regitar:** RI-23H; **Cargo:** 138377; **WAI/Transpo:** IXR642; **AS Poland:** ARC4016

APPLICATION / APLICACIÓN:

ALFA ROMEO: 145, 146, 155, GTV Spider;

FIAT: Bravo, Barchetta, Marea, Palio, Punto 90, Ducato 1.9TD;

LANCIA: Nueva, Delta, Dedra K 2.4TD.

ALTERNATOR / ALTERNATOR:

MAGNETI MARELLI: 63320333, 63320304, 63320332, 63320286, 63320277, 63320280, 63320348, 63320339, 63320338, 63320256, 63320341, 63320298, 63320303, 63320340, 63320296, 63320279, 63320283, 63320292;

MAGNETI MARELLI
GA1307


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, Post B+: M6, Ø 105mm, with diode trio

REPLACES / REEMPLAZA:

Magneti Marelli: 54209382, 63320303, 54209741, 00084574, 84574; **Regitar:** RI-16H; **Cargo:** 136740; **WAI/Transpo:** IXR542

APPLICATION / APLICACIÓN:

FIAT: Punto, Palio, Tempra, Tipo;

LAND ROVER: 820 2.0 Diesel

ALTERNATOR / ALTERNATOR:

MAGNETI MARELLI: 63320283, 63320292, 63320333, 63320304, 63320332, 63320286, 63320277, 63320280, 63320348, 63320339, 63320338, 63320256, 63320341, 63320298, 63320303, 63320340, 63320296, 63320279; 54022238, 54022437, 54022453, 54022458, 54022459, 54022469, 54022470, 54022510, 54022527, 54022536, 54022547, 54022591, 54022592, 54022606, 54022631, 54022633, 54022646, 54022647, 54022651, 54022656, 63320235, 63320303, 63320312, 63320313, 63320314, 63321227, 63321229, 63321231, 63321232, 63321237, 63321241, 63321245, 63321246, 63321253, 63321285, 63321299, 63321313, 63321324, 63321343, 63321358, 63321397, 63321405, 63321406, 63321412, 63321422, 63324235, 63324271, 63324320, 63324322, 63324332, 63324380, 63324390

MAGNETI MARELLI
GA1406 // NEW //


FEATURES / CARACTERÍSTICAS: 90A, Diodes 6x35A Avalanche, B+: M6x29.8mm, External Diameter 107mm

REPLACES / REEMPLAZA:

Cargo: 231026; **AS-Poland:** ARC4019

APPLICATION / APLICACIÓN:

CITROËN: Berlingo 1.6 2008, C1 1.4 2005>2014, C5 1.8/2.0 16V 2001>2004, C8 2.0/2.2 2002, Xsara Picasso 1.6/1.8 2000>2005;

PEUGEOT: 206 1100/1400/1600/1900/2000 1998>2005, Partner 1400/1900 2001>2010;

FIAT: Scudo box 1.9 2004>2006, Ulysse 2.0 2002>2011;

FORD: Focus 1400/1600 zetec 1998>2005, Focus C-Max 1600 2003>2007, Focus II 1400/1600 2004>2010

ALTERNATOR / ALTERNADOR:

CITROËN/ PEUGEOT: 57057F, 9638275780, 9633782580, 9634561280, 9637075380, 9638827580, 9641398480, 9654343080, 9665067980;

FORD: 1136390, 1151214, 1215766, 1215771, 1301496, 1301511, 1301530, 1305962, 1322573, 1361258, 1361259, 1426014, 1450641, 1511220, 1708472, 1748637, 1M5T-10300-BA, 1M5T-10300-BC, 2M5T-10300-AD, 3N11-10300-AA, 3N11-10300-AB, 3N11-10300-AC, 3N11-10300-AD, 3N11-10300-AE, 3N11-10300-AF, 3N11-10300-AG, 98AB-10300-DA, 98AB-10300-DB, 98AB-10300-DC, 98AB-10300-DD, 98AB-10300-DE, 98AB-10300-DF, 98AB-10300-DG, 98AB-10300-DH, 98AB-10300-DJ, 98AB-10300-DJ, 98AB-10300-GC, 98AB-10300-GD, 98AB-10300-GE, 98AB-10300-GF, 98AB-10300-GG, 98AB-10300-GH, 98AB-10300-GJ, 98AB-10300-GK, 98AB-10300-GL, 98AB-10300-JA, 98AB-10300-JB, 98AB-10300-JC, 98AB-10300-JD, 98AB-10300-JF, 98AB10300GM, M5T-10300-BD, R1M5T-10300-BD, R98AB-10300-DE1, R98AB-10300-JC1, RE3N11-10300-AF

MAGNETI MARELLI
GA1407 // NEW //


FEATURES / CARACTERÍSTICAS: 70A, Diodes 6x50A, B+: M8x19.3mm, External diameter 111mm, with trio diode

REPLACES / REEMPLAZA:

Cargo: 235365

APPLICATION / APLICACIÓN:

...

MAGNETI MARELLI
GA1474 // NEW //


FEATURES / CARACTERÍSTICAS: 90A, 6x50A, Avalanche Diode, M6X13.0mm, External Diameter 110mm

REPLACES / REEMPLAZA:

Mobiletron: RI-32H; **Transpo:** IXR631; **Cargo:** 233792; **AS-Poland:** ARC4020; **Era:** 215964

APPLICATION / APLICACIÓN:

CITROËN: Berlingo 1.6 2008, C1 1.4 2005>2014, C5 1.8/2.0 16V 2001>2004, C8 2.0/2.2 2002, Xsara Picasso 1.6/1.8 2000>2005

PEUGEOT: 206 1100/1400/1600/1900/2000 1998>2005, Partner 1400/1900 2001>2010

FIAT: Scudo box 1.9 2004>2006, Ulysse 2.0 2002>2011

FORD: Focus 1400/1600 zetec 1998>2005, Focus C-Max 1600 2003>2007, Focus II 1400/1600 2004>2010

ALTERNATOR / ALTERNADOR:

CITROËN/ PEUGEOT: 57057F, 9638275780, 9633782580, 9634561280, 9637075380, 9638827580, 9641398480, 9654343080, 9665067980

FORD: 1136390, 1151214, 1215766, 1215771, 1301496, 1301511, 1301530, 1305962, 1322573, 1361258, 1361259, 1426014, 1450641, 1511220, 1708472, 1748637, 1M5T-10300-BA, 1M5T-10300-BC, 2M5T-10300-AD, 3N11-10300-AA, 3N11-10300-AB, 3N11-10300-AC, 3N11-10300-AD, 3N11-10300-AE, 3N11-10300-AF, 3N11-10300-AG, 98AB-10300-DA, 98AB-10300-DB, 98AB-10300-DC, 98AB-10300-DD, 98AB-10300-DE, 98AB-10300-DF, 98AB-10300-DG, 98AB-10300-DH, 98AB-10300-DJ, 98AB-10300-DJ, 98AB-10300-GC, 98AB-10300-GD, 98AB-10300-GE, 98AB-10300-GF, 98AB-10300-GG, 98AB-10300-GH, 98AB-10300-GJ, 98AB-10300-GK, 98AB-10300-GL, 98AB-10300-JA, 98AB-10300-JB, 98AB-10300-JC, 98AB-10300-JD, 98AB-10300-JF, 98AB10300GM, M5T-10300-BD, R1M5T-10300-BD, R98AB-10300-DE1, R98AB-10300-JC1, RE3N11-10300-AF

MAGNETI MARELLI
GA1475 // NEW //


FEATURES / CARACTERÍSTICAS: 210A, Avalanche Diode, 6x70A, B+ M8X41.5mm, External diameter 102mm

REPLACES / REEMPLAZA:

Mobiletron: RI-23HD

APPLICATION / APLICACIÓN:

ALFA ROMEO: 145 1600 1996>2001, 145 1800 1997>2001, 145 1.6 16V 1997>2000, 145 1.8 i.e. 16V 1998>2001, 146 1600/1800 1997>2001, 146 1.6 16V 1997>2000, 146 1.8 i.e. 16V 1998

FIAT: Brava 1800/1900 1995>2002, Brava 1.8/1.9 1995>2001, Bravo 1800/1900 1995>2002, Marea 1800/1900 1995>2002, Marea Weekend 1.8/1.9 1996>2002, Punto 1.9 1999>2012

ALTERNATOR / ALTERNADOR:

MAGNETI MARELLI: 63320333, 63320304, 63320332, 63320286, 63320277, 63320280, 63320348, 63320339, 63320338, 63320256, 63320341, 63320298, 63320303, 63320340, 63320296, 63320279, 63320283, 63320292

FIAT: 46420963, 46432733

MAGNETI MARELLI
GA1476 // NEW //


FEATURES / CARACTERÍSTICAS: 100A, 6x50A, Avalanche Diode, B+: M8X30.5mm, External diameter 122mm

REPLACES / REEMPLAZA:

Mobiletron: RI-17H; **Transpo:** IXR725; **Cargo:** 138790; **Era:** 215804; **Magneti Marelli:** 063623601010, 63623601

APPLICATION / APLICACIÓN:

LAND ROVER: Defender 90 V8 4.0L 1997, Discovery V8 4.0L 1996>1998, Discovery I 3900 V8 1994>1998, Range Rover 3900 V8 1989>1995, Range Rover II 4000 V8 1994>2002, Range Rover II 4600 V8 1994>2000

ALTERNATOR / ALTERNADOR:

LAND ROVER: AMR3021, AMR3107, AMR4247

MAGNETI MARELLI: 063341353010, 54022543, 63321353, 63341353

PRESTOLITE: 20110283

MAGNETI MARELLI
GA1901 // NEW //


FEATURES / CARACTERÍSTICAS: 100A, 6x35A, Avalanche Diode, B +: M6X1.0X26mm. Outside diameter 122mm

REPLACES / REEMPLAZA:

Magneti Marelli: 063624202010, 63624202, RDD42B; **Transpo:** IXR719, IXR7597

APPLICATION / APLICACIÓN:

Caterpillar Ag. & Ind. Loader - Backhoe: 420D Cat. 3054 2003>2006, 420D Cat. 3054C 2003>2006, 432D Caterpillar 3054CT, 4.4L Dsl. 2004>2006, 432E Cat. C4.4.4.41L, Dsl. 2006>2008, 432E Caterpillar 3054CT; 4.4L Dsl. 2006>2008, 432F Cat. C4.4.4.41L, Dsl. 2012>2013; **Caterpillar Ag. & Ind. Track Tractor:** D3K Cat. C4.4.4.41L, Dsl. 2007>2014, D3K LGP Cat. C4.4.4.41L, Dsl. 2008>2012, D3K XL Cat. C4.4.4.41L, Dsl. 2008>2013, D4H LGP Cat. C4.4.4.41L, Dsl. 2002>2007, D4H XL Cat. C4.4.4.41L, Dsl. 1993>1996, D4K LGP Cat. C4.4.4.41L, Dsl. 2008>2013, D4K XL Cat. C4.4.4.41L, Dsl. 2007>2014, D5K LGP Cat. C4.4.4.41L, Dsl. 2008>2013, D5K XL Cat. C4.4.4.41L, Dsl. 2007>2015

ALTERNATOR / ALTERNADOR:

...

MAGNETI MARELLI
GA1500


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, with diode trio, B+ Post M6, Thickness 17,5mm

REPLACES / REEMPLAZA:

Magneti Marelli: 636 215 01, 636 215 03, 748 774 71, 748 786 91, PRD4A, RDD15; **Lucas:** 21222124, UBB 812; **VL-Ducellier:** 593 054; **Regitar:** RI-02; **Cargo:** 131505; **WAI/Transpo:** IXR692

APPLICATION / APLICACIÓN:


FIAT; SEAT; ALFA ROMEO; AUTOBIANCHI; IVECO; LAMBORGHINI; LANCIA; SIMIT; UNIC MOTORE

ALTERNATOR / ALTERNADOR:

MAGNETI MARELLI: 633 117 75, 633 200 01, 633 200 02, 633 200 03, 633 200 04, 633 200 05, 633 200 06, 633 200 07, 633 200 08, 633 200 10, 633 200 12, 633 200 21, 633 200 22, 633 200 23, 633 200 24, 633 200 25, 633 200 28, 633 200 30, 633 200 31, 633 200 34, 633 200 47, 633 200 52, 633 200 53, 633 200 56, 633 200 57, 633 200 73, 633 200 91, 633 200 94, 633 200 97, 633 201 02, 633 201 12, 633 201, 18 633 210 00, 18 633 210 01, 18 633 210 02, 18 633 210 03, 18 633 210 04, 18 633 210 05, 18 633 210 06, 18 633 210 07, 18 633 210 08, 18 633 210 09, 18 633 210 10, 18 633 210 11, 18 633 210 13, 18 633 210 15, 18 633 210 16, 18 633 210 28, 18 633 210 29, 18 633 210 35, 18 633 210 36, 18 633 210 37, 18 633 210 39, 18 633 210 41, 18 633 210 42, 18 633 210 44, 18 633 210 45, 18 633 210 46, 18 633 210 47, 18 633 210 48, 18 633 210 49, 18 633 210 50, 18 633 210 52, 18 633 210 55, 18 633 210 58, 18 633 210 59, 18 633 210 60, 18 633 210 61, 18 633 210 63, 18 633 210 67, 18 633 210 71, 18 633 210 78, 18 633 210 79, 18 633 210 80, 18 633 210 95, 18 633 210 97, 633 211 02, 633 211 03, 633 211 07, 633 211 09, 633 211 10, 633 211 12, 633 211 13, 633 211 37, 633 211 38, 633 211 59, 633 211 65, 633 211 71, 633 211 72, 633 211 75, 633 211 76, 633 211 89, 633 211 97, 633 214 28; **FIAT:** 5999868, 599986, 7533853, 7541822, 7541823, 7546342, 7546343, 7546660, 7546686, 7552675, 7554830; **PIC:** 202111, 202128

VOLTAGE REGULATOR:

GA117

MAGNETI MARELLI
GA1501


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, with diode trio, B+ Post M6, Thickness 19,5mm

REPLACES / REEMPLAZA:

Magneti Marelli: 633 200 13, 633 200 18, 633 210 21, 633 210 56, 633 210 64, 633 210 22, 633 200 26, RDD 16, 633 200 16, 633 210 19, 633 210 23, 636 216 01, 633 200 15, 633 200 17, 633 210 20, 633 210 25, PR520486; **Regitar:** RI-02; **Cargo:** 131505;

WAI/Transpo: IXR693

APPLICATION / APLICACIÓN:

FIAT: Tempra, Tipo 1.6/ 2.0

ALTERNATOR / ALTERNADOR:

MAGNETI MARELLI: 5402243B, 54022443B, 54022510, 54022536, 54022591, 54022646, 54022647, 54022651, 54022653, 54022, 63324233, 63324286, 63324322, 63324374, 63324380, 63324390, 64022656, 64280325, 64280328, 63320013, 63320015, 63320016, 63320017, 63320018, 63320020, 63320026, 63320032, 63320035, 63320040, 63320044, 63320045, 63320048, 63320049, 63320055, 63320058, 63320082, 63320083, 63320105, 63320110, 63320111

VOLTAGE REGULATOR:

GA119

MAGNETI MARELLI
GA1503


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, with diode trio, B+ Post M8, Thickness 17,5mm
REPLACES / REEMPLAZA:
Magneti Marelli: 636 229 01, RDD29; **Cargo:** 139218
APPLICATION / APLICACIÓN:
FIAT
ALTERNATOR / ALTERNATOR:
MAGNETI MARELLI: 63320060

MAGNETI MARELLI
GA1504


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A, with diode trio, B+ Post M6, Thickness 19,5mm
REPLACES / REEMPLAZA:
Magneti Marelli: 63622001, PR520488; **Cargo:** 136675; **Regitar:** RI-11H
APPLICATION / APLICACIÓN:
FIAT: Tempra 1.8ie SW, SLX, SX, Tipo 1.6ie, 1.8ie 16V, 1.8 ie DGT;
RENAULT: Express GTL, R11 1.4 Turbo, R5 1.1 TL, GTL, R9 1.1, 1.2 TC, 1.4;
SEAT: Ibiza 1.2, 1.5, Malaga 1.5, Ronda 1.2, 1.5
ALTERNATOR / ALTERNATOR:
MAGNETI MARELLI: 63321084, 63321083, 63320046, 63320042, 63321096
VOLTAGE REGULATOR:
 GA119

MAGNETI MARELLI
GA1505


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, B+ Post M6, Thickness 19,5mm
REPLACES / REEMPLAZA:
Magneti Marelli: 63622201, RDD22, 063622201010,; PR520489
APPLICATION / APLICACIÓN:
FIAT: Tempra 1.8ie, Tipo 1.6ie, 1.8ie 16V, Marengo 1.9d;
LANCIA: Delta 1.9d, Prisma 1.9d, td
ALTERNATOR / ALTERNATOR:
MAGNETI MARELLI: 63320041, 63321083

MAGNETI MARELLI
GA1507


FEATURES / CARACTERÍSTICAS: 80A, 6x35A Diode, B+: M6X11mm, Distance between holes: 70mm
REPLACES / REEMPLAZA:
Mako: 85553102, MK00531
APPLICATION / APLICACIÓN:
FIAT; FORD
ALTERNATOR / ALTERNATOR:
 ...

MAGNETON
GA1996 // NEW //


FEATURES / CARACTERÍSTICAS: 90A, Diode 8x50A, B+: M6X18.3mm, External diameter 115mm, with trio diodes
REPLACES / REEMPLAZA:
Magneton: 0135940, 0135941, 0140880, 0140881, 443930135940; **Mobiletron:** RK-03; **Cargo:** 231721; **AS-Poland:** ARC4033, ARC9036; **Code:** ARC-MT143I
APPLICATION / APLICACIÓN:
SKODA: Felicia 1.3 1994>2001, Felicia 1.3 Fun 1997>2001, Felicia 1.3 LX 1994>1998, Felicia 1.3 Lxi 1994>1998
ALTERNATOR / ALTERNATOR:
MAGNETON: 441040032266, 443113516590, 443113516591, 9516590, 9516591
SKODA: 047903015M

MAGNETON
GA1997


FEATURES / CARACTERÍSTICAS: 70A, 6x35A, Avalanche Diode B+: M6x18.7mm, External Diameter: 114mm

REPLACES / REEMPLAZA:

Magnetron: 0135240, 013524, 0140830, 0140831; **Elccor:** ARC-MT003; **Cargo:** 134977; As-Poland: ARC9019

APPLICATION / APLICACIÓN:

ZASTAVA: 101, Yugo 45

SKODA: Favorit, Felicia

ALTERNATOR / ALTERNATOR:

MAGNETON: 443113515241, 443113516241, 443113516620, 443113516623, 443113516650, 443113516653, 443113516660, 443113516661, 443113516662, 443113516710, 443113516711, 443113516714, 443113516750, 443113516751, 443113516752, 443113516760, 443113516761, 443113516762, 443113516764, 443113516765, 443113516870, 443113516872, 443113516875

MAHLE
GA1485 // NEW //


FEATURES / CARACTERÍSTICAS: 95A, 8x35A, Avalanche Diode B+: M5x0.8x26.5mm/ M8x1.25x22.2mm

REPLACES / REEMPLAZA:

Mahle: MGX918, 16915733, 72739472; **Letrika:** 16.915.733

APPLICATION / APLICACIÓN:

JCB: Fork-lifts

ALTERNATOR / ALTERNATOR:

MAHLE: 11.204.467, AAK5820, AAK5840, AAK5881;

LETRIKA: 11.204.215, 11.204.893

MANDO
GA1358


FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x35A, Distance between holes: 90mm, with capacitor

REPLACES / REEMPLAZA:

Mando: TA600C04602, RTF49900; **Regitar:** RM-117; **Cargo:** 138205; **WAI/Transpo:** IYR9058

APPLICATION / APLICACIÓN:

HYUNDAI: Accent w/1.5L w/DOHC 1997-98, Hyundai Elantra w/1.8L 1996-98, Hyundai Elantra w/2.0L 1999-00, Hyundai Tiburon w/1.8L 1997-98, Hyundai Tiburon w/2.0L 1997-00

ALTERNATOR / ALTERNATOR:

MANDO: AB190058, 3730022200; **LESTER:** 13702; **PIC:** 203304; **HYUNDAI:** 3730022200.

MANDO
GA1218


FEATURES / CARACTERÍSTICAS: 85A Diodes, B+ Post M6, with diode trio

REPLACES / REEMPLAZA:

Mando: AR175AA; **Hyundai:** 37300-32510; **WAI/Transpo:** IYR751

APPLICATION / APLICACIÓN:

KIA;

HYUNDAI

ALTERNATOR / ALTERNATOR:

HYUNDAI: 37300-32510, 37300-32511

MANDO
GA1219


FEATURES / CARACTERÍSTICAS: 8X35A

REPLACES / REEMPLAZA:

Bobcat: 6677488

APPLICATION / APLICACIÓN:

BOBCAT: 5600, A220, A300 V3300DI, S130 V2203DI, S175 V2203EB, S185 V2203TEB, S220 V3300DI, S250 V3300DI, S300V3300T, T190 V2003TEB, T200 BF4M1011F, T300 V3300, X331 V2203EB

HYUNDAI: Accent 1.5/ 1.6 2000>2002, Elantra 2.0 2001>2002

ALTERNATOR / ALTERNATOR:

MANDO: AB180128; **HYUNDAI:** 37300-23600

VOLTAGE REGULATOR:

GA419

MANDO
GA1248 // NEW //


FEATURES / CARACTERÍSTICAS: 105A, 8X35A, B+: M5X7.2mm, Distance between holes: 100mm

REPLACES / REEMPLAZA:

Mitsubishi: A860T40270; **Transpo:** IMR10068

APPLICATION / APLICACIÓN:

MAZDA CAR: RX-7 R2 1.3L 1308cc 1993>1995


ALTERNATOR / ALTERNATOR:

MITSUBISHI: A3T08591;

MAZDA: N3A1-18-300A, N3A1-18-300R

MASTER SPORT
GA1999


FEATURES / CARACTERÍSTICAS: 6x50A, Avalanche Diode, External diameter: 112mm
REPLACES / REEMPLAZA:
MASTER SPORT: 139680/F
APPLICATION / APLICACIÓN:
 ...
ALTERNATOR / ALTERNATOR:
 ...

MITSUBISHI
GA1323


FEATURES / CARACTERÍSTICAS: 150A, 12x35A Avalanche Diode, B+: M8X46mm
REPLACES / REEMPLAZA:
Mitsubishi: A5184-D1345-4120Y
APPLICATION / APLICACIÓN:
FORD: Fusion L4 2.0L 2013>2016, Fusion L4 2.5L 2013>2016, Mondeo V Saloon 2012
ALTERNATOR / ALTERNATOR:
Mitsubishi: A002TX2681ZC, A2TX2681ZC;
Ford: DS7T-10300-HA
VOLTAGE REGULATOR:
 GA719

MITSUBISHI
GA1327


FEATURES / CARACTERÍSTICAS: 150A | 12x35A, Avalanche Diode B+: M6x10mm, Diameter: 122mm
REPLACES / REEMPLAZA:
 ...
APPLICATION / APLICACIÓN:
NISSAN: Murano II 94>07, NP300 Navara 04, NP300 Navara Pritsche/Fahrgestell 08, Pathfinder III 05
ALTERNATOR / ALTERNATOR:
Mitsubishi: A2TX1781;
Nissan: 23100-1AT1A
VOLTAGE REGULATOR:
 GA769

MITSUBISHI
GA1332



FEATURES / CARACTERÍSTICAS: 12A, 12x35A, B+: M8x46mm, Avalanche Diode, Diameter: 128mm
REPLACES / REEMPLAZA:
 ...
APPLICATION / APLICACIÓN:
RENAULT: Master III 2.3 CDTI 2010>2016, Master III 2.3 dCi 2010>2016, Master III 2.3 dCi 2012>2016;
NISSAN: NV400 2.3 dCi 2011>2016
ALTERNATOR / ALTERNATOR:
Mitsubishi: A003TX0481
VOLTAGE REGULATOR:
 GA762

MITSUBISHI
GA1333


FEATURES / CARACTERÍSTICAS: 130A, 12x35A, B+: M8x41mm, Avalanche Diode, Diameter: 128mm
REPLACES / REEMPLAZA:
 ...
APPLICATION / APLICACIÓN:
NISSAN: Sentra 2.0 2010>
ALTERNATOR / ALTERNATOR:
Mitsubishi: A2TX4381ZC; **Nissan:** 23100 3RZ1A
VOLTAGE REGULATOR:
 GA769

MITSUBISHI
GA1334


FEATURES / CARACTERÍSTICAS: 130A, 12x35A, Avalanche Diode
REPLACES / REEMPLAZA:
 ...
APPLICATION / APLICACIÓN:
Subaru: Tribeca, Legacy, Outback
ALTERNATOR / ALTERNATOR:
Mitsubishi: A3T J3591; **Subaru:** 23700 AA620
VOLTAGE REGULATOR:
 GA886

MITSUBISHI
GA1338


FEATURES / CARACTERÍSTICAS: 90A, 12x35A Block avalanche diodes 24-32V, Diameter: 115 mm
REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

HONDA: Fit 2014>, City 2014>

ALTERNATOR / ALTERNATOR:

Honda: AHGA91; **Mitsubishi:** A5TJ0391ZT

VOLTAGE REGULATOR:

GA869

MITSUBISHI
GA1344


FEATURES / CARACTERÍSTICAS: 140A, 12X35A Diode Avalanche

REPLACES / REEMPLAZA:

Mitsubishi: 31127-R1A-A01

APPLICATION / APLICACIÓN:

Honda: Civic 2012>, Fit 1.5 16V 2012>

ALTERNATOR / ALTERNATOR:

Mitsubishi: A5TJ0191ZC, **Honda:** AHGA81

VOLTAGE REGULATOR:

GA144

MITSUBISHI
GA1345


FEATURES / CARACTERÍSTICAS: 110A, 12X35A Avalanche

REPLACES / REEMPLAZA:

Mitsubishi: 98084-D0005-4Y27Y

APPLICATION / APLICACIÓN:

NISSAN: Sentra


ALTERNATOR / ALTERNATOR:

Mitsubishi: A2TJ0281ZC;

Nissan: 23100EM01B

VOLTAGE REGULATOR:

GA877

MITSUBISHI
GA1357


FEATURES / CARACTERÍSTICAS: 95A, 12x35A Block standard diodes

REPLACES / REEMPLAZA:

MOBILETRON: RM175


APPLICATION / APLICACIÓN:

HONDA: New Fit 1.3/1.5 2008>, City 1.3/1.5 2009>

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A5TJ0091ZD, AHGA77;

HONDA: 31100RB0004, 31100RB00041, 31100RB0A0243

MITSUBISHI
GA1359


FEATURES / CARACTERÍSTICAS: 150A, 12x50A Avalanche Diodes

REPLACES / REEMPLAZA:

Mitsubishi: 94675, C1323, 7920H

APPLICATION / APLICACIÓN:

FORD: Fusion 2003-08 Ford w Police Option 2006-08 Mercury Milan 2.3L.

ALTERNATOR / ALTERNATOR:

Mitsubishi: A003TG0891

VOLTAGE REGULATOR:

GA871

MITSUBISHI
GA1288 // NEW //


FEATURES / CARACTERÍSTICAS: 90A, Diodes 6x35A, Distance between holes: 71mm

REPLACES / REEMPLAZA:

Cargo: 132087; **Transpo:** IMR7111; **Mobiletron:** RM-60; **Regitar:** RM-60

APPLICATION / APLICACIÓN:

MITSUBISHI: FD-10 / FD-14 / FD-15 Mitsubishi S4E 1981>1983, FD-20 Mitsubishi S4E / S4S 1983>1992, FD-23 S4E Mitsubishi Diesel 1983>1992, FD-25 Mitsubishi S4E / S4S 1983>1999, FD-28 S4E Mitsubishi Diesel 1981>1992, FD-35AT Mitsubishi S4E / S4S 1981>1983

NISSAN LIFT TRUCK: AEH H20 Engine 1975>1976, CEH H20 Engine 1975>1976, Various Models Z20 Engine 1979>2003, 620 L4 2.0 1978>1979, 720 L4 2.0 1980

ALTERNATOR / ALTERNATOR:

CLARK: 4307228, 43100326; **MITSUBISHI:** MD022515, MD025215, MD060901, MD062007, 34468-16100, 34468-18200, 34468-26100, 34468-28100, 34468-28200; **NISSAN / INFINITI:** 23100-B9810; **TOWMOTOR:** 973485

MITSUBISHI
GA1289 // NEW //


FEATURES / CARACTERÍSTICAS: 50A, diodes 6x35A, B+: M5X44.5mm, distance between holes: 80mm

REPLACES / REEMPLAZA:

Cargo: 132130; **AS-Poland:** ARC5016; **Transpo:** IMR8041; **Mobiletron:** RM-65; **Regitar:** RM-65

APPLICATION / APLICACIÓN:

DODGE: Ram 50 2.3 1983>1985


MITSUBISHI: Mighty Max L4 2.3 Diesel 1983>1985, L200 2.5 1986>1996, Pajero I 2.3 1984>1986

ALTERNATOR / ALTERNATOR:

MITSUBISHI: MD013740, MD013742, MD061818, MD067411, MD072582, MD086015, MD086016, MD304139, MDO50190, MDO60793

VOLTAGE REGULATOR:

GA425

MITSUBISHI
GA1341


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, Distance between holes: 75mm, Post B+ M6, with Capacitor, with triodiode

REPLACES / REEMPLAZA:

Mitsubishi: A860T22370, A860T22970, A860T25470, A860T32470; **Regitar:** RM-20; **Cargo:** 132468; **WAI/Transpo:** IMR7564

APPLICATION / APLICACIÓN:

KIA: Sportage;

MITSUBISHI: Pajero, Galant, Mirage;

CHRYSLER

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A2T01583, A2T01384, A2T01483, A2T01683, A2T01783, A2T02084; **MITSUBISHI MOTORS:** MD103564, MD106319, MD106320, MD106332, MD103372, MD103373;

MITSUBISHI
GA1348


FEATURES / CARACTERÍSTICAS: 50A, 6 x 35A

REPLACES / REEMPLAZA:

Mitsubishi: A860T 10770; **Mazda:** E356-24510, E563-24510; **Regitar:** RM-67; **Cargo:** 131542; **WAI/Transpo:** IMR8045

APPLICATION / APLICACIÓN:

MAZDA: GLC L4 1.5 1983>1985, 323 1982>1986

ALTERNATOR / ALTERNATOR:

Mazda: E563-18300, E563-18300A

MITSUBISHI
GA1349


FEATURES / CARACTERÍSTICAS: 60A, 6 X 35A

REPLACES / REEMPLAZA:

Mitsubishi: A860T08770; **Mazda:** S215-24-510; **Regitar:** RM-73; **Cargo:** 132463; **WAI/Transpo:** IMR8545

APPLICATION / APLICACIÓN:

MAZDA: 626 L4 2.0 Diesel 1984>1985;

MITSUBISHI: FD with motors S6E, S4E, S4S Diesel 1985>2007;

MITSUBISHI FUSO: Canter FB, FE L4 3.3 1984>1989

ALTERNATOR / ALTERNATOR:

Hyundai: 37300-41010;

Mazda: RF03-18300C, SL02-18300

MITSUBISHI
GA1365


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, Distance between holes: 75mm, with diode trio and capacitor

REPLACES / REEMPLAZA:


Mitsubishi: A002T24570, A2T24570, A860T13170, A860T16970; **Regitar:** RM-07; **Cargo:** 132466; **WAI/Transpo:** IMR7542

APPLICATION / APLICACIÓN:

MITSUBISHI (1985-94)

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A2T02271, A2T02471, A2T02671, A2T02977, A2T03171, A2T03471, A2T03477, A2T03972, A2T04191, A2T04277, A2T09691, A2T28291, A2T41791, A2T41991, A2T42777, A2T43791, A2T43891, A2T43892, A2T48691, A2T48791, A2T49891.

MITSUBISHI
GA1376


FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x35A, Distance between holes: 75mm, with capacitor

REPLACES / REEMPLAZA:


Mitsubishi: A860T38570; **Honda:** 04311P01014; **Regitar:** RM-27; **Cargo:** 232606; **WAI/Transpo:** IMR7584

APPLICATION / APLICACIÓN:

HONDA: Civic 92-95

ALTERNATOR / ALTERNATOR:

HONDA: 31100-P00-014; **MITSUBISHI:** A5T04292;

MITSUBISHI
GA1381


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, Distance between holes: 85mm, With Capacitor, with diode trio

REPLACES / REEMPLAZA:

Mitsubishi: A860T29370; **Cargo:** 135229; **WAI/Transpo:** IMR8578

APPLICATION / APLICACIÓN:

MITSUBISHI

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A4T58289, A4T58799, A4T59086, A4T75589, A4T58686, A4T58986, A4T59199, A6T55186, A4T58689, A4T58989, A4T59786, A6T55189, A4T58699, A4T58999, A4T66486, ME060076, A4T58786, A4T75586, ME090198

MITSUBISHI
GA1238 // NEW //


FEATURES / CARACTERÍSTICAS: 90A, 8x35A, B+: M5x0.8x4.8mm

REPLACES / REEMPLAZA:

Honda: 31150-RNA-A01; **Transpo:** IM558

APPLICATION / APLICACIÓN:

Honda: Civic L4 1.8L 1799cc R18A1 2006-2011, Honda - China Car: Civic 1.8L, Non-Turbo, Gas (R18A1) 2006, Civic 1.8L, Non-Turbo, Gas (R18A1) 2008, Honda - Europe Car: Civic 1800, VTEC 2005-2010, FR-V 1800, VTEC 2005-2010

ALTERNATOR / ALTERNATOR:

HONDA: A2TC1391ZC, 31100-RNA-A01, 31100-RNA-A012-M2, 31100-RNA-A01RM, 31100-RNE-A01, 31100-RNE-A010M2, AHGA67, AHGA75; **MITSUBISHI:** A002TC1391, A002TC1391ZC, A002TC1391ZE, A002TC1591, A002TC1591ZC, A002TC1591ZCKD

VOLTAGE REGULATOR:

GA788

MITSUBISHI
GA1245 // NEW //


FEATURES / CARACTERÍSTICAS: 120A, 6x50A, Avalanche Diode B+: M8x1.25x26.6mm

REPLACES / REEMPLAZA:

Mitsubishi: 1800A086, A860X86870; **Transpo:** IMR10045

APPLICATION / APLICACIÓN:

MITSUBISHI: Lancer MK8 Saloon 1.8 Petrol 2008>, Lancer MK8 Saloon 1.8 Flexfuel Petrol/Ethanol 2009>, Lancer MK8 Saloon 1.8 Bifuel Petrol/Gas 2010>, Lancer MK8 Estate 1.8 Mivec Petrol 2009>, Lancer MK8 Estate 1.8 (CX3A) Petrol 2008>, Lancer MK8 Estate 1.8 Bifuel Petrol/Gas 2010>, Outlander 2.0 Petrol 2006>2012, Outlander 2.4 Petrol 2006>2012, Shogun/Pajero Mk3 3.8 V6 Petrol 2007>, Shogun/Pajero Mk3 3.2 DI-D Diesel 2007>

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A003TG0191, A003TG1581, A003TG1991, A003TG3181, A003TG3181MI, A003TG3791, A003TG4091, A003TG4679

VOLTAGE REGULATOR:

GA859

MITSUBISHI
GA1265 // NEW //


FEATURES / CARACTERÍSTICAS: 90A, 6x35A, B+ M5X18.5mm. PS: Distance between holes 100mm

REPLACES / REEMPLAZA:

Mitsubishi: A860T26470; **Mobiletron:** RM-80; **Regitar:** RM-80; **Era:** 216061; **Cargo:** 132714

APPLICATION / APLICACIÓN:

Mazda: 626 1978>2002

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A3T01877, A3T01877A

MITSUBISHI
GA1266 // NEW //


FEATURES / CARACTERÍSTICAS: 70A, 6x35A, B +: M5x0.8x6.0mm. PS: Distance between holes 75mm

REPLACES / REEMPLAZA:

Transpo: IMR7590; **Lester:** 13330, 13649

APPLICATION / APLICACIÓN:

HONDA: Civic L4 1.6L 96>98, Civic L4 1.6L 96>98, Civic del Sol L4 1.6L 96>97, Civic del Sol L4 1.6L 96>97, Civic 1500 96>01

ALTERNATOR / ALTERNATOR:

...

MITSUBISHI
GA1270


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, Distance between holes: 85 mm, B+ Post: M5x18 mm, with diodetrio and capacitor

REPLACES / REEMPLAZA:

Mitsubishi: A860T38270, B36618W60A; **Regitar:** RM-38; **Cargo:** 136977; **WAI/Transpo:** IMR8548

APPLICATION / APLICACIÓN:

FORD: Escort;

MAZDA: RX7, MX3 1.6i, 323 1.3 16V, 1.6, 1.8i, 1.8 GT, 1.8 Turbo;

KIA: Sephia 1.5, 1.6, II 1.5

ALTERNATOR / ALTERNATOR:

FORD: F1CA10346B, F1C210346B; **MITSUBISHI:** A002T34477, A2T34477, B36618300G, A2T17574, A2T35177

MITSUBISHI
GA1278 // NEW //


FEATURES / CARACTERÍSTICAS: 55A, Diode 8x35A, B+: M6X21.4mm, Distance between holes 75mm

REPLACES / REEMPLAZA:

Mitsubishi: A860T30370, A860X62470; **Suzuki:** 31621-60A20; **Transpo:** IMR7558; **Mobiletron:** RM-147; **Cargo:** 135215;

AS-Poland: ARC5009

APPLICATION / APLICACIÓN:

ASUNA TRUCK: Sunrunner L4 1.6L 1992>1993

CHEVROLET TRUCK: Tracker L4 1.6L 1989>1991

GEO TRUCK: Tracker L4 1.6L 1989>1995

GMC TRUCK: Tracker L4 1.6L 1989>1991

PONTIAC TRUCK: Sunrunner L4 1.6L 1994

SUZUKI TRUCK: Sidekick L4 1.6L 1989>1994

SUZUKI CAR: Swift L4 1.3L 1993>1994, Swift L4 1.3L DOHC 1989>1992, Vitara 1600 1988>1993, X-90 1600 16V 1995>1998


GEO CAR: Metro L4 1.3L 1992>1994

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A001T03191, A001T03191ZC, A001T03195, A001T03195ZC, A005TA0791, A005TA0791ZC, A007T00191

CHEVROLET: 30016320, 96058486, 96069102

SUZUKI: 31400-33BD0, 31400-50G10, 31400-60A20, 31400-63B01, 31400-63BD1

MITSUBISHI
GA1279


FEATURES / CARACTERÍSTICAS: 65A, 6x35A, B+: M5x7mm, Diameter between holes: 85mm

REPLACES / REEMPLAZA:

MITSUBISHI: 1106-089RS; **AS-POLAND:** ARC5071

APPLICATION / APLICACIÓN:

...

ALTERNATOR / ALTERNATOR:

...

MITSUBISHI
GA1280


FEATURES / CARACTERÍSTICAS: 90A, 8x35A, B+: M8x27.5mm, Distance between holes: 100mm

REPLACES / REEMPLAZA:

Cargo: 238948; **Transpo:** IMR10054

APPLICATION / APLICACIÓN:

Iveco: Stralis 380 /410 2002>2013

Case: 335 Case 6-787 2004>2009, 335B Case 6-787 2007>2008, 340 Case 6-787 2004>2012, 340B Case 6-787 2007>2008, 327B Case 6-629 2006>2007, 330B Case 6-629 2006>2008

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A004TA8492, A004TA0592

IVECO: 504028095, 504065776, 504109413, 504286394, 504349338, 504349338

CASE: 504028095

VOLTAGE REGULATOR:

GA787

MITSUBISHI
GA1281


FEATURES / CARACTERÍSTICAS: 75A, 6x35A, B+: M8x27.5mm, Distance between holes: 100mm

REPLACES / REEMPLAZA:

Cargo: 139427; **Mobiletron:** RM-87; **Regitar:** RM-87

APPLICATION / APLICACIÓN:

Hyundai: Satellite 4D56 2.5 Turbo 1997>2002, Porter D4BH 2.5 Turbo 1994>2004, H-1 4D56 2.5 Turbo 1997>2012, H-1 D4BH 2.5 Turbo 2001>2012, Starex 4D56 2.5 Turbo 1997>2012

Mazda: 929 V6 3.0 1992>1995

Nissan: Quest V6 3.0 1996>1998

ALTERNATOR / ALTERNATOR:

HYUNDAI: 37300-42354, 37300-42355, 37300-42356, 37300-42357, 37300-42358

MAZDA: JE48-18-300C

NISSAN: 23100-1B000

MITSUBISHI: MD313384, MD313395, MD315304, MD318460, MD327533, MD330332, MD354804

MITSUBISHI
GA1282 // NEW //


FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x35A, B+: M8x1.25x29.2mm

REPLACES / REEMPLAZA:

Cargo: 139222; **Transpo:** IMR10066; **Mobiletron:** RM-82; **Regitar:** RM-82

APPLICATION / APLICACIÓN:

HYUNDAI: Satellite 4D56 2.5L Turbo Dsl. 1997>2002

ALTERNATOR / ALTERNATOR:

HYUNDAI: 37300-42354, 37300-42355, 37300-42356, 37300-42357, 37300-42358; **MAZDA:** JE48-18-300C; **MITSUBISHI:** MD313384, MD313395, MD315304, MD318460, MD327533, MD330332, MD354804; **NISSAN:** 23100-1B000

MITSUBISHI
GA1284


FEATURES / CARACTERÍSTICAS: 90A, Diodes 8x35A, B+: M5x7 mm, Diameter between holes: 100 mm

REPLACES / REEMPLAZA:

Mazda: N3H1-18-W60; **Mobiletron:** RM182; **Regitar:** RM-182; **Cargo:** 239995; **AS-Poland:** ARC5104; **Transpo:** IMR10047

APPLICATION / APLICACIÓN:

Mazda Car: 3 L4 2.0/2.3 2004>2006

Mazda Van: 5 L4 2.3 2006>2007

Mazda China Car: Mazda 3 2.0 Non-Turbo Gas 2006>2007, Mazda 3 2.0 Non-Turbo Gas 2010

Mazda Europe Car: 3/5 2000 2003>2010, 5 1800 2003>2010

ALTERNATOR / ALTERNATOR:

MAZDA: LF50-18-300, LF50-18-300A, LF50-18-300R0A, LF50-18-400

MITSUBISHI
GA1285


FEATURES / CARACTERÍSTICAS: 65A, 6x35A, B+: M5x7.6mm, Distance between holes: 85mm

REPLACES / REEMPLAZA:

Cargo: 233748; **AS-Poland:** ARC5108; **Transpo:** IYR9094; **Mobiletron:** RM-94; **Regitar:** RM-94

APPLICATION / APLICACIÓN:

KIA: Sephia 1.8 1998>2001, Spectra 1.8 2000>2004

ALTERNATOR / ALTERNATOR:

KIA: OK2A2-18-300, OK30D-18-300, OK2A2-18-300, OK30D-18-300, RK30D-18-300U

MITSUBISHI
GA1286


FEATURES / CARACTERÍSTICAS: 90A, 8x35A, B+: M6x22mm, Diameter between holes: 100mm

REPLACES / REEMPLAZA:

Mitsubishi: A860T31770, A860X31799, A860X34799; **Elccor:** ARC-MI097; **Cargo:** 233515; **AS-Poland:** ARC5058; **Transpo:** IMR10072; **Mobiletron:** RM-44; **Regitar:** RM-44

APPLICATION / APLICACIÓN:

NISSAN CAR: 300ZX V6 3.0 Turbo 1990>1993

ALTERNATOR / ALTERNATOR:

NISSAN: 23100-31P10, 23100-31P10R

MITSUBISHI
GA1287


FEATURES / CARACTERÍSTICAS: 70A, 6x35A, B+: M6x12.5mm, Distance between holes: 90mm

REPLACES / REEMPLAZA:

Cargo: 231426; **AS-Poland:** ARC5169; **Transpo:** IYR9094; **Mobiletron:** RM-118; **Regitar:** RM-118

APPLICATION / APLICACIÓN:

CITROËN: Berlingo 1.9 1996>2003, Evasion 1.9 1995>2000, Jumpy Box 1.9 1996>2000, Xantia 1900/2100 1997>2000, Xsara 1.9 1997>1999, ZX 1900 1994>1998

PEUGEOT: 306 1900 1993>1999, 406 1900/2100 1996>1999, 806 1900 1995>1999

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A002TA1994D

CITROËN / PEUGEOT: 9624141580

MITSUBISHI
GA1290


FEATURES / CARACTERÍSTICAS: 65A, 8x35A, B+: M5x6.3mm, Distance between holes: 75mm

REPLACES / REEMPLAZA:

Mitsubishi: A860T32570; **Cargo:** 134027; **AS-Poland:** ARC5010; **Transpo:** IMR7562; **Mobiletron:** RM-23; **Regitar:** RM-23

APPLICATION / APLICACIÓN:

MAZDA: 323 1.6/1.8 1990>1991, Protege 1.8 1990>1991, 323 1300 1991>1994, 323 1600 1989>1994, MX5 1600 1990>1998

FORD: Escort 1.8 1991

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A002T34377, A005T00877, A005T02777

MAZDA: B36618300, B36618300C, B36618300E, B36618300R00, BP0218300

FORD: F0CZ10346B, F0CZ10346B

VOLTAGE REGULATOR:

GA758

MITSUBISHI
GA1291


FEATURES / CARACTERÍSTICAS: 90A, 6x35A, B+: M5x7mm, Distance between holes: 100mm

REPLACES / REEMPLAZA:

Elccor: ARC-MI067; **Cargo:** 236816; **As-Poland:** ARC5094

APPLICATION / APLICACIÓN:

NISSAN: Patrol 2800 1988>1995, Patrol II Station Wagon 1989>1992

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A3T03099, A860T29770

NISSAN: 23100-22J10

MITSUBISHI
GA1292


FEATURES / CARACTERÍSTICAS: 95A, 8x35A, B+: M8x28.2mm, Distance between holes: 100mm

REPLACES / REEMPLAZA:

Cargo: 231079; **AS-Poland:** ARC5042; **Transpo:** IMR10057; **Mobiletron:** RM-99HV; **Regitar:** RM-99HV

APPLICATION / APLICACIÓN:

FORD: Transit Box 2.5 1999>2000, Transit Tourneo 2.5 1997>2000, Transit LCV 2.5 1997>2000

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A003TN1791

FORD: 98VB-10K359-BA, 98VB-10K359-BB, 98VB-10K359-BC, R98VB10K359BC

MITSUBISHI
GA1319


FEATURES / CARACTERÍSTICAS: 65A, 6x35A, B+: M5x7.0mm, Distance between holes: 85mm

REPLACES / REEMPLAZA:

Cargo: 235265

APPLICATION / APLICACIÓN:

CITROËN: Xsara 1900 1999>2000, Xsara Picasso 1800 16V 2000>2001, Berlingo 1900 1999>2005

PEUGEOT: 206 1100/1400/1600/1900 1998>2000, 306 1900 1999>2002, 406 2200 2000>2002, Expert 1900 1999>2006, Partner 2000 2001>2010

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A002TB4791, A002TB4791A, A002TB4791B

MITSUBISHI
GA1324


FEATURES / CARACTERÍSTICAS: 110A, 8X35A, with trio and capacitor, dist. Between holes: 100 mm

REPLACES / REEMPLAZA:

Mitsubishi: A860T33970, A860T39970; **Ford:** F3XA-10304-AA, F3XY-10304-A, GYE1418; **Mazda:** SLA3-18-W60;

WAI/Transpo: IMR10060; **Regitar:** RM-48; **Cargo:** 135900; **Mobiletron:** RM-48

APPLICATION / APLICACIÓN:

MERCURY: Villager 3.0 V6 93>95;

NISSAN: Quest 3.0 V6 93>95

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A004T01192, A004T01192ZC, A004T02591, A004T02591ZC, A004T29591, A004T29591ZC;

FORD: F3XA-10300-AB, F3XA-10300-AC, F3XY-10300-A, F3XY-10346-A;

FORD ENGINEERING: F3XA-AB, F3XA-AC, F3XY-A;

NISSAN/INFINITI: 23100-0B000

MITSUBISHI
GA1325


FEATURES / CARACTERÍSTICAS: 85A | 8x35A, B+: M8x28mm, Distance between centers: 85mm

REPLACES / REEMPLAZA:

Mitsubishi: A860T58070, A860X58070, MD619284; **Cargo:** 230643; **As-Poland:** ARC5061; **Transpo:** IMR85668; **Mobiletron:** RM-128; **Regitar:** RM-128

APPLICATION / APLICACIÓN:

Mitsubishi: Colt V 1.6 1995>2003, Galant VI 2.0 1996>2004, Galant VI Station Wagon 2.0 1996>2003, Lancer VI 1.6 16V 1995>2003, Pajero Pinin 1.8 1999>2007, Space Star 1.8 GDI 1998>2004;

MAZDA: 323 2000 1999>2003, 626 2000 1998>2003, Premacy 2000 1998>2003

NISSAN: Kubistar 1500 Dci 2003>2010

RENAULT: Clio II 1500 2001>2007, Kangoo 1500 2002>2010, Laguna 1500 2007>2012, Megane 1400/1500/1600 16V 2002>2010, Megane Classic 1400/1600 16V 2002>2010, Megane Scenic 1400/1500/1600 2002>2010

ALTERNATOR / ALTERNATOR:

MITSUBISHI: MD343562, A2TB0892, MD317862, MD322925, MD357737, MD363639, MD368519, MD375853; **MAZDA:** RF1S-18-300;

NISSAN: 23100-00QA1, 23100-00QA9; **RENAULT:** 7711134728, 8200053938, 8200100907, 8200120286

MITSUBISHI
GA1326


FEATURES / CARACTERÍSTICAS: 65A, 6x35A, B+: M8x28mm, Avalanche Diode, Distance between center: 85mm

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

MITSUBISHI: Shogun/ Pajero Mk2/ Mk2 Soft Top 2.5 TD 4WD 90>99, L200 2.5 96>07, L300 Van 2.5 86>06

ALTERNATOR / ALTERNATOR:

Mitsubishi: MD366050, A2T82899AT

VOLTAGE REGULATOR:

GA767

MITSUBISHI
GA1335


FEATURES / CARACTERÍSTICAS: 80A, 6x35A Avalanche Diode, B+: M5x6mm, Distance between holes: 75mm

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

CITROËN: Nemo Multispace 1.4 2009>2012, Xsara 1.4, 1.6 2000>2005, Xsara Picasso 1.6 16V 2006>2010, Xsara Picasso 1.6 8V 2000>2006, Xsara Picasso 1.8 16V 2000>2010Ç

FIAT: Ulysse 2000 2002>2010Ç

PEUGEOT: 206 1.1, 1.4, 1.6, 1.9, 2.0 1998>2010, 607 2.0 16V 2001>2005

ALTERNATOR / ALTERNATOR:

Mitsubishi: A005TA6391C; **Citroën:** 9638275980; **Renault:** 7700433069; **MMB:** A001TA2291

VOLTAGE REGULATOR:

GA426

MITSUBISHI
GA1339


FEATURES / CARACTERÍSTICAS: 8x35A Avalanche Diodes, Distance Between Holes: 75mm

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

RENAULT: Clio 1.0 2000>

ALTERNATOR / ALTERNATOR:

Mitsubishi: A001TA2291; **Renault:** 7700433069

VOLTAGE REGULATOR:

GA777

MITSUBISHI
GA1340


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, Distance between holes: 85 mm, B+ Post: M8x25 mm, with diode trio

REPLACES / REEMPLAZA:

Regitar: RM-110HV; **Cargo:** 138873; **WAI/Transpo:** IMR8566

APPLICATION / APLICACIÓN:


VOLVO: VM 210, VM 240, VM 260 /98>

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A002TA8891; **VOLVO:** 20498749

VOLTAGE REGULATOR:

GA874

MITSUBISHI
GA1342


FEATURES / CARACTERÍSTICAS: 100 A, 8x35A Avalanche, 100mm Distance between holes, Bolt B+ M8 X 30
REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

SCANIA: 440R, G 480, P 480, R 480, Serie 5, Serie 6 with engine DC13.07 12742ccm / P270

ALTERNATOR / ALTERNATOR:

Mitsubishi: A004TR5691, A4TR5691, A004TR5491;

Scania: 1 777 299, 1 884 268

MITSUBISHI
GA1343


FEATURES / CARACTERÍSTICAS: 70A, Diodes 6x35A
REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

HONDA: Fit 1.5 2006>2008


ALTERNATOR / ALTERNATOR:

Mitsubishi: A5TA4591, A5TB0291ZT/B1391/B149;

Honda: AHGA58

VOLTAGE REGULATOR:

GA868

MITSUBISHI
GA1346


FEATURES / CARACTERÍSTICAS: 6x50A Block avalanche diodes
REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

MITSUBISHI: ASX, Lancer, Outlander 2010>

ALTERNATOR / ALTERNATOR:

Mitsubishi: A3TG3181, A2TG2191

MITSUBISHI
GA1354 // NEW //


FEATURES / CARACTERÍSTICAS: 130A, 8x35A, B +: M6x1.0x27.5mm, Distance between holes 100mm
REPLACES / REEMPLAZA:

Transpo: IMR10090; **Mobiletron:** RM-131HV; **Lester:** 13595, 13764, 13892, 13892, 13955

APPLICATION / APLICACIÓN:

CHRYSLER: Sebring V6 2.5L 2497cc 152cid 1999;

DODGE: Avenger V6 2.5L 2497cc 152cid 1999

ALTERNATOR / ALTERNATOR:

...

MITSUBISHI
GA1356


FEATURES / CARACTERÍSTICAS: 105A, 6x35A Block Diodes
REPLACES / REEMPLAZA:

Mitsubishi: A860T37670, A860T39170

APPLICATION / APLICACIÓN:

Kia: Sephia L4 1.6L 1597cc 1994-1995; Europe Car; Mentor 1500 1996-2001; Shuma 1500 1999-2001; Shuma 1800 1999-2004; **Mazda:** Europe Car; 323 1600 1989-1994; MX3 1600 1991-1994; Xedos 6 1600 1993-1997

ALTERNATOR / ALTERNATOR:

KIA: OK201-18-300B

MITSUBISHI
GA1362


FEATURES / CARACTERÍSTICAS: 75A, Diodes 6x35A, 65mm, with diode trio
REPLACES / REEMPLAZA:

Mitsubishi: A860T11970, A860T13370, MD607828, MD611070; **Regitar:** RM-01HV; **Cargo:** 132039; **WAI/Transpo:** IMR6542

APPLICATION / APLICACIÓN:

MAZDA: RX7 1.1L 1984-1985, B2200 1986-1987;

KIA: Pride 1100, 1300 1991-1994;

MITSUBISHI: Dodge Truck, Plymouth

ALTERNATOR / ALTERNATOR:

MAZDA: F651-18-300, FE85-18-300, FE85-18-300A; **MITSUBISHI:** A5T30977, A5T31177

MITSUBISHI
GA1364


FEATURES / CARACTERÍSTICAS: 85A, DIODES 6x35A, with diode trio and capacitor, B+ post M6x25mm".

REPLACES / REEMPLAZA:

Ford: E8GY-10304-B, E92Z-10304-A, GYE1377; **Hyundai:** 37367-24510; **Mando:** A600C003F; **Magneti Marelli:** 940038260; **Mazda:** B675-18-W60, F8B1-18-W60; **Mitsubishi:** A860T27070, A860T27170, A860T28370; **Mitsubishi motors:** MD611778; **Regitar:** RM-10; **Cargo:** 132469; **WAI/Transpo:** IMR7556

APPLICATION / APLICACIÓN:

Dodge, Eagle, Ford, Hyundai, Mazda, Mitsubishi, Plymouth (1994-87)

ALTERNATOR / ALTERNATOR:

MANDO: 3730024500, 3730024510, AB175015, AB175019.

MITSUBISHI
GA1368


FEATURES / CARACTERÍSTICAS: 115A, 8x35A Block Diodes

REPLACES / REEMPLAZA:

Mitsubishi: A860T38670; **WAI/Transpo:** IMR10064; **Regitar:** RM-46; **Cargo:** 133882

APPLICATION / APLICACIÓN:

Ford: Probe V6 2.5L 2450cc 152cid 1993-1997; Europe Car; Probe 2500, V6, 24V 1994-1998; **Mazda:** 626 V6 2.5L 2497cc 1993-2000; MX-3 V6 1.8L 1845cc 1992-1995; MX-6 V6 2.5L 2497cc 1993-1997; Europe Car; 323 2000, V6 1994-1998; 626 2500, V6 1992-1997; MX3 1800, V6 1991-1999; MX6 2500, V6 1991-1997; Xedos 6 2000, V6 1992-2001

ALTERNATOR / ALTERNATOR:

MAZDA: K801-18300B

MITSUBISHI
GA1370


FEATURES / CARACTERÍSTICAS: 85A Diodes 6x35A, Distance between holes: 85mm, with diode trio and capacitor

REPLACES / REEMPLAZA:

Mitsubishi: A860T31370; **Mazda:** JE15-18-W60; **Mando:** A600C3201; **Regitar:** RM-31; **Cargo:** 135041; **WAI/Transpo:** IMR8544

APPLICATION / APLICACIÓN:

MAZDA: MPV 2.5L, 2.6L, 3.0L

ALTERNATOR / ALTERNATOR:

LESTER: 13253, 13272, 13282; **MAZDA:** JE1518300A; **MITSUBISHI:** A002T13977, A2T13977, A2T19677, A2T20191, A2T32899, A3T00792, JE1518300A, MD50190

MITSUBISHI
GA1371


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, Distance between holes: 85mm, with diode trio and capacitor, B+ Post: M6x25 mm.

REPLACES / REEMPLAZA:

Ford: E8PZ10304A; **Regitar:** RM-30; **Cargo:** 233511; **WAI/Transpo:** IMR8542

APPLICATION / APLICACIÓN:

FORD: Thunderbird.

ALTERNATOR / ALTERNATOR:

FORD: E8SF10300AA, E8SF10346A, E8SZ10346A; **LESTER:** 13189. **MITSUBISHI:** A3T01496, A3T01496MA; **MOTORCRAFT:** GLE254; **PIC:** 203325

MITSUBISHI
GA1372


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, Distance between holes: 85mm, with diode trio and capacitor

REPLACES / REEMPLAZA:

Mitsubishi: A 860 T 34070; **Regitar:** RM-31; **Cargo:** 135041; **WAI/Transpo:** IMR8546

APPLICATION / APLICACIÓN:

FORD: Probe 2.2 turbo Intercooler;

MAZDA: MX6, RX7, 929 2.2i, 626 2.0i, 16V, 2.2i, 2.2i Stationcar

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A002T19991, A2T13977, A2T19877, A2T19991, A3T00792, F28518300C; **FORD:** F02E10346D, F28518300B, F29018300A, F29018300B, F8B118300G; **PIC:** 203354, 203373; **MOTORCRAFT:** GLE302; **LESTER:** 13297

MITSUBISHI
GA1373


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, Distance between holes: 85mm, with diode trio and capacitor

REPLACES / REEMPLAZA:

Mitsubishi: A 860 T 28670; **Ford:** E8PZ10301B, E8PZ-10304-B, GYE1380; **Regitar:** RM-29; **Cargo:** 134297; **WAI/Transpo:** IMR8540

APPLICATION / APLICACIÓN:

FORD: Tempo, Taurus, Mercury Topaz, Sable.

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A3T01596, A3T01596MA, A3T01598, A3T01598MA; **FORD:** E83F10300AA, E83F10300AB, 83F10300BA, E83Z10346A, E8DF10300AB, E8DZ10346A, F73J10346AA; **PIC:** 203319, 203326; **MOTORCRAFT:** GLE250, GLE251, GLE439; **LESTER:** 13188, 13190

MITSUBISHI
GA1375


FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x35A, Distance between holes: 85mm, with diode trio and capacitor

REPLACES / REEMPLAZA:

Ford: E9PZ10304A; **Regitar:** RM-32; **Cargo:** 233746; **WAI/Transpo:** IMR8570

APPLICATION / APLICACIÓN:

FORD: Probe, Taurus, Tempo, Mercury Topaz

ALTERNATOR / ALTERNATOR:

FORD: E9DF-1300-BB, E9DZ910346-A, F02U-1300-AA, F02U-10300-AC, F02Z-10346-A, F33U-10300-BA, F33Z-10346-A, F3DU-10300-DA, F3DZ-10346-C, GLE-261, GLE-274, GLE-339, GLE-341; **MITSUBISHI:** A3T00491, A3T00896, A3T00896ZC, A3T12691, A3T12792, A3T12792ZC

MITSUBISHI
GA1377


FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x35A, Distance between holes: 85mm, with diode trio and capacitor

REPLACES / REEMPLAZA:

Cargo: 230593; **WAI/Transpo:** IMR85104

APPLICATION / APLICACIÓN:

FORD: Europe

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A2T32692; **FORD:** 92AB10300JA

MITSUBISHI
GA1378


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, Distance between holes: 85mm, with diode trio and capacitor

REPLACES / REEMPLAZA:

Regitar: RM-90; **Cargo:** 137860; **WAI/Transpo:** IMR85106

APPLICATION / APLICACIÓN:

FORD: Europe

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A2T14591, A2T28792; **FORD:** 91AB10300A, 92AB10300FA

MITSUBISHI
GA1379


FEATURES / CARACTERÍSTICAS: 85A, Diodes 8x35A, Distance between holes: 85mm, with diode trio and capacitor

REPLACES / REEMPLAZA:

Mitsubishi: A860T23270, MD 611 586; **Regitar:** RM-34; **Cargo:** 135042; **WAI/Transpo:** IMR8574

APPLICATION / APLICACIÓN:

DODGE: Stealth;

HYUNDAI: Sonata;

MITSUBISHI: 3000GT

ALTERNATOR / ALTERNATOR:

LESTER: 13352; **MANDO:** AB190012; **MITSUBISHI:** A003T00692, A3T00692, A3T04292, MD112323, MD112323; **PIC:** 203384, 203384A

MITSUBISHI
GA1380


FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x35A, Distance between holes: 85mm, With Capacitor , with diode trio

REPLACES / REEMPLAZA:

Mitsubishi: A860X29999, A860T29999; **Regitar:** RM-35; **Cargo:** 135260; **WAI/Transpo:** IMR8576

APPLICATION / APLICACIÓN:

NISSAN: Stanza, 200SX 1.8 DOHC Turbo

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A2T13894, A2T14694; **LESTER:** 13286; **PIC:** 203292, 203310, 203322D, 203364; **NISSAN:** 2310035F10

MITSUBISHI
GA1382


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, Distance between holes: 85mm, B+ PostM8x25, with diode trio and capacitor

REPLACES / REEMPLAZA:

Cargo: 137861; **Regitar:** RM-37; **WAI/Transpo:** IMR8580

APPLICATION / APLICACIÓN:

MITSUBISHI;

MAZDA: 626, MX6

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A2T20091, A2T20091ZC; **PIC:** 203341, 203341A, 203356, 203442; **LESTER:** 13299; **FORD:** F2F818300B

MITSUBISHI
GA1383


FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x35A 8x35A . Distance between holes: 75mm. B+ Post M6x20

REPLACES / REEMPLAZA:

Regitar: RB-45; **Cargo:** 231118; **WAI/Transpo:** IBR331

APPLICATION / APLICACIÓN:

HONDA: Civic 1.7 2001-2004

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A5TA7091; **HONDA:** 31100PLMA01

VOLTAGE REGULATOR:

GA837

MITSUBISHI
GA1384


FEATURES / CARACTERÍSTICAS: 85A, Diodes 8x35A, Distance between holes: 85mm, B+ Post M8x25, With Capacitor, With triodiode

REPLACES / REEMPLAZA:

Cargo: 137861; **Regitar:** RM-37; **WAI/Transpo:** IMR8580

APPLICATION / APLICACIÓN:

MITSUBISHI;

MAZDA: 626, MX6

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A2T20091; **PIC:** 203341, 203341A, 203356, 203442; **LESTER:** 13299; **FORD:** F2F818300B

MITSUBISHI
GA1385


FEATURES / CARACTERÍSTICAS: 85A Diodes 6x35A, Distance between holes: 85mm, with diode trio and capacitor

REPLACES / REEMPLAZA:

Mitsubishi: MD618568; A 860 T 38770; **Cargo:** 136979; **Regitar:** RM-36; **WAI/Transpo:** IMR8590

APPLICATION / APLICACIÓN:

CHRYSLER; MITSUBISHI

ALTERNATOR / ALTERNATOR:

LESTER: 13430, 13439, 13450. **MITSUBISHI:** A002T34892, A002T34991, A002T34992, A002T35091, A002T36391, A002T36392, A002T38491, A002T38891, A002T38892, A002T39891, A002T40092, A002T83291, A002TA3491, A2T20091, A2T34892, A2T34992, A2T35091, A2T35092, A2T36391, A2T36392, A2T38491, A2T38891, A2T38892, A2T40092, MD175810, MD175811, MD177244, MD184278, MD184279, MD184280, MD184281, MD189658, MD189659, MD191402, MD193323, MD19543, MD309837, MD317401; **PIC:** 203297, 203297A, 203298, 203299

MITSUBISHI
GA1386


FEATURES / CARACTERÍSTICAS: 95A, 8x35A Diodos, B+ Parafuso M8, Distance between holes: 100mm

REPLACES / REEMPLAZA:

Mitsubishi: A860X64570; **Regitar:** ; **Cargo:** 230884; **WAI/Transpo:** IMR10046

APPLICATION / APLICACIÓN:

GM: Ómega Australiano 3.8 V6;

KIA: Sephia

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A003TB0191, A003TG4091; **GM:** 92173959

VOLTAGE REGULATOR:

GA776

MITSUBISHI
GA1387


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x30A, with diode trio and capacitor, Hole B+: M8, OD 85mm

REPLACES / REEMPLAZA:

Mitsubishi: A860T39070, A860T42670, A860T42770, A860X44170, MD618734, MD618752, MD618811, A2T82378, A860X42770 ;

Regitar: RM-59, RM-50HV; **Cargo:** 137849; **WAI/Transpo:** IMR8588

APPLICATION / APLICACIÓN:

MITSUBISHI: L200 (2001-93), Galant 1996-1998

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A2TA0991, A2T33891, A2T38392, A2T37976, A2T38391, A2T80591, A2T82791, A2T82792, A2T82792ZC, A2T82899, A3T11891, MD194482, MD304129, MD306649, MD310997, MD313939, MD314235, MD314236, MD314374, MD315430, A2T38391, A2T37976, MD310997, MD327535, A2TA0891ZC, A2TA0891

VOLTAGE REGULATOR:

GA797

MITSUBISHI
GA1389


FEATURES / CARACTERÍSTICAS: 90A, Diodes Avalanche 6x35A, without diode trio, 85mm, M8x55mm B+ Holes

REPLACES / REEMPLAZA:

-

APPLICATION / APLICACIÓN:

NISSAN: Sentra 1.6, Tida 1.6, Livina 1.6/1.8, Nissan Frontier 2008>2012, Nissan Pathfinder 2.5 DCI

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A2TG0881ZC, A2TG11081ZT, A3TG2681AE, A003TG2681, A003TG2681AE, A3TG2681AE; **NISSAN:** 23100EL010, 23100EB310, 23100EB31A, 23100EB1071A, 23100EB71A

VOLTAGE REGULATOR:

GA427

MITSUBISHI
GA1390


FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x35A, Distance between holes: 100mm, with diode trio and capacitor

REPLACES / REEMPLAZA:

Mitsubishi: A860T35270, E9PZ10304B; **Regitar:** RM-41; **Cargo:** 135252; **WAI/Transpo:** IMR10040

APPLICATION / APLICACIÓN:

FORD: Thunderbird, Mercury Cougar;

HYUNDAI: Alliance

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A3T45694, A4T00790, A4T00796, A4T03591, MD149750; **PIC:** 203324, 203360A; **LESTER:** 13212;

FORD: E9SF10300DA, F3SU10300AA, F3SZ10346A; **MOTORCRAFT:** GLE265, GLE338

MITSUBISHI
GA1391


FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x35A, Distance between holes: 100mm, with diode trio and capacitor

REPLACES / REEMPLAZA:

Mitsubishi: A 860 T 23070, A 860 T 28070, MD602227, MD611564, MD611768; **Cargo:** 132793; **Regitar:** RM-40; **WAI/Transpo:** IMR10042

APPLICATION / APLICACIÓN:

MITSUBISHI: Van & Wagon;

DODGE: Dodge Eagle;


CHRYSLER

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A003T02193, A3T03393, MD126110, A003T03392, A3T03471, MD133171, A003T03393, A3T03492, MD135171, A003T03493, A3T03493, MD136838, A003T06591, A3T04493, MD136839, A003T08293, A3T08293, MD141855, A003T41876, A3T41876, MD158495, A003T45694, A3T41892, MD162518, A3T02192, A3T45693, MD168989, A3T02193, A4T41876, MD611564, A3T03391, A4T41892, MD611678, A3T03392, A4T45694, MD111233

VOLTAGE REGULATOR:

GA802

MITSUBISHI
GA1392


FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x35A, Distance between holes: 100mm, with diode trio and capacitor

REPLACES / REEMPLAZA:

Mitsubishi: A 860 T 30170, 23700AA061, 23830AA030, A860T29870; **Cargo:** 135229; **Regitar:** RM-42; **WAI/Transpo:** IMR10044

APPLICATION / APLICACIÓN:

SUBARU: XT 2.7, Canter f60d, FE444

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A3T03891; **PIC:** 203387, 203387A; **SUBARU:** 23700AA061

MITSUBISHI
GA1393


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, Distance between holes: 100mm, with diode trio and capacitor

REPLACES / REEMPLAZA:

Mitsubishi: A 860 T 26070, MD611742; **Regitar:** RM-43; **Cargo:** 137486; **WAI/Transpo:** IMR10050


APPLICATION / APLICACIÓN:

MITSUBISHI: 3000GT, Diamont;

CITROËN

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A004T01793, A4T01893, MD160539, A004T01893, A4T02991, MD160540, A004T02991, A4T03091, MD197468, A004T03091, A4T03191, MD197469, A4T01793; **LESTER:** 13435; **PIC:** 203440A

MITSUBISHI
GA1394


FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x35A, Distance between holes: 100mm, with diode trio and capacitor

REPLACES / REEMPLAZA:

Mitsubishi: A 860 T 26070, MD611742; **Regitar:** RM-43; **Cargo:** 137486; **WAI/Transpo:** IMR10050; **Mobiletron:** RM-43,

AS-Poland: ARC5041

APPLICATION / APLICACIÓN:

MITSUBISHI: 3000GT;

DODGE: Stealth;

HYUNDAI: Sonata

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A004T01493, MD150657, A004T03191, MD197470, A3T05882, ME017595, A4T01493; **PIC:** 203383, 203383A, 203440, 203383B; **HYUNDAI:** 3730035571, 3730035573; **MANDO:** AB111057; **LESTER:** 13351, 13703

VOLTAGE REGULATOR:

GA806

MITSUBISHI
GA1395


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x30A, with diode trio and capacitor, OD: 75mm

REPLACES / REEMPLAZA:

Mitsubishi: A860T13270, A860T17570, A860T17970, A860T24270; **Regitar:** RM-08; **Cargo:** 132040; **WAI/Transpo:** IMR7544

APPLICATION / APLICACIÓN:

MAZDA: III Hatch back 1.1 /1.3 /1.5 /1.6 1985-1987, 626 B1800 /B2000, Pickup RX7

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A2T17872, A2T41677, A2T44991

MITSUBISHI
GA1396


FEATURES / CARACTERÍSTICAS: 120A, 8X35A Avalanche Diodes

REPLACES / REEMPLAZA:

Transpo: IMR10052; **Regitar:** RM-155HV

APPLICATION / APLICACIÓN:

CITROËN - EUROPA: C4 1400 16V 2004-2010, C4 1600 16V 2004-2010, C4 2000 16V 2004-2010, C5 1800 16V 2001-2010, C5 2000 16V 2001-2004, C8 2000 16V 2002-2010, C8 2200 16V 2002-2010, Xsara Picasso 1800 16V 2000-2010;

CITROËN - EUROPA VAN: Berlingo - LCV 1400 2008-2012, Berlingo - LCV 1600 16V 2008-2012;

CITROËN LCV - EUROPA VAN: Berlingo 1600 16V 2008-2012;

PEUGEOT - EUROPA: 207 1400 16V KFU 2006-2010, 207 1600 16V NUF 2006-2010, 307 2000 16V 2001-2010, 407 2200 16V 2004-2010, 607 2200 16V 2000-2005, 807 2000 16V 2002-2005, 807 2200 16V 2002-2010;

PEUGEOT - EUROPA VAN: Partner Tepee 1600 16V 2008-2012

ALTERNATOR / ALTERNATOR:

MITSUBISHI: 9640088080, A003TB2691, 9640088080, A003TB2691, A860T13270, A860T17570, A860T17970, A860T24270

VOLTAGE REGULATOR:

GA426

MITSUBISHI
GA1398


FEATURES / CARACTERÍSTICAS: 95A, Diodes 6x35A, Distance between holes: 100mm, with diode trio and capacitor

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

MITSUBISHI: Pajero 2.8D 94-98, Canter;

NISSAN: King Van

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A2TA3098, A3TA3098, A3TA6098, A3TO9199, A3TO9698, A3TO9699, A3TO9799

VOLTAGE REGULATOR:

GA857

MITSUBISHI
GA1399


FEATURES / CARACTERÍSTICAS: 95A, 8x35A Diodes, B+ Bolt M8, with diode trio and capacitor, Dist between holes: 100mm

REPLACES / REEMPLAZA:

Mitsubishi: A860X47070, ME701716; **Cargo:** 139111; **Regitar:** RM-116

APPLICATION / APLICACIÓN:

MITSUBISHI: Montero, Pajero 3.2L; **RENAULT:** Sandero, Logan, Clio II, Scénic I, Mégane I, Cabriolet I All 1.4/1.6 16V

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A003T08699, A001TA3792, A003T09699, A003TB1299, A3T08699, A3T09699, A3TB1299, ME200696, ME200698, ME202971; **RENAULT:** 8200660052

VOLTAGE REGULATOR:

GA857

MITSUBISHI
GA1360


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, Distance between holes: 65mm, with diode trio and capacitor

REPLACES / REEMPLAZA:

Mitsubishi: A 860 T 16770, MD611254; **Regitar:** RM-04HV; **Cargo:** 132791; **WAI/Transpo:** IMR6548

APPLICATION / APLICACIÓN:

HYUNDAI: Mirage, Plymouth Champ;

MITSUBISHI: Colt 1.2, 1.5;

Lancer .2, 1.5, Lancer 1800 4WD, Space Wagon1.8;

Tredia 1500, 1600;

NISSAN: Micra 1.2 87-92

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A1T01991, A1T40791, A1T40891

MITSUBISHI
GA1361


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, Distance between holes: 65mm, with diode trio and capacitor
REPLACES / REEMPLAZA:

Mitsubishi: A 860 T 22770; **Cargo:** 132789; **Subaru:** 23830-KA070; **Regitar:** RM-03; **WAI/Transpo:** IMR6540

APPLICATION / APLICACIÓN:

SUBARU: Justy;

SUZUKI: Alto 1.0, Swift 1.0, 1.03 GTi 16V, Samurai 1.3, Vitara 1.6i;

KIA: Pride 1.3;

MAZDA: 121

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A1T02592; **SUBARU:** 23700KA190, 23700KA240, 23700KA360

MITSUBISHI
GA1363


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, Distance between holes: 65mm, with diode trio and capacitor
REPLACES / REEMPLAZA:

Mitsubishi: A 860 T 20570; **Cargo:** 133263; **Lucas:** 21513131m; **Nissan:** 2312453A10; **Regitar:** RM-05; **WAI/Transpo:** IMR6570

APPLICATION / APLICACIÓN:

NISSAN: Sunny 1.0, 1.3 8V, 1.5 8V, 1.6 8V

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A5T41592, A5T41592B; **NISSAN:** 2310053A10, 2310053A11

MITSUBISHI
GA1409 // NEW //


FEATURES / CARACTERÍSTICAS: 50A, Diodes 6x35A, B+:M8x1.25x30mm

REPLACES / REEMPLAZA:

Mitsubishi: A860T46570, A860X46570; **Transpo:** IMR7588

APPLICATION / APLICACIÓN:


HYUNDAI: Amica 1000 2000>2003, Amica 1100 2006>2010, Atos 1000 1998>2005;

MITSUBISHI: Minica 1994

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A001T06391, A001T06672, A001TA0091, A001TA0291, A001TA0491, A001TA0791, A001TA0891; **HYUNDAI:**

37300-02503, 3730002503AT; **MANDO:** AB160108; **MAGNETI MARELLI:** 063532613010

MITSUBISHI
GA1410 // NEW //


FEATURES / CARACTERÍSTICAS: 80A, Diodes 8x35A, B+: M5x0.8x19.2mm

REPLACES / REEMPLAZA:

Honda: 31127-RNA-A01; **Transpo:** IMR8579; **Cargo:** 330593

APPLICATION / APLICACIÓN:

HONDA: Civic VIII Hatchback 1.8 2005>, FR-V 1.8 2004>, Civic MK7 1.6 2005>, Civic MK7 1.8 2005>2012

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A002TC1391, A002TC1391ZC, A002TC1391ZE, A002TC1591, A002TC1591ZC, A002TC1591ZCKD;

HONDA: 31100-RNA-A01, 31100-RNA-A012-M2, 31100-RNA-A01RM, AHGA67

MITSUBISHI
GA1479 // NEW //


FEATURES / CARACTERÍSTICAS: 50A, Avalanche Diodes 8x35A, B+: M8x1.25x30.0mm

REPLACES / REEMPLAZA:

Mitsubishi: A860X85470; **Transpo:** IMR6571

APPLICATION / APLICACIÓN:

CATERPILLAR: Truck C3000 Mits. K21 Eng. 2004>2009

ALTERNATOR / ALTERNATOR:

MITSUBISHI: A007TA3371, A007TA3377

MITSUBISHI
GA1855


FEATURES / CARACTERÍSTICAS: 110A, 8x35A, B+: M5x5.6mm, Distance between holes: 100mm, with trio diode

REPLACES / REEMPLAZA:

Cargo: 235565; **Transpo:** IMR10094

APPLICATION / APLICACIÓN:

HYUNDAI: Terracan 2900 2003>2010;

KIA: Sedona 2900 2001>2006

ALTERNATOR / ALTERNATOR:

HYUNDAI: 37300-4X000, 37300-4X001, 37300-4X002, 37300-4X500, 37300-4X501, 37300-4X502, 37300-4X503

MITSUBISHI

GA1879



FEATURES / CARACTERÍSTICAS: 85A, Diodes 8x35A, with diode trio and capacitor
REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

HYUNDAI: HR 92>

ALTERNATOR / ALTERNATOR:
 TA000A64201, 37300-42711

VOLTAGE REGULATOR:
 GA979

NIPPON DENSO

GA1160



FEATURES / CARACTERÍSTICAS: 70A, Diodes Dish 8x35A, Ø 100 mm, B+ Post M6x43mm.
REPLACES / REEMPLAZA:

Nippon Denso: 021580-2160, 0211580-2230; **Toyota:** 27357-63020; **Regitar:** RN-13; **Cargo:** 132082; **WAI/Transpo:** INR720

APPLICATION / APLICACIÓN:

HONDA: Accura;

ISUZU;


TOYOTA;

ALTERNATOR / ALTERNATOR:

ISUZU: 8944086740, 8941313572; **HONDA:** 31100PD2024, 31100PH7004, 31100PK1004, 31100PK2004; **NIPPON DENSO:** 100211-1000, 100211-1001, 100211-1010, 100211-1030, 100211-1040, 100211-1041, 100211-1050, 100211-1060, 100211-1061, 100211-080, 100211-1081, 100211-1090, 100211-1091, 100211-1110, 100211-1111, 100211-1180, 100211-1360, 100211-1361, 100211-2000, 100211-2010, 100211-2011, 100211-2020, 100211-2021, 100211-2030, 100211-2031, 100211-2050, 100211-2060, 100211-2061, 100211-2070, 100211-2071, 100211-2100, 100211-2102, 100211-2130, 100211-2140, 100211-2150, 100211-2151, 100211-2160, 100211-2170, 100211-2500, 100211-2550, 100211-2551, 100211-3030, 100211-3040, 100211-3041, 100211-3060, 100211-3090, 100211-3091, 100211-3110, 100211-3111, 100211-3150, 100211-3151, 100211-3160, 100211-3170, 100211-3180, 100211-3181, 100211-3182, 100211-3220, 100211-3221, 100211-3260, 100211-3300, 100211-3310, 100211-3320, 100211-3321, 100211-3352, 100211-3390, 100211-3391, 100211-3400, 100211-3401, 100211-3430, 100211-3510, 100211-3550, 100211-3551, 100211-5350, 100211-7000, 100211-7040, 100211-7050, 100211-7060, 100211-7061, 100211-7070, 100211-7100, 100211-7180, 100211-7260, 100211-7320, 100211-7330, 100211-7430, 100211-7450, 100211-7460, 100211-7470, 100211-7500, 100211-7570, 100211-7571, 100211-7800, 100211-7810, 100211-7820, 100211-7821, 100211-7970, 100211-8910, 100211-8911, 100211-9710, 100211-9730, 100211-9731, 100211-9132, 100211-9732, 100211-9770, 100211-9780, 100211-9790, 100211-9840, 100211-0060, 100211-0070, 100211-0071, 101211-0120, 101211-0130, 101211-0190, 101211-0200, 101211-0201, 101211-0250, 101211-0340, 101211-0350, 101211-0530, 101211-0531, 101211-0550, 101211-0551, 101211-0590, 101211-0720, 101211-0722, 101211-0723, 101211-0730, 101211-0740, 101211-0830, 101211-4120, 101211-4121, 101211-4122, 101211-4130, 101211-4131, 101211-4132

NIPPON DENSO

GA1250



FEATURES / CARACTERÍSTICAS: 70A, Diodes Dish 8x35, A Ø 90 mm, B+ Post M6x43mm.

REPLACES / REEMPLAZA:

Nippon Denso: 021580-2250; **Regitar:** RN-16; **Cargo:** 132541; **WAI/Transpo:** INR725; **Magneti Marelli:** PR520424

APPLICATION / APLICACIÓN:

HONDA: Civic, Accura CRX;


TOYOTA: Tercel

ALTERNATOR / ALTERNATOR:

HONDA: 31100PE003; **ISUZU:** 8944136210; **DENSO:** 1002111270; **TOYOTA:** 270601504; **LESTER:** 14757, 14851, 14935

NIPPON DENSO

GA1251



FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x35A

REPLACES / REEMPLAZA:

Nippon Denso: 021580-3130; **Cargo:** 132540; **Lucas:** 21510074; **Regitar:** RN-15; **WAI/Transpo:** INR724

APPLICATION / APLICACIÓN:

ISUZU: Aska 2.0 Turbo;

SUZUKI: Alto 1.0, Vitara 1.6i, Swift 1.0, 1.3, 1.6, Samurai 1.3, SJ413;

TOYOTA: Corolla 1.3i, Starlet 1.3

ALTERNATOR / ALTERNATOR:

NIPPON DENSO: 100211-1430, 100211-1550, 100211-1551, 100211-1560, 100211-1570, 100211-1571, 100211-4070, 100211-4071, 100211-4130, 100211-1431, 100211-4150, 100211-4170, 100211-4171, 100211-4260, 100211-4290, 100211-4350, 100211-4351, 100211-6270, 100211-6600, 100211-6710, 100211-6720, 100211-6860, 100211-6870, 100211-6960, 100211-6990, 100211-9230, 100211-9430, 100211-9431, 100211-2020, 101211-2021, 101211-2022, 101211-2130, 101211-2240, 101211-2310, 101211-2360, 101211-3020, 101211-3021

NIPPON DENSO

GA1252



FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x50A

REPLACES / REEMPLAZA:

Nippon Denso: 021580-4120, 021580-4490; **Cargo:** 135416; **WAI/Transpo:** INR727P

APPLICATION / APLICACIÓN:

CHRYSLER: Laser, LeBaron, New Yorker, Dodge 600, Aries Caravan;

PLYMOUTH: Acclaim, Reliant, Voyager, Turismo

ALTERNATOR / ALTERNATOR:

NIPPON DENSO: 101211-4590, 121000-2430, 121000-2490, 121000-2680

NIPPON DENSO
GA1253


FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x35A

REPLACES / REEMPLAZA:

NIPPON DENSO: 0215802511, 0215802512, 0215802521, 0215802522, 2735770081; **Cargo:** 135250; **Regitar:** RN-12;

WAI/Transpo: INR401

APPLICATION / APLICACIÓN:

ISUZU: Gemini 1.5, 1.6 Gti 16V;

TOYOTA: Carina 2.0, Celica 2.0 GTi 16V

ALTERNATOR / ALTERNATOR:

NIPPON DENSO: 100211-1070, 100211-1100, 100211-3120, 100211-7230, 100211-7640, 100211-7780, 100211-7910, 100211-7950, 100211-7951, 100211-7952, 100211-7990, 100211-9890, 101211-0100, 101211-0160, 101211-0420, 100211-0510, 121000-2500, 121000-2660

NIPPON DENSO
GA1254


FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x50A

REPLACES / REEMPLAZA:

NIPPON DENSO: 0215803640, 0215804120, 0215804490, 0215804660, 0215804840, 2735774120, 2735774290; **Cargo:** 135417;

WAI/Transpo: INR403P

APPLICATION / APLICACIÓN:

TOYOTA: Celica, Carina;

VOLVO: 740, 940, 960

ALTERNATOR / ALTERNATOR:

NIPPON DENSO: 100211-8370, 100211-8371, 100211-8590, 121000-3000, 121000-3100, 121000-3300, 121000-3310, 121000-3330, 121000-3340, 121000-3360, 121000-3370, 121000-3380, 121000-3390, 121000-3400, 121000-3430, 121000-3440, 121000-3450, 121000-3452

NIPPON DENSO
GA1153 // NEW //


FEATURES / CARACTERÍSTICAS: 100A, 12x50A, B+: M6X32.2mm, External Diameter: 117MM

REPLACES / REEMPLAZA:

Transpo: INR428, INR428AL

APPLICATION / APLICACIÓN:

ACURA: ILX L4 2.4 2013>2015, RDX L4 2.3 2007>2012;

HONDA: Civic L4 2.4 2012>2015, CR-V L4 2.4 2012>2014, CR-V 2.4 Non-Turbo Gas 2012>2013

ALTERNATOR / ALTERNATOR:

DENSO: 104210-1530, 104210-4730, 104210-4731, 104210-4732, 104210-5160

NIPPON DENSO
GA1200 // NEW //


FEATURES / CARACTERÍSTICAS: 180A, Avalanche Diode, 12x50A, B+ M8X15.2mm, External diameter: 134mm

REPLACES / REEMPLAZA:

Mobiletron: RN-67; **Regitar:** RN-67; **AS-Poland:** ARC6066; **Era:** 216316; **Transpo:** INR440

APPLICATION / APLICACIÓN:

BMW: 535i L6 3.0 2010>2012, 535i GT L6 3.0L 2010>2012, 535i GT xDrive L6 3.0L 2011>2012, 535i xDrive L6 3.0L 2011>2012, 535Li 3.0L Turbo 2011>2012, 640i L6 3.0L 2012, X3 L6 3.0L 2012, X5 L6 3.0L 2012, X6 L6 3.0L 2012;

CHRYSLER: Grand Voyager V 2.8 2012;

DODGE: Nitro ENR 2.8 2007>2010;

FORD: F-150 V8 5.0L 2011>2014;

JEEP: Grand Cherokee V6 3.0L 2014>2018, Grand Cherokee I 3.0L CRD 2011>2015;

LEXUS: LS460 V8 4.6L 2007>2012;

TOYOTA: Land Cruiser V8 5.7L 2008>2011, Land Cruiser V8 5.7L 2013>2016, Sequoia V8 4.6L 2010>2012, Sequoia V8 5.7L 2008>2018

ALTERNATOR / ALTERNATOR:

DENSO: 104210-6070, 104210-6071, 104210-6072, 104210-6080, 104210-6130, 104210-6131, 104210-6140, 104210-6180, 104210-6181, 104210-6182, 104210-6220, 104210-6270, 104210-6340, 104210-6402, 104210-6490, 104210-6590, 104210-6591, 104210-6592, 104210-6670, 421000-7001, TN104210-6670; **CHRYSLER:** 04801338AB, 04801835AB, 04801835AC, 1270259, 4801313AB, 4801313AC, 4801835AB, 4801835AC, P04801835AB, P04801835AC; **JEEP EAGLE:** 1270259; **LEXUS:** 27060-38040, 27060-38041, 27060-38050, 27060-38070

NIPPON DENSO
GA1255


FEATURES / CARACTERÍSTICAS: 90A, 8x35A Bosch Press-fit standard diodes

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

TOYOTA: Camry 2.2L 70A, Celica 2.2L 70A, MR2, Paseo W/O Heatshield;

LIFAN: Modelos 320/620 2010>

ALTERNATOR / ALTERNATOR:

DENSO: 1002115020, 1002116390, 1002116440, 1002115110, 1002116460, 100211644;

LIFAN: 481-3701100A, 1FZ198

VOLTAGE REGULATOR:

GA820

NIPPON DENSO
GA1258 // NEW //


FEATURES / CARACTERÍSTICAS: 120A, 8x50A, B+: M6X21.7mm, External Diameter: 114mm

REPLACES / REEMPLAZA:

Denso: 021580-5740; **Toyota:** 27357-70450; **Cargo:** 236947; **AS-Poland:** ARC6065; **Transpo:** INR574

APPLICATION / APLICACIÓN:

TOYOTA: Rav4 2.0 2001>2003, Rav 4 Mk2 2000>2003, Avensis T22 2000 2000>2003, Avensis Verso 2000 2001>2006

ALTERNATOR / ALTERNATOR:

DENSO: 101211-7400, 102211-0750, 102211-0840, 9661219-740;

TOYOTA: 27060-20200, 27060-20200-84, 27060-28070, 27060-28080, 27060-28080-84, 27060-28090-84

NIPPON DENSO
GA1260 // NEW //


FEATURES / CARACTERÍSTICAS: 80A, 6x35 Avalanche Diode, B+: M6X16.0mm

REPLACES / REEMPLAZA:

Cargo: 239026; **Transpo:** INR406P; **Mobiletron:** RN-36; **Regitar:** RN-36

APPLICATION / APLICACIÓN:

PONTIAC: Vibe L4 1.8L 2003>2006; **SCION:** tC L4 2.5L 2011>2012; **SUZUKI:** Aerio L4 2.3L 2005>2007; **TOYOTA:** Corolla L4 1.8L 2003>2008, Matrix L4 1.8L 2003>2008

ALTERNATOR / ALTERNATOR:

CHEVROLET: 88969480, 88969482; **SCION:** 27060-36011; **SUZUKI:** 31400-59J00; **TOYOTA:** 27060-0D110, 27060-0D110-84, 27060-0H010, 27060-0H01084, 27060-21150, 27060-21151, 27060-22020, 27060-22030, 27060-22040, 27060-22040-84, 27060-22080, 27060-22090, 27060-28170, 27060-28170-84, 27060-30050, 27060-75310, 27060-75310-84, 27060-75410, 27060-75411, 27060-75411-84, 27060-75412, 27060-75490, 270602203084, 270603001084, 270603005084

NIPPON DENSO
GA1304


FEATURES / CARACTERÍSTICAS: 120A Diodes 7x50A Avalanche (Zener), B+ Post M8

REPLACES / REEMPLAZA:

Denso: RTF40172; **Regitar:** RN-37; **WAI/Transpo:** INR431

APPLICATION / APLICACIÓN:

FORD: New Focus TDCi / 2.0

ALTERNATOR / ALTERNATOR:

NIPPON DENSO: 104210-3513, 104210-5800

VOLTAGE REGULATOR:

GA130

NIPPON DENSO
GA1305


FEATURES / CARACTERÍSTICAS: 120A Diodes 12x35A Avalanche (Zener), B+ Post M8

REPLACES / REEMPLAZA:

Denso: RTF39240, 021580-6830; **Regitar:** RN-54; **WAI/Transpo:** INR436

APPLICATION / APLICACIÓN:

HONDA: Acura

ALTERNATOR / ALTERNATOR:

NIPPON DENSO: 104210-2160, 104210-2870, 104210-4220, 104210-4370, 104210-5390, 104210-5410, 104210-5640, 104210-5990

NIPPON DENSO
GA1308


FEATURES / CARACTERÍSTICAS: 120A, Avalanche Diode 6-50A, Diameter OD: 113mm B+ M6x33mm

REPLACES / REEMPLAZA:

Cargo: 333441; **AS Poland:** ARC6064, **Mobiletron:** RN-45H, **Regitar:** RN-45H, **WAI Transpo:** INR438

APPLICATION / APLICACIÓN:

TOYOTA: Hilux Pit Bull

HONDA: Acura 2001>2004

ALTERNATOR / ALTERNATOR:

DENSO: 104210309; **HONDA:** 31100PGKA01, 31100PGKA03, TG1042109010

VOLTAGE REGULATOR:

GA141

NIPPON DENSO
GA1314


FEATURES / CARACTERÍSTICAS: 140A, 12X50A Avalanche, M8x30 B+ Bolt, Ø117mm
REPLACES / REEMPLAZA:
Cargo: 237607
APPLICATION / APLICACIÓN:
FORD: Focus II 1.6 /2.0 TDCi engine
ALTERNATOR / ALTERNATOR:
DENSO: 1042102710, 1042102730, 1042102780, 1042103520, 1042103521, 1042103522, 1042103523

NIPPON DENSO
GA1315


FEATURES / CARACTERÍSTICAS: 120A, Diodos 6-50A Avalanche(20-24V) Diameter OD: 117mm B+ M6mm.
REPLACES / REEMPLAZA:
Denso: 0215806490; **Regitar:** RN-48; **Cargo:** 237648; **WAI/Transpo:** INR429
APPLICATION / APLICACIÓN:
HONDA: Accord 2.4 2004-2005, Acura TSX 2.4 2004-2005, Element 2003-2006
ALTERNATOR / ALTERNATOR:
DENSO: 104210329, 1042103291; **HONDA:** 31100RAAA01, A03 A04 A05

POONG SUNG
GA1126


FEATURES / CARACTERÍSTICAS: 85A, Diodos 6x35A, with diode trio
REPLACES / REEMPLAZA:
Magneti Marelli: PR520565
APPLICATION / APLICACIÓN:
KIA: Besta 95>, Sportage
ALTERNATOR / ALTERNATOR:
POONG SUNG: OK 74 018 300 H.
VOLTAGE REGULATOR:
 GA125 / GA116

POONG SUNG
GA1127


FEATURES / CARACTERÍSTICAS: 60A, 6X50A Diodos
REPLACES / REEMPLAZA:
Hitachi: LR150-94B, LR150-98, LR150-98B, LR150-99, LR150-99B, LR150-101B, LR150-125, LR150-125B, LR150-140, LR150-165, LR150-177, LR150-186C, LR150-194, LR155-23, LR160-121, LR160-124, LR160-137, LR160-138, LR225-68B, LR225-80, LR235-58, LR235-62, LR235-69, LR235-70, LR240-21; **Lester:** 12278, 14255, 14300, 14301, 14303, 14587, 14647, 14652, 14659, 14742, 14744, 14745; **WAI:** 1-1096-01HI, 1-1109-01HI, 1-1114-01HI, 1-1124-01HI, 1-1567-01HI, 1-1593-01HI, 1-1593-02HI
APPLICATION / APLICACIÓN:
NISSAN; SUBARU (1978-1994)
ALTERNATOR / ALTERNATOR:
 ...

POONG SUNG
GA1133 // NEW //


FEATURES / CARACTERÍSTICAS: 120A, Avalanche Diodos 8x35A, M8x42.5mm, with triodiode and capacitor
REPLACES / REEMPLAZA:
Poongsung: 1109-026RS; **Transpo:** IHR788
APPLICATION / APLICACIÓN:
HYUNDAI: Elantra 2000 2002>2004, Santa Fé 2000 2001>2010, Trajet 2000 2001>2007, Tucson 2000 2004>2010;
KIA: Carens 2000 2002>2006, Sportage 2000 2004>2010
ALTERNATOR / ALTERNATOR:
HYUNDAI / KIA: 37300-27010, 37300-27012, 37300-27020, 37300-27021, 37300-27030, 37300-27031; **MAGNETI MARELLI:** 063532622010, 063532622010; **POONGSUNG:** 02131-9110, 02131-9111, 02131-9112, 02131-9261, 02131-9262, 02131-9310
VOLTAGE REGULATOR:
 GA589

POONG SUNG
GA1134


FEATURES / CARACTERÍSTICAS: 90A, Diodos 6x35A, with triodiode. Diameter 111mm, Right position positive
REPLACES / REEMPLAZA:
 -
APPLICATION / APLICACIÓN:
KIA: Sportage, Tucson 95>
ALTERNATOR / ALTERNATOR:
 -

POONG SUNG
GA1135


FEATURES / CARACTERÍSTICAS: 100A, Diodes 6x50A, with triodiode, Diameter 118mm

REPLACES / REEMPLAZA:

-

APPLICATION / APLICACIÓN:

KIA: Besta, Bongo

ALTERNATOR / ALTERNATOR:

-

VOLTAGE REGULATOR:

GA126

POONG SUNG
GA1136 // NEW //


FEATURES / CARACTERÍSTICAS: 120A, Diodes 8x50A, B+: M8X39.6mm, External diameter: 117mm

REPLACES / REEMPLAZA:

Cargo: 235599; **AS-Poland:** ARC9048; **Transpo:** IHR789; **Mobiletron:** RK-04; **Regitar:** RK-04; **Era:** 216332

APPLICATION / APLICACIÓN:

HYUNDAI: Elantra Mk3 hatch/saloon 2.0 CRDi 2001>2006, Highway Van 2.0 CRDi 2001>2004, Santa Fé 2.0 CRDi 4x4 2001>2006, Santa Fé 2.2 CRDi 4x4 2006>2012, Trajet 2.0 CRDi 2001>2008, Tucson 2.0 CRDi 2004>2010;

KIA: Carens Mk2 2.0 CRDi 2002->, Sportage 2.0 CRDi 2004->

ALTERNATOR / ALTERNATOR:

HYUNDAI / KIA: 37300-27010, 37300-27011, 37300-27012, 37300-27013, 37300-27030, 37300-27031;

POONG SUNG: 02131-9110, 02131-9111, 02131-9112, 02131-9113, 02131-9310, 02131-9311

PRESTOLITE
GA1596


FEATURES / CARACTERÍSTICAS: 90A, 8X35A Avalanche Diodes, with triodiode

REPLACES / REEMPLAZA:

Prestolite: K01208, K01422, 35215197.

APPLICATION / APLICACIÓN:

VW: Gol, Parati, Saveiro, Santana, Voyage 1998> (Autolatina)

ALTERNATOR / ALTERNATOR:

PRESTOLITE: 4335D, 4380D, 4410D, 4540C, 4555B, 4565B, 4575B, 4830D, 35214185A, 35214525B, 35214530C.

VOLTAGE REGULATOR:

GA596

PRESTOLITE
GA1597


FEATURES / CARACTERÍSTICAS: 90A, 8X35A Avalanche Diodes, without triodiode

REPLACES / REEMPLAZA:

Prestolite: K01382; **Lucas:** 35214586

APPLICATION / APLICACIÓN:

RENAULT: Clio, R19

ALTERNATOR / ALTERNATOR:

PRESTOLITE: 35214420, 35214420A.

VOLTAGE REGULATOR:

GA897

PRESTOLITE
GA1604


FEATURES / CARACTERÍSTICAS: 8x35A press-fit avalanche diodes

REPLACES / REEMPLAZA:

-

APPLICATION / APLICACIÓN:


VALDAY: Russian Truck

ALTERNATOR / ALTERNATOR:

Agrale: 6025.001.175.00.0;

Prestolite: AVE 2119 E;

Cummins: 5263830 - 5263797

THERMOKING
GA1593


FEATURES / CARACTERÍSTICAS: 23A, 6x35A, B+: 1/4"X35mm P.S: Bolt D+ 3/16"X28mm, Bolt D- 3/16"X32mm, Bolt W- 3/16"X36mm
REPLACES / REEMPLAZA:

Motorola: 1-103, 1-113, 1-148, 1-150, 1-175, 1-18, 1-193, 1-47, 1-48, 1-49, 1-163, 1-164, 1-100, 1-130, 1-73, 1-94

APPLICATION / APLICACIÓN:

THERMO KING TRAILER UNIT: HK, HK-II, HK-III TK 2.49 Diesel 0000, SB-III Isuzu 2.0/2.2 Diesel 0000, Sentry Isuzu 2.2L Dsl 0000, Super II MAX Isuzu 2.2L Dsl 0000, TD-II Yanmar 388 Diesel 0000;

THERMO KING TRUCK UNIT: KD-II Yanmar 366 Diesel 0000, KD-II MAX Yanmar 366 Diesel 0000, KD-II SR Yanmar 374 Diesel 0000, MD-200 Yanmar 374 Diesel 0000, MD-200-MT Yanmar 374 Diesel 0000, MD-300 Yanmar 374 Diesel 0000, MD-II Yanmar 366 Diesel 0000, MD-II MAX Yanmar 374 Diesel 0000, MD-II MAX SR Yanmar 374 Diesel 0000, MD-II SR Yanmar 374 Diesel 0000, MD-II TCI Yanmar 366 Diesel 0000, RD-II Yanmar 388 Diesel 0000, RD-II MAX Yanmar 388 Diesel 0000, RD-II MAX SR Yanmar 388 Diesel 0000, TS-200 Yanmar 374 Diesel 0000, TS-300 Yanmar 374 Diesel 0000, TS-500 Yanmar 395 Diesel 0000, TS-600 Yanmar 395 Diesel 0000 XDS 0000

ALTERNATOR / ALTERNATOR:

Thermoking: 5D44463G01, 412194;

Motorola: 8MR2215D

VOLTAGE REGULATOR:

GA605

THERMOKING
GA1594


FEATURES / CARACTERÍSTICAS: 37A, 6x35A Avalanche Diode, B+: M6X23mm, Bolt: B- M5X15mm
REPLACES / REEMPLAZA:

APPLICATION / APLICACIÓN:

THERMO KING MISC. EQUIPMENT: Super II 30 / MAX Thermo King 2.2L 1991>2003


THERMO KING TRAILER UNIT: SB-190 Isuzu 2.2L 1999, SB-200 Yanmar 486 Diesel 1999, SB-200 30 Yanmar TK486 1999>2007, SB-300 Yanmar 486 Diesel 1999, SB-II Isuzu 2.0L Diesel 1991, SB-II MAX Isuzu 2.2L Dsl 1991, SB-III 30 Thermo King 2.2L Dsl. 1991>2003, Super II Isuzu 2.2L Dsl 1991, Super II TC Yanmar 486 Diesel 1999

ALTERNATOR / ALTERNATOR:

Thermo King: 1E32215901, 1E32215G01, 1E51760G01, 41-6780, 41-7912, 41-5458, 44-9571, 44-8950; **Prestolite:** 66021606

VOLTAGE REGULATOR:

GA607

VALEO
GA1450


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, with capacitor

REPLACES / REEMPLAZA:

Valeo Paris Rhone: 100157; **Valeo:** NC133, NC216; **Regitar:** RP-03; **Cargo:** 131164; **WAI/Transpo:** IPR157

APPLICATION / APLICACIÓN:


RENAULT: Alliance, 1.8i Fuego, Espace 2.1 td, R21 td, GTD, R25 Turbo d, DX R20 td, GTD, R19 1.8i ;

PEUGEOT;

EAGLE;

ALTERNATOR / ALTERNATOR:

PARIS RHONE: A13N18432737, A13N19432736, A13N106432716, A13N113432734, A13N114432726, A13N116180576, A13N120433042, A13N173433121, A13R258101988, A14N1100108, A14N2100151, A14N 9100483, A14N10101473, A14N22101111, A14N35432781, A14N36432782, A14N42102963, A14N51432785, A14N55104084, A14N56106843, A14N59102592, A14N60105118, A14N63432789, A14N65104643, A14N77432802, A14N82105763, A14N84105764, A14N4150433132, 71651802, 71651902, 71635102, 71635602, 71635902, 71636102, 71652402, 71652602, 71650002, 71650402, 71650802, 71770102, 71770202

VALEO
GA1451


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A, with diode trio and capacitor

REPLACES / REEMPLAZA:

Valeo Paris Rhone: 103556, 103551, 181155; **Valeo:** A523726A, NC 135, NC 730, 593188, 593195, 593199; **Cargo:** 131701;

Lucas: 21225389, UBB 235, UBB255; **Magneti Marelli:** 940 038 305; **Regitar:** RP-02; **WAI/Transpo:** IPR551

APPLICATION / APLICACIÓN:


VOLVO: Penta;

PEUGEOT;

RENAULT: Espace 2.1 td , R21 td, GTD, R25 turbo d, DX R20 td, GTD, R19 1.8i

ALTERNATOR / ALTERNATOR:

VALEO: A12N2M, A13N1M100605, A13N2M100606, 208121, 208124, 208399, 204401, 208402, 100605, 100606, 100879, 101218, 101822, 101823, 102341, 102794, 103141, 2102341, 2102794, 2181693, 2181695, 2181757, 2181760, 2181762, 2541133, 2541191, 2541199, 2541208, 2541218, 2541768, 2541773, 436352, 592769, 592775, A13N28M102794, A13N33M103233, A13N34104551, A13N35M103141, A13N35M103141, A13N36M100879, A13N5101823, A14N118M181991, A14N119M180620, A14N122N2518061, A14N137M592775, A13N165, A13N186M, A13N190, A13N281, A13N282, A14N114T, A14N115M, A14N116M, A14N137, A14N177M, A14N206M, A14N43M, A14N44M

VALEO
GA1452


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A, with capacitor

REPLACES / REEMPLAZA:

Valeo: 100175, 101217, 101759, 103539, 103570, 103576, 104292, 105135, 105629, NC139, NC936; **Cargo:** 133689;

Lucas: 21225388; **Magneti Marelli:** 940 038 309; **Regitar:** RP-03; **WAI/Transpo:** IPR539


APPLICATION / APLICACIÓN:

AMC; RENAULT: R18 R20, Trafic, Fuego, RM, R9 GTX, Espace 2.0;

PEUGEOT: 204, 304, 504, 604, J7

ALTERNATOR / ALTERNATOR:

VALEO: 100108, 2105311, 432716, A13N62, 100151, 2105369, 432724, A13N82, 100483, 2105448, 432726, A13N84, 100735, 2105626, 432736, A13N87, 101111, 2105654, 432738, A13N91, 101373, 2105678, 432757, A13N92, 101473, 2105763, 432781, A13NN82, 101728, 2105764, 432782, A13R258, 101988, 2106073, 432785, A14N1, 102592, 2180576, 432789, A14N10, 102963, 2180579, 432793, A14N101, 104084, 2180594, 432802, A14N102, 104643, 2180674, 432812, A14N103, 105118, 2180788, 433449, A14N113, 105243, 2180789, 433450

VALEO
GA1453

FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A, with diode trio, capacitor and resistor

REPLACES / REEMPLAZA:
Valeo: 105554, 2181241, NC245; **Lucas:** 21225378, UBB 242; **Peugeot:** 5744.61; **Regitar:** RP-04HR; **Cargo:** 131569;

WAI/Transpo: IPR554

APPLICATION / APLICACIÓN:
PEUGEOT: Peugeot 505, 204, 304, 305, 104, J5 1.8, 2.0, J9, 604;

CITROËN: AX 1.0, 1.3, 1.4, BX14, C15 1.1, 1.4, C25 0.8, 2.0;

TALBOT: Tagora DT d

ALTERNATOR / ALTERNATOR:
VALEO: A13N130, 2180675, 100749, A14N82, 432806, 2100749, A14N88, 436314, 2105707, 436320, 2106074; **LESTER:** 14455

VALEO
GA1454

FEATURES / CARACTERÍSTICAS: 120A Diodes 6x50A, without diode trio, with capacitor

REPLACES / REEMPLAZA:
Valeo Paris Rhone: 104615, 105522, 105523, 106016; **Valeo:** NC143; **Cargo:** 131573; **Lucas:** 21225390, UBB 238;

Magneti Marelli: 940 038 308; **Regitar:** RP-08; **WAI/Transpo:** IPR615


APPLICATION / APLICACIÓN:
JEEP: Diesel with engine Renault;

VOLVO: 460 1.9TD;

RENAULT: Master 2.0, Trafic, R19, 1.9 td, TDE R20, R21 Baccara, RX, GTX, TI, TXE Aut, R25 Clio 1.9D, Espace 2.0, GTS, TSE, TXE, 2.1 td, Fuego td

ALTERNATOR / ALTERNATOR:
VALEO: 104247, A13N107, A13N81, 104248, A13N108, A13N90, 104252, A13N112, A14N117, 180577, A13N117, A14N132, 180580, A13N119, A14N152, 183011, A13N164, A14N158, 432717, A13N185, A14N163, 432718, A14N54, A14N164, 432783, A14N53, A14N4;

LESTER: 14308, 14891, 14978; **PIC:** 208126, 208127, 208128, 208129


VALEO
GA1455

FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A, with diode trio and capacitor, without resistor

REPLACES / REEMPLAZA:
Valeo Paris Rhone: 101713; **Cargo:** 133687; **Lucas:** 21225394, UBB 234; **Magneti Marelli:** 940 038 304; **Regitar:** RP-05H;

WAI/Transpo: IPR713

APPLICATION / APLICACIÓN:
PORSCHE: 911 Carrera, Turbo, 928 4.5, 4.7

ALTERNATOR / ALTERNATOR:
VALEO: 2101368, 432776, A14N38, 2102746, 432797, A14N38, 2104355, A14N11, A14N71; **LESTER:** 208400

VALEO
GA1456

FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A, with diode trio and capacitor

REPLACES / REEMPLAZA:
Valeo Paris Rhone: 592747, 592749, NC976; **Cargo:** 34098; **Magneti Marelli:** 940 038 330; **Regitar:** RP-09; **WAI/Transpo:** IPR747

APPLICATION / APLICACIÓN:
PEUGEOT: 205 1.6, 1.8, 1.9 GTI, 305, 309 1.6, 1.8, 1.9 GTI 16V, 405 1.6, 1.9 GR, GLX, SRI;

CITROËN: BX16, BX19d, Visa 1.7d, Visa 1.7d, Visa GTI, C15 1.8d;

TALBOT: Horizon d

ALTERNATOR / ALTERNATOR:
VALEO: 433457, A13N182, A13N218, A13N151, A13N183, A13N219, A13N177, A13N183, A13N219, A13N181, A13N218, A13N261, A13N181, A13N182

VALEO
GA1457

FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A, with diode trio, capacitor and resistor

REPLACES / REEMPLAZA:
Valeo Paris Rhone: 101773, 101776, 103546; **Cargo:** 131569; **Lucas:** 21225391; **Valeo:** NC 134, NC 217; **Regitar:** RP-04R;

WAI/Transpo: IPR773

APPLICATION / APLICACIÓN:
PEUGEOT: 204, 304, 305, 104, 504, 604;

RENAULT: R14, TL;

CITROËN: Visa GT, C15 1.0, 1.1, 1.4

ALTERNATOR / ALTERNATOR:
VALEO: 100402, 433380, 71653202, A13R259, 101989, 71635702, 71655002, A13R266, 102240, 71636202, 71655102, A13R268, 102242, 71636302, 71770002, 432803, 102243, 71636402, 9860309912, 432815, 104378, 71636802, A13N32, 433374, 105114, 71636902, A13N38, A13N94, 432739, 71651502, A13N40, A13R248, 432743, 71652002, A13N41, 71652703, 432744, 71652102, A13N42, 71653102, 432745, 71652302, A13N56M, 432758, 432746, 71652702, A13N83, 432768; **LESTER:** 14954

VALEO
GA1458


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A, with diode trio, capacitor and resistor

REPLACES / REEMPLAZA:

Valeo Paris Rhone: 105813, 105814, 592742, NC142; **Cargo:** 133741; **Lucas:** 21225379, UBB 244; **Peugeot:** 5744.65;

Regitar: RP-09; **WAI/Transpo:** IPR813

APPLICATION / APLICACIÓN:


PEUGEOT: 205 1.6 GTi, 1.8, 1.9 GTi, 305d, GT, GX, 309 1.6, 1.8, 1.9, 405 1.6, 1.9d;

TALBOT: Horizon;

CITROËN: BX16, BX19, Visa17, C15 1.8d

ALTERNATOR / ALTERNATOR:

VALEO: 2101846, 432769, 433487, A13N243, 2105761, 432778, A13N167, A13N80, 2541142, A13N214, A13N95; **LESTER:** 14584

VALEO
GA1459


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A, with diode trio, without capacitor

REPLACES / REEMPLAZA:

Valeo Paris Rhone: 350011, NC388; **Lucas:** 21224163; **Cargo:** 131569; **WAI/Transpo:** IPR103

APPLICATION / APLICACIÓN:

RENAULT

ALTERNATOR / ALTERNATOR:

VALEO: 71635202, 71645002, 71651602, 71635502, 71650202, 71652202, 71635802, 71651202, 71655502, 71636002, 71651302;

PIC: 208606, 208609

VALEO
GA1460


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A, with capacitor

REPLACES / REEMPLAZA:

Valeo Paris Rhone: 101743, 102527, 103543, 105380, A103543A, A180593A, NC 145; **Cargo:** 131228; **Lucas:** 21225386, UBB 232;

Magneti Marelli: 940 038 301; **Volvo:** 33431263; **Regitar:** RP-01; **WAI/Transpo:** IPR135


APPLICATION / APLICACIÓN:

RENAULT: Clio, 1.1, R19 1.2, R5 1.0, 1.1, 1.2, 1.4 GT Turbo, R9, R11, R18 GTX, Master 2.0, Tfraic, Fuego TL, Clio 1.8, 1.9;

VOLVO: 640 Série

ALTERNATOR / ALTERNATOR:

VALEO: 100791, 2181467, 432771, A13N188, 101358, 2181468, 432777, A13N199, 101731, 2181648, 432795, A13N204, 101748, 2181726, 432796, A13N206, 101999, 2181727, 432799, A13N209, 102746, 2181730, 432805, A13N210, 103586, 2518059, 432814, A13N226, 104667, 2518086, 433441, A13N27, 104840, 2541116, 433443, A13N271, 105789, 2541117, 433452, A13N29, 106085, 2541118, 433459, A13N30, 180505, 2541120, 433460, A13N49, 181730, 2541121, 433461, A13N50, 2100790, 2541122, 433464, A13N52, 2100791, 2541123

VALEO
GA1461


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A, with diode trio and capacitor

REPLACES / REEMPLAZA:

Valeo Paris Rhone: 100931, 104941, 104971; **Valeo:** 592596, NC138; **Cargo:** 131164; **Lucas:** 21225400, UBB 240;

Magneti Marelli: 940 038 302; **Regitar:** RP-04; **WAI/Transpo:** IPR203

APPLICATION / APLICACIÓN:

CITROËN: C32, 35 2.0, 2.2, 2.5, C15 1.1, 1.3, CX 2000, 2200, 2400 GTI, CX25;


PEUGEOT: 309 1.1, 1.3, 1.4, 1.6;

RENAULT: R19, R17, R11 GTX, R9 GTX;

VOLVO: 440, 460 1.7 Turbo, 1.6, 1.8, 2.0, 480S 2.0

ALTERNATOR / ALTERNATOR:

VALEO: 180707, 71655002, A13N46, A14N78, 2100702, 71655102, A13N47, A14N80, 432719, 71655202, A13N9, A14N88, 432737, A13N109, A13R267, A14N90, 432747, A13N129, A14N07, A14N93, 432748, A13N242, A14N16, A14N97, 432811, A13N25, A14N23, A14R47, 71636202, A13N39, A14N23; **PIC:** 208116, 208117, 208118, 208123, 208130, 208131, 208600, 208601, 208607; **LESTER:** 13090, 14039, 14224, 14263, 14281, 14291, 14320, 14609, 14942, 14955

VALEO
GA1462


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A, with diode trio and capacitor

REPLACES / REEMPLAZA:

Valeo Paris Rhone: 101227, 104269; **Valeo:** NC137; **Cargo:** 131568; **Lucas:** 21225416, UBB 236;

Magneti Marelli: 940 038 306; **Regitar:** RP-06H; **WAI/Transpo:** IPR227


APPLICATION / APLICACIÓN:

SCANIA;

PEGASO

ALTERNATOR / ALTERNATOR:


VALEO: 100422, 2102334, 592774, A13N45T, 102334, 2105111, 99755, A14N133, 105111, 2105112, A13N11, A14N135, 105112, 2541145, A13N245, A14N39, 2099755, 2541147, A13N44T, A14R33, 2100442; **PIC:** 208135; **LESTER:** 12120

VALEO
GA1463

FEATURES / CARACTERÍSTICAS: 120A , Diodes 6x50A, with capacitor

REPLACES / REEMPLAZA:
Valeo Paris Rhone: 105252, 105690; **Valeo:** NC141, A523707A, A523724A; **Cargo:** 132985; **Lucas:** 21225387, UBB 237; **Magneti Marelli:** 940 038 307; **Regitar:** RP-07; **WAI/Transpo:** IPR252


APPLICATION / APLICACIÓN:
RENAULT: Space 2.1td, R19 1.8i, R20td, GTD, R21 Baccara, TXE, EX, GTX, TI, GTD, R25

ALTERNATOR / ALTERNATOR:
VALEO: 432764, A13N88, A13N171, 432788, A14N62, A13N171

VALEO
GA1464

FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A, with diode trio, capacitor and resistor

REPLACES / REEMPLAZA:
Valeo Paris Rhone: 101342; **Valeo:** NC161, A523728A; **Cargo:** 131570; **Lucas:** 21225377, UBB 243; **Magneti Marelli:** 940 038 311; **WAI/Transpo:** IPR342-1

APPLICATION / APLICACIÓN:
RENAULT;
PEUGEOT
ALTERNATOR / ALTERNATOR:
VALEO: 100363, 2100363, 2541414, A13N61T, 100894, 2100894, A13N221, A14N18, 100896, 2100896, A13N229T, A14N28T, 101375, 2101375, A13N22T, A14N32T, 101879, 2101879, A13N4T, A14N3T, 102056, 2102056, A13N5T, A14N91, 102058, 2102058, A14N92

VALEO
GA1465 // NEW //

FEATURES / CARACTERÍSTICAS: 120A Diodes 6x50A, With triodiode, With Capacitor

REPLACES / REEMPLAZA:
Valeo Paris Rhone: 100931, 104941, 104971; **Valeo:** NC138, 592596; **Lucas:** 21225400, UBB 240; **Magneti Marelli:** 940 038 302; **Regitar:** RP-04, **Cargo:**131164, **Transpo:** IPR203

APPLICATION / APLICACIÓN:
CITROËN: C32 2.0, 2.2, 2.5, C35 2.0, 2.2, 2.5, C15 1.1, 1.3; **VOLVO:** 440i, 460, 480; **PEUGEOT:** 309 1.1, 1.3, 1.4, 1.6; **RENAULT:** R19, R21, R9, R11

ALTERNATOR / ALTERNATOR:
VALEO: 180707, 2100702, 432719, 432737, 432747, 432748, 432811, 71636202, 71655002, 71655102, 71655202, A13N109, A13N129, A13N242, A13N25, A13N39, A13N46, A13N47, A13N9, A13R267, A14N07, A14N16, A14N23, A14N23, A14N78, A14N80, A14N88, A14N90, A14N93, A14N97, A14R47; **LESTER:** 13090, 14039, 14224, 14263, 14281, 14291, 14320, 14609, 14942, 14955; **PIC:** 208116, 208117, 208118, 208123, 208130, 208131, 208600, 208600A, 208601, 208607

VALEO
GA1499 // NEW //

FEATURES / CARACTERÍSTICAS: 90A, 8x50A Avalanche, B+: M8X15.5mm, External diameter 108mm

REPLACES / REEMPLAZA:
Valeo: 593512; **Mobiletron:** RP-42; **Transpo:** IPR512; **AS-Poland:** ARC3044; **Era:** 216027; **Cargo:** 235558

APPLICATION / APLICACIÓN:
MERCEDES-BENZ: A160 1.7 CDI 2001>2015, A170 1.7 CDI 2001>2004, Vaneo 1.7 CDI 2002>2005

ALTERNATOR / ALTERNATOR:
VALEO: SG15L012, SG15L026

MB: A6681540102, A6681540202, A6681540302

VALEO
GA1611 // NEW //

FEATURES / CARACTERÍSTICAS: 220A, 6x50A Avalanche Diode, B+: M8x1,25x12.6mm

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:
BMW: 320d 1995ccm N47D20C, 2.0 2011-2016, 320d N47D20C 1995cc, 2.0L 2011-2016,5 (F10) Eng. 518 d 100kw 2013-2014, 5 (F10) Eng. 520 d 120kw 2009-2016, 5 (F10) Eng. 520 d xDrive 120kw 2013-2016, 5 (F10) Eng.N47 D20 C 518 d 105kw N47 D20 C 2013-2014, 5 (F10) Eng.N47 D20 C 520 d 135kw N47 D20 C 2010-2016, 5 (F10) Eng.N47 D20 C 520 d xDrive 135kw N47 D20 C 2013-2014, 5 (F10) Eng. N47 D20 D 525 d 155kw N47 D20 D 2011-2016, 5 (F10) Eng.N47 D20 D 525 d 160kw N47 D20 D 2011-2016, 5 (F10) Eng.N47 D20 D 525 d xDrive 155kw N47 D20 D 2011-2016, 5 (F10) Eng.N47 D20 D 525 d xDrive 160kw N47 D20 D 2011-2016, 5 Gran Turismo (F07) Eng. 520 d 120kw 2011, 5 Gran Turismo (F07) Eng.N47 D20 C 520 d 135kw N47 D20 C 2011, 5 Touring (F11) Eng. 518 d 100kw 2012, 5 Touring (F11) Eng. 520 d 120kw 2009, 5 Touring (F11) Eng. 520 d xDrive 120kw 2013, 5 Touring (F11) Eng. 525 d 155kw 2011, 5 Touring (F11) Eng. 525 d xDrive 155kw 2011, 5 Touring (F11) Eng.N47 D20 C 518 d 105kw N47 D20 C 2012-2014, 5 Touring (F11) Eng.N47 D20 C 520 d 135kw N47 D20 C 2009-2016, 5 Touring (F11) Eng.N47 D20 C 520 d xDrive 135kw N47 D20 C 2013-2014, 5 Touring (F11) Eng.N47 D20 D 525 d 160kw N47 D20 D 2011, 5 Touring (F11) Eng.N47 D20 D 525 d xDrive 160kw N47 D20 D 2011, 520d 1995ccm N47D20C, 2.0 2010-2016, 520d N47D20C 1995cc, 2.0L 2010-2016, 520d Gran Turismo N47D20C 1995cc, 2.0L 2010-2016, 525d 1995ccm N47D20, 2.0 2011-2016, 525d N47D20 1995cc, 2.0L 2011-2016, X3 (F25) Eng.N47 D20 C sDrive 18 d 100kw 2011-2016, X3 (F25) Eng.N47 D20 C sDrive 18 d 100kw N47 D20 C 2011, X3 (F25) Eng.N47 D20 C sDrive 18 d 105kw 2011-2016, X3 (F25) Eng.N47 D20 C sDrive 18 d 105kw N47 D20 C 2011, X3 (F25) Eng.N47 D20 C xDrive 20 d 120kw 2010-2016, X3 (F25) Eng.N47 D20 C xDrive 20 d 120kw N47 D20 C 2010, X3 (F25) Eng.N47 D20 C xDrive 20 d 135kw 2010-2016, X3 (F25) Eng.N47 D20 C xDrive 20 d 135kw N47 D20 C 2010, X3 sDrive 1995ccm N47D20C, 2.0 2011-2016, X3 xDrive 1995ccm N47D20C, 2.0 2010-2016

ALTERNATOR / ALTERNATOR:
VALEO: FG23S032, FG23S043, FG23S011, FG23S054, FG23S010;

BMW: 12-31-4-595-890, 12-31-4-595-891, 12-31-7-575-344, 12-31-7-575-347, 12-31-7-603-779, 12-31-7-603-782

VALEO
GA1612 // NEW //


FEATURES / CARACTERÍSTICAS: 120A, 6x35A Avalanche Diode, B+: M8x1,25x18.0 mm
REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

FORD: Ecosport 1.5 EcoBlue TDCi (XVJD) Diesel 2015>, Ecosport 1.5 TDCi Ecoblue (ZTJA / ZTJB / ZTJC) Diesel 2017>

ALTERNATOR / ALTERNATOR:

VALEO: FGN12S102. **FORD:** GN15-10300-AA

VALEO
GA1680 // NEW //


FEATURES / CARACTERÍSTICAS: 150A, 6x60A Avalanche Diode, B+: M8X14.5mm
REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

CITROËN: Berlingo 1.6 Vti 2009>2010, C4 Grand Picasso I 1.6 16V 2008, C4 Grand Picasso I 1.6 THP 2010, C4 II 1.6 Vti 2009, C5 III 1.6 THP 150 2010, DS3 Convertible 1.6 THP 150 2013>2015, DS4 Eng.5FS (EP6C) 1.6 VTi 120 2011>2015, DS5 1.6 THP 165 2012>2015

ALTERNATOR / ALTERNATOR:

VALEO: FG15T044, FG15T072, 2620249, TG12C170, 98 073 448 80

PEUGEOT: 9666998080, 9666997980

VALEO
GA1691 // NEW //


FEATURES / CARACTERÍSTICAS: 150A, 6x60A Avalanche Diode, B+: M8x1.25x10.8mm
REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

RENAULT: Fluence 2.0 16V 2010> Petrol, Laguna 2.0 16V 2007>2012 Petrol, Laguna 2.0 16V Hi-Flex 2007>2015 Petrol/Ethanol, Latitude 2.0 16V 2011> Petrol/Ethanol, Megane III Hatchback 2.0 2009> Petrol, Megane III Grandtour 2.0 2009> Petrol, Megane III Coupe 2.0 2009> Petrol, Megane CC 2.0 2010> Petrol, Scénic III 2.0 16V 2009> Petrol

ALTERNATOR / ALTERNATOR:

VALEO: TG15C153, TG150025, 2606190A, TG15C142;

RENAULT: 2310 005 43R, 8200 854 119

VALEO
GA1814


FEATURES / CARACTERÍSTICAS: 120A, 6x50A Avalanche Diode, B+: M8x16mm
REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

HYUNDAI: Creta 1.6 2017, Elantra Stufenheck 1.6 2011>2017, i30 1.6 GDI 2011>2017, i30 CW 1.6 2012>2017, Veloster 1.6 MPI 2011>2017;

KIA: Forte5 1.6 L4 2017, Soul 1.6 L4 2017

ALTERNATOR / ALTERNATOR:

HYUNDAI/ KIA: 37300-2B910; **VALEO:** 2625573, 2622971

VOLTAGE REGULATOR:

GA912

VALEO
GA1824


FEATURES / CARACTERÍSTICAS: 90A, 6x35A Avalanche Diode, Diameter: 108mm
REPLACES / REEMPLAZA:

Valeo: S9082PC

APPLICATION / APLICACIÓN:

GM: Corsa, Corsa Sedan 1.0/ 1.4/1.8/ 1.8 OHC, Meriva 1.8 OHC 2005>

ALTERNATOR / ALTERNATOR:

VALEO: SG9B081 /SG9B082

GM: 93312974 / 93312975 / 2220238A / 2220239A

VALEO
GA1827


FEATURES / CARACTERÍSTICAS:
REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

VW: Fox Blue Motion 2015>, Gol 2017>, Up 2014>, Voyage 2017> (All 1.0 3 cylinder)

ALTERNATOR / ALTERNATOR:

VALEO: TG9S132, TG12C213; **VW:** 04C 903 023 P;

RENAULT: 2622557

VOLTAGE REGULATOR:

GA980

VALEO
GA1829

FEATURES / CARACTERÍSTICAS: 150A, 6x50A Avalanche Diode, B+: M8X19mm

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:
MERCEDES BENZ: E200 1800 2002>2010

ALTERNATOR / ALTERNATOR:
VALEO: TG15C075;

MERCEDES BENZ: A 271 154 15 02

VOLTAGE REGULATOR:

GA919

VALEO
GA1844

FEATURES / CARACTERÍSTICAS: 120A, 8x50A, Avalanche Diode B+: M8x25.7mm

REPLACES / REEMPLAZA:
Cargo: 138303; **AS-Poland:** ARC3018; **Transpo:** IPR850; **Mobiletron:** RP-23; **Regitar:** RP-23

APPLICATION / APLICACIÓN:
BMW: Z3 L6 2.8L 2793cc 1997-2000

RENAULT: Clio II 1900 1998>2001, Espace III 2000 16v 1999>2002, Kangoo 1900 1999>2005, Megane 1900 1997>2000, Trafic 1900 1997>2000

VOLVO: C70 L5 2.3/2.4 1998>1999, S70 L5 2.3/2.4 1998, V70 L5 2.3/2.4 1998

OPEL: Movano 1900 2000>2002

ALTERNATOR / ALTERNATOR:
BMW: 12311432976, 12311432978, 12311432979, 12311432981, 12311432982, 12311432984

CHEVROLET: 4402600, 9112174

OPEL: 44-02-600

RENAULT: 7700105333, 7700300407, 7700300408, 7700427880, 7700430579, 7700431941

VOLVO: 8111107, 8111107-0, 8111920, 8251639, 9148301, 9148665

VALEO
GA1845

FEATURES / CARACTERÍSTICAS: 155A, Avalanche Diode 8x50A, B+: M8x32mm

REPLACES / REEMPLAZA:
Valeo: 593667; **Cargo:** 236305; **AS-Poland:** ARC3046; **Transpo:** IPR687; **Mobiletron:** RP-41; **Regitar:** RP-41

APPLICATION / APLICACIÓN:
RENAULT EUROPE CAR: Espace IV 1.9 2002>2006, Espace IV 2.0 Turbo 2002>2010, Espace IV 2.2 2002>2010, Grand Scenic II 1.9 2004>2010, Megane II 1.9 2002>2010, Scenic II 1.9 2004>2010

ALTERNATOR / ALTERNATOR:

Renault: 7711134926, 8200138269, 8200225806, 8200290220, 8200495268, 8200495269, 8200667616, 8200667617

VALEO
GA1846 // NEW //

FEATURES / CARACTERÍSTICAS: 150A, Avalanche Diode 12x50A, B+: M8x13.2mm, External diameter 102mm

REPLACES / REEMPLAZA:
Valeo: 2809019, 2809020, 593287, 593499; **Cargo:** 232199; **AS-Poland:** ARC3024; **Transpo:** MER1920

APPLICATION / APLICACIÓN:
CITROËN: Berlingo 2.0 Hdi 4x4 2002>2005, Berlingo box 2.0 Hdi 1999>2002, C5 2.2 Hdi 2001>2002, C5 break 2.0 Hdi 2001>2002, Evasion 2.0 Hdi 2000>2002, Jumper box 2.0/2.2 2001>2004, Xsara 2.0 Hdi 1999>2002, Xsara break 2.0 Hdi 1999>2002, Xsara coupe 2.0 Hdi 1999>2002

PEUGEOT: 406 1900 1996>1999, 406 2100 1996>1998, 605 2100 1995>1998

FIAT: Ducato box 2.0 2002>2004, Scudo box 2.0/2.0 16V 1999>2004, Ulysse 2.0 16V 1999>2002

ALTERNATOR / ALTERNATOR:
CITROËN/ PEUGEOT: 9624177680, 9639362380, 9641302580, 9645907680, 9645907780, 9624137480, 9624137680, 9635342080, 5705GC, 5702 A0 (P), 5702 A0 (P), 5702 A1 (C), 5702 A1 (C), 5702A0, 5702A0, 5702A1, 5702A1, 57054F, 57054S, 57055H, 57055J, 5705AA, 5705Y3, 5705Y4

FIAT: 9636254180, 9640878780

VALEO
GA1847 // NEW //
FEATURES / CARACTERÍSTICAS: 70A, 6x50A, External diameter 100mm

REPLACES / REEMPLAZA:
Cargo: 131698; **AS-Poland:** ARC3123; **Transpo:** MER106; **Mobiletron:** RT-07H; **Regitar:** RT-07H

APPLICATION / APLICACIÓN:
BMW: 320 w/ 2.0 1977>1982, 520 w/ 2.0 1977>1981

FIAT: Regata 138B 1.3/1.5 1983>1985, Regata 138C2 1.5 1985>1987, Regata 138C3 1.5 1985>1989, Ritmo 138B3 1.5 1985>1987, Uno 138C2 1.5 1985>1987

LANCIA: Delta 138C 1.5 1985>1987, Prisma 138C 1.5 1985>1986


CITROËN: C25 Box 2.5 1987>1994, CX 2000 1974>1980, CX 2200 1975>1980, CX 2500 1983>1990, CX I Break 2500 D 1982>1985, CX II 25 D Turbo 1985>1986

SAAB: 900 L4 2.0 1985 1979>1980

ALTERNATOR / ALTERNATOR:
BMW: 12311277232, 12311277502, 12311361373, 12311361824

FIAT: 46231688, 46231689, 77401410, 77525410, 9563261580

CITROËN: 5705 75, 5705 88, 5705 Y6 (C), 95607228 (C), 95607228 (C), 9563261580, 95635746

SAAB: 8512311, 8523254, 8557043

VALEO
GA1848
FEATURES / CARACTERÍSTICAS: 150A, 6x60A, Diodo Avalanche B+: M8x16.5mm

REPLACES / REEMPLAZA:
Valeo: 2606622, 593526, 593803; **Elccor:** ARC-PR055; **Cargo:** 235654; **As-Poland:** ARC3030; **Transpo:** MER548

APPLICATION / APLICACIÓN:
MERCEDES-BENZ: A160/ A180/ A200 2000 2004>2010, B180/ B200 2000 2005>2010

BMW: 318 2.0 2006>2015, 320 2.0 2006>2015, 325 3.0 2010, 325 3.0 2006>2009, 330 3.0 2005>2008, 335 3.0 2006>2015

CITROËN: Berlingo 2.0 4x4 2002>2005, C1 1.4 2005>2014, C3 1.4 2005>2006, C4 coupe 2.0 2006>2007, C5 II 2.2 2004, C8 2.2 2002, Xsara 1.4 2003>2005

PEUGEOT: 206 1600 2004>2010, 207 1400/ 1600 2006>2010, 307 1600/ 2000 2003>2010, 308 1600 2007>2012, 406 2000/ 2200 2001>2004, 407 1600/ 2000/ 2200 2004>2010, 607 2000/ 2200 2004>2010, 807 2000/ 2200 2002>2010

FIAT: Ulysse 2.0 2002>2011

ALTERNATOR / ALTERNATOR:
BMW: 12317799180, 12317799181

FIAT: 71748885, 9646065480, 9646066880, 9646321780

MERCEDES-BENZ: 6401540202, 6401540302, 6401540402, 6401540502, 6401540102, A6401540202, A6401540302, A6401540402, A6401540502, A6401540102

PEUGEOT/CITROËN: 5702 C5, 5702 C5 (P), 5702 C6, 5702 C6 (C), 5702 E2, 5702 E3 (C)

VALEO: TG15C020, TG15C022, TG15C023, TG15C028, TG15C034, TG15C053, TG15C054, TG15C056, TG15C057, TG15C057A, TG15C057B, TG15C057C, TG15C093, TG15C118, TG15C119, TG15C121, TG15C127, TG15C134, TG15C156

VALEO
GA1849 // NEW //
FEATURES / CARACTERÍSTICAS: 80A, 6x50A, B+: M8X15mm

REPLACES / REEMPLAZA:
Cargo: 235517; **AS-Poland:** ARC3124; **Mobiletron:** RP-39H; **Regitar:** RP-39H

APPLICATION / APLICACIÓN:
CITROËN: C2 1.1/1.4/1.6 2003->, C3 1.1/1.4/1.6 2002->, C3 Pluriel 1.4/1.6, Berlingo 1.4 2002>2005

PEUGEOT: 207 hatch 1.4/1.6 16V 2006->, 307 hatch 1.4/1.6 2000>2007, 1007 1.4/1.6 2005->

ALTERNATOR / ALTERNATOR:
VALEO: 2542485A, 603030256

CITROËN/ PEUGEOT: 5705 4H, 5705 5A, 5705 5T, 5705 6Y, 5705 6Z, 5705 GN, 9642879480

VALEO
GA1851 // NEW //
FEATURES / CARACTERÍSTICAS: 150A, Avalanche Diode, 6x60A, B+ M8X11.5mm

REPLACES / REEMPLAZA:
AS-Poland: ARC3049; **Cargo:** 239788; **Transpo:** MER531; **Era:** 216202

APPLICATION / APLICACIÓN:
NISSAN: Primastar Box 780 dCi 2006

RENAULT: Espace IV 2000 2006>2010, Trafic 2000 2006>2010

OPEL: Vivaro 2000 2006>2010

ALTERNATOR / ALTERNATOR:
VALEO: TG15C091, TG15C059, TG15C125

RENAULT: 8200725683, 8200404461, 8200525891


VALEO
GA1878


FEATURES / CARACTERÍSTICAS: 70A, 6x35A Avalanche Diode, Bolt B+: M8X15mm
REPLACES / REEMPLAZA:
 ...
APPLICATION / APLICACIÓN:
VW: Gol, Saveiro, Voyage G5, Fox, Up >2013
ALTERNATOR / ALTERNATOR:
 Valeo: TG7S019; **VW:** 04C 903 023 F

VALEO
GA1881


FEATURES / CARACTERÍSTICAS: 140A, 6x50A Avalanche Diodes
REPLACES / REEMPLAZA:
Valeo: 2607513 A3
APPLICATION / APLICACIÓN:
AUDI: A3 Limousine;
SEAT: Leon, Leon SC, Leon ST
ALTERNATOR / ALTERNATOR:
 TG14C071, 2622499A

VALEO
GA1882


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A, with capacitor
REPLACES / REEMPLAZA:
Valeo: 592882; **Cargo:** 136883
APPLICATION / APLICACIÓN:
VOLVO: FH12 05/98 >, NH12 05/98 >, Serie Globetrotter 05/98 >.
ALTERNATOR / ALTERNATOR:
VALEO: 439231, A14N183M
VOLTAGE REGULATOR:
 GA969

VALEO
GA1892


FEATURES / CARACTERÍSTICAS: 75A, 6x35A, Avalanche diode, B+: M8X16mm, with triodiode
REPLACES / REEMPLAZA:
 -
APPLICATION / APLICACIÓN:
KIA: Picanto ex4 1.0 2012>2015
ALTERNATOR / ALTERNATOR:
Valeo: 2619399; Kia/ Hyundai: 37300-04030, 37300-04010
VOLTAGE REGULATOR:
 GA907

VALEO
GA1269 // NEW //


FEATURES / CARACTERÍSTICAS: 110A, Diode 6x50A, Avalanche, B+: M8(10mm)*M6(17mm)*27mm(Screw). External diameter 108mm
REPLACES / REEMPLAZA:
Valeo: 593175; **Mobiletron:** RP-22; **AS-Poland:** ARC3016; **Era:** 215933
APPLICATION / APLICACIÓN:
RENAULT: Clio I 1200 8V 1996>1999, Clio II 1200 8V 1998>1999, Megane 1400/1600 1996>1999, Laguna 1900 1998>1999, Espace III 2000 1997>2000;
VOLVO: S40 I 1.9 TD 1995>1999, V40 Estate 1.9 TD 1995>1999
ALTERNATOR / ALTERNATOR:
VALEO: 2541750, 2541825, 2541875, 2541882, 2541883, 2541905, 2541908, 2541937, 2541938, 2541942, 2541945, 2541976, 2541977, 2541978, 2541979, 2541983, 2541984, 2541985, 2541989, 2541999, 2542223, 2542231, 2542315, 2542316, 2542363, 2542366, 2542367, 2542368, 2542603, 2941983, A11V154, A11V176, A11V177, A11V179

VALEO
GA1276 // NEW //


FEATURES / CARACTERÍSTICAS: 90A, 6x50A Avalanche Diode, B+: M8X18.0mm. External diameter 108mm
REPLACES / REEMPLAZA:
Valeo: 593320; **Mobiletron:** RP-27; **AS-Poland:** ARC3015; **Era:** 215834
APPLICATION / APLICACIÓN:
MERCEDES-BENZ: A170 1700 1998>2001, A210 2100 Evolution 2002>2004, Vaneo 1700/1900 2002>2005
ALTERNATOR / ALTERNATOR:
VALEO: 2541922, 2541968, 2542286, 2542291, 2542347, 2542394, 2542396, 2542397, 2542398, 2542399, 2542400, 2542428, 2542429, 2542525, A13V1178, A13V1202, A13V1237, A13V1257

VALEO
GA1807


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A Avalanche (Zener)

REPLACES / REEMPLAZA:

Valeo: 593204; **Cargo:** 230031; **WAI/Transpo:** IPR841; **Magneti Marelli:** PR520570

APPLICATION / APLICACIÓN:

RENAULT: Clio 1.0 99>, Clio 1.0 16V 01>, Clio 1.6 without AC without DH 07/02>, Mégane 1.6 16V without AC, Scenic 1.6 without AC 02>, Kangoo 1.0 02>, Kangoo 1.6 without AC without DH 07/02>;

PEUGEOT: 206 1.0 without AC 10/02>

ALTERNATOR / ALTERNATOR:

VALEO: 439429, 439430

VOLTAGE REGULATOR:

GA984

VALEO - PARIS RHONE
GA1840


FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x35A 8x35A, Avalanche (Zener)

REPLACES / REEMPLAZA:

Valeo: 2 545 941, 545 940, 592 846, 592 847, A546860A, NF007; **Cargo:** 135518; **Lucas:** UBB252; **Magneti Marelli:** 940 038 316, PR520543; **Regitar:** RP-17; **WAI/Transpo:** IPR846

APPLICATION / APLICACIÓN:

CITROËN;

FIAT;


PEUGEOT

ALTERNATOR / ALTERNATOR:

VALEO: A11VI104, A11VI105, A11VI161, A11VI185, A11VI193, A13VI104, A13VI105, A13VI106, A13VI164, A13VI117, A13VI184, A13VI185, A13VI186, A13VI209, A13VI212, A13VI213, A13VI216, A13VI218, A13VI222, A13VI264, A13VI265, A13VI266, A13VI267, A13VI268, A13VI145, A13VI52, A13VI57

VOLTAGE REGULATOR:

GA501

VALEO - PARIS RHONE
GA1841


FEATURES / CARACTERÍSTICAS: 85A, Diodes Avalanche (Zener) 6x35A, with diode trio

REPLACES / REEMPLAZA:

Valeo Paris Rhone: 2546062, 2546076, 590933, 592844, 592845, 592917, 593163; **Cargo:** 135427, **Lucas:** 592915, UBB250, UBB251, UBB253; **Magneti Marelli:** 940 038 315, 940 038 326; **Peugeot:** 5744.C2; **Regitar:** RP-14; **WAI/Transpo:** IPR844

APPLICATION / APLICACIÓN:

AUDI: A4 1.6, 1.8 20V Turbo, A6 1.8T;

CITROËN: Saxo 1.0i, 1.1i, 1.4i, Xsara 1.4, Berlingo 1.1, Evasion 1.8, 2.0, ZX 1.1, 1.4, 1.6, 1.8, 2.0;

PEUGEOT: 106, 306, 405;

FIAT: Ulysse 1.8;

SEAT: Cordoba 1.9D, TD

ALTERNATOR / ALTERNATOR:

VALEO: 2514656, 2541273, 2541348, 2541416, 2541417, 2541420, 2541473, 2541475, 2541617, 2541620, 2541644, 2541655, 2541656, 2541658, 2541665, 2541676, 2541678, 2541680, 2541683, 2541696, 2541697, 2541699, 2541703, 2541724, 2541726, 2541741, 2541767, 2541793, 2541794, 2541801, 2541802, 2541812, 2541814, 2541815, 2541816, 2541821, 4236387, 436380, 436381, 436386, 436388, 436389, A13VI134, A13VI135, A13VI137, A13VI138, A13VI155, A13VI156, A13VI170, A13VI175, A13VI176, A13VI180, A13VI198, A13VI24, A13VI67, A13VI69, A13VI70, A13VI74, A13VI75, A13VI77, A13VI78, A13VI79; **LESTER:** 13458; **PIC:** 208590

VOLTAGE REGULATOR:

GA501

VALEO - PARIS RHONE
GA1842


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A, with diode trio

REPLACES / REEMPLAZA:

Valeo Paris Rhone: 135 293, 2 521 487, 2 523 972, 592 845, 592 915, A546062A, NF016, NF017; **Regitar:** RP-15; **Cargo:** 231736-135494; **WAI/Transpo:** MER592

APPLICATION / APLICACIÓN:

CITROËN: Saxo 1.0i, 1.1i, 1.4i, 1.5D, Xsara 1.4, 1.5D, Berlingo 1.1, AX 1.5D, ZX 1.1, 1.4, 1.5D;

PEUGEOT: 106 0.9, 1.1, 1.3, 1.4 XT, XSI, 1.6, 1.6 Xsi, 1.6 Rallye, 306 1.1, 1.4, 1.6, 405 1.4, Partner 1.1, 1.4;

AUDI: A4 1.6, 1.8 20V, 1.9 Di, TDI, A6 1.8T, 2.3 5 cyl quattro;


VW: Passat 1.6, 1.8 20V turbo, 1.9 TDI

ALTERNATOR / ALTERNATOR:

VALEO: 2541298, 2541299, 2541410, 2541415, 2541447, 2541457, 2541458, 2541459, 2541461, 436257, 436258, 436260, 436338, 436339, 436345, 436363, 436364, 436379, A11VI10, A11VI11, A11VI21, A11VI22, 11VI23, A11VI24, A11VI25, A11VI35, A11VI36, A11VI62, A11VI66, A13N217, A13VI108, A13VI109, A13VI114, A13VI121, A13VI123, A13VI124, A13VI125, A13VI132, A13VI140, A13VI140, A13VI141, A13VI144, A13VI146, A13VI149, A13VI51, A13VI60, A13VI61, A13VI68, A13VI71, A13VI80, A13VI81, A13VI83, A13VI84, A13VI96

VOLTAGE REGULATOR:

GA501

VALEO - PARIS RHONE
GA1843


FEATURES / CARACTERÍSTICAS: 85A, Diodes Avalanche (Zener) 6x35A, with diode trio

REPLACES / REEMPLAZA:

Valeo Paris Rhone: 2546048, 546041, 592848, 592915, 592916, NF009; **Cargo:** 135278; **Lucas:** UBB254; **Magneti Marelli:** 940 038 318; **Regitar:** RP-37; **WAI/Transpo:** IPR848

APPLICATION / APLICACIÓN:

CITROËN: Saxo 1.4, ZX 1.8, 1.9d;

PEUGEOT: 405 1.6, 1.8i;

SEAT: Arosa 1.0, 1.4, Cordoba 1.0, 1.6, 1.8, 1.9, Ibiza 1.0, 1.4, 1.6, 1.8, 2.0, Inca 1.4i, 1.6i, Toledo 1.6, 1.8, 1.9;

VW: Golf 1.4i, 1.6, 1.8i, 2.0, Passat 1.6, 1.8, 1.9td, 2.0 92-97, Polo 1.0, 1.3, 1.4, Polo Classic 1.6 95-99

ALTERNATOR / ALTERNATOR:

VALEO: 2541355, 2541356, 2541360, 2541361, 2541362, 2541455, 2541731, 2541738, 2541739, 2541740, 2541758, 2541759, 2541784, 2541785, 436259, 436261, 436336, 436340, 436346, 436362, A11VI15, A11VI16, A11VI17, A11VI18, A11VI47, A11VI48, A13VI101, A13VI102, A13VI31, A13VI48, A13VI85, A13VI86, A13VI87, A13VI88, A13VI94

VOLTAGE REGULATOR:

GA501

VALEO
GA1808


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A Avalanche (Zener)

REPLACES / REEMPLAZA:

Valeo: 593508

APPLICATION / APLICACIÓN:

FIAT: Dobló 1.8 SOHC, OHC I 01/01>, Palio 1.8 SOHC, OHC I 02>, Stilo 1.8 02>, Strada 1.8 02>, Ducato 2.8 SOHC 03;

GM: Meriva 1.8 10/02>, Corsa sedan 1.0, 1.0 16V, 1.6, 1.6 16V 04>, Corsa 1.0 e 8 e 16V, 94>, Novo Corsa 1.0, 1.8, Sedan 02>, Celta 1.0 OHC, VHC 00>, Celta 1.4 VHC 00>, Corsa Wagon 1.0, 1.0 16V, 1.6, 1.6 16V 04>, Corsa 1.4, 1.6, 1.6 16V 94>, Corsa pick up 1.6, 1.6 16V 94>

ALTERNATOR / ALTERNATOR:

VALEO: 439512, 439513, 439514

VOLTAGE REGULATOR:

GA905 / GA984

VALEO
GA1809


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A Avalanche (Zener)

REPLACES / REEMPLAZA:

Valeo: 593408; **Regitar:** RP-62; **Cargo:** 235521; **WAI/Transpo:** MER528

APPLICATION / APLICACIÓN:

RENAULT: Kangoo 1.6 with AC 12/00>, Mégane 1.6 16V with AC 00>, Mégane 2.0 with AC 12/02>, Scenic 1.6 with AC 00>, Scenic 2.0 with AC 12/02>, Clio 1.6 with AC 12/00>

ALTERNATOR / ALTERNATOR:

VALEO: 439431, 430396

VOLTAGE REGULATOR:

GA911 / GA984

VALEO
GA1810


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A Avalanche (Zener)

REPLACES / REEMPLAZA:

Valeo: 493810

APPLICATION / APLICACIÓN:

FORD: EcoSport 1.0 Superc, 1.6 03>, Novo Fiesta, Sedan 1.0 supercharger

ALTERNATOR / ALTERNATOR:

VALEO: 439465

VOLTAGE REGULATOR:

GA984

VALEO
GA1811


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x35A Avalanche (Zener)

REPLACES / REEMPLAZA:

Valeo: 593509; **Regitar:** RP-59; **WAI/Transpo:** MER520

APPLICATION / APLICACIÓN:

PEUGEOT: 206 1.6 16V 01>, Partner 01>, 206 1.4 03>

ALTERNATOR / ALTERNATOR:

VALEO: 439515

VOLTAGE REGULATOR:

GA939

VALEO
GA1812


FEATURES / CARACTERÍSTICAS: 90A, Diodos avalanche 3x35A, M8x30 B+ Parafusos

REPLACES / REEMPLAZA:

Hyundai: 373602B100

APPLICATION / APLICACIÓN:

HYUNDAI: HB20 1.6 16V >2012, HB20 1.0 Turbo 2016>, i30 1.6 >2009

KIA: Soul 1.6 2009, Cerato 1.6 16V >2009

ALTERNATOR / ALTERNATOR:

VALEO: 26555447; **HYUNDAI:** 37300-2B101

VOLTAGE REGULATOR:

GA950

VALEO
GA1813


FEATURES / CARACTERÍSTICAS: 120A, Diodos 6x50A Avalanche (Zener), Parafuso B+ M8

REPLACES / REEMPLAZA:

-

APPLICATION / APLICACIÓN:

KIA: Soul 2.0L;

HYUNDAI: I-30 2009>, Elantra 2.0 2007-2012

ALTERNATOR / ALTERNATOR:

VALEO: 2655635, 37300-23650

VOLTAGE REGULATOR:

GA913

VALEO
GA1815


FEATURES / CARACTERÍSTICAS: 120A, Diodos 6x35A Avalanche (Zener)

REPLACES / REEMPLAZA:

Valeo: 493815

APPLICATION / APLICACIÓN:

FORD: EcoSport 2.0 04>, Escort, SW 1.6 Zetec Rocam 00>, Fiesta, Sedan 1.0, 1.6 with AC 99>, Novo Fiesta, Sedan 1.0, 1.6 with AC 01>, Ka 1.0, 1.6 Zetec Rocam with AC 10/02>, Courier Zetec Rocam 1.6, 1.0 07/99>

ALTERNATOR / ALTERNATOR:

VALEO: 439466

VOLTAGE REGULATOR:

GA984

VALEO
GA1819


FEATURES / CARACTERÍSTICAS: 100A, Diodos 8x35A Avalanche (Zener), with diode trio

REPLACES / REEMPLAZA:

Valeo: 493819; **Cargo:** 235886; **WAI/Transpo:** MER540

APPLICATION / APLICACIÓN:

GM: Corsa 1.0 e 1.6 all with AC 94>, Blazer/ S10 Gas 2.0 97>, Astra 1.8, 2.0 16V, 2.0 99>, Omega/ suprema 3.0/4.1 09/92>, Vectra 2.0/2.8/ 16 V 93>, Meriva 1.4 2008

ALTERNATOR / ALTERNATOR:

VALEO: 439427, 93312974, SG9B082

VOLTAGE REGULATOR:

GA911

VALEO
GA1820


FEATURES / CARACTERÍSTICAS: 120A, Diodos 6x35A Avalanche (Zener)

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

PEUGEOT: 207, 307

ALTERNATOR / ALTERNATOR:

2610426, SG9B127

VOLTAGE REGULATOR:

GA905 / GA930

VALEO
GA1823


FEATURES / CARACTERÍSTICAS: 100A, Diodos 8x35A Avalanche (Zener), with diode trio

REPLACES / REEMPLAZA:

Valeo: 493823; **Magneti Marelli:** PR520566

APPLICATION / APLICACIÓN:

NISSAN: Nissan Frontier 2.8 TD MWM 10/02>, Nissan X Terra 2.8 TD MWM 10/02>;

GM: Blazer/ S10 Diesel 2.8 00>;

TROLLER: Troller T4/T4M/ vehiculos especiales 10/02>, Meriva 1.4 2008

ALTERNATOR / ALTERNATOR:


VALEO: 439428, 93312974, SG9B082

VOLTAGE REGULATOR:

GA911 / GA920

VALEO
GA1825


FEATURES / CARACTERÍSTICAS: 100A, Diodos 8x35A Avalanche (Zener)
REPLACES / REEMPLAZA:
Valeo: 493825
APPLICATION / APLICACIÓN:
FIAT: Dobló 1.8 OHC I 03>, Palio 1.8 OHC I 02>, Stilo 1.8 03>;
GM: New Corsa, Sedan 1.0 02>
ALTERNATOR / ALTERNATOR:
VALEO: 439517, 439519
VOLTAGE REGULATOR:
 GA905

VALEO
GA1826


FEATURES / CARACTERÍSTICAS: 105A, 3x35A avalanche diodes, M8x30 B+ bolt
REPLACES / REEMPLAZA:
 -
APPLICATION / APLICACIÓN:
Hyundai: Tucson, Sportage, Cerato
ALTERNATOR / ALTERNATOR:
Valeo: 2655023, 2455023, 2655474, TG9S018
VOLTAGE REGULATOR:
 GA921

VALEO
GA1830


FEATURES / CARACTERÍSTICAS: 120A, Diodos 6x50A Avalanche (Zener)
REPLACES / REEMPLAZA:
Valeo: 493830; **WAI/Transpo:** MER538
APPLICATION / APLICACIÓN:
GM: New Corsa, Sedan 1.8 02>, Meriva 1.8 02>
ALTERNATOR / ALTERNATOR:
VALEO: 439 520, 439522, SG9B083
VOLTAGE REGULATOR:
 GA905

VALEO
GA1831


FEATURES / CARACTERÍSTICAS: 120A, Diodos Avalanche 3x50A, M8x30 B+ Parafusos
REPLACES / REEMPLAZA:
Valeo: 2626949
APPLICATION / APLICACIÓN:
FORD: Focus 2.0, New Fiesta, Eco Sport Titanium; **PEUGEOT:** 208 1.2 2017
ALTERNATOR / ALTERNATOR:
VALEO: 2605459-A, TG12C106, TG12C108; **FORD:** AE8T-10300-BA, CN1510300CC; **PEUGEOT:** 9670899580
VOLTAGE REGULATOR:
 GA906

VALEO
GA1832


FEATURES / CARACTERÍSTICAS: 120A, Diodos 6x50A Avalanche (Zener)
REPLACES / REEMPLAZA:
Valeo: 493832; **Cargo:** 235555; **WAI/Transpo:** MER529
APPLICATION / APLICACIÓN:
PEUGEOT: 206 1.6 16V 01>;
CITROËN: Xzara Picasso 2.0L with AC
ALTERNATOR / ALTERNATOR:
VALEO: 439445, 439521
VOLTAGE REGULATOR:
 GA939 / GA980

VALEO
GA1853


FEATURES / CARACTERÍSTICAS: 90A, 6x50A, B+: M8x13mm
REPLACES / REEMPLAZA:
Cargo: 236997; **AS-Poland:** ARC3056; **Transpo:** MER533
APPLICATION / APLICACIÓN:
FIAT: 500 1.3 2007>2015, Grande Punto 1.3 2005>2015, Idea 1.3 2004>2015, Linea 1.3 2007>2015, Punto Evo 1.3 2009>2012, Strada 1.3 2006>2015
LANCIA: Musa 1.3 2004>2015, Ypsilon 1.3 2003>2015
OPEL: Agila A 1.3 2003>2008, Astra H 1.3 2005>2010, Combo C 1.3 2003>2015, Meriva A 1.3 2003>2010, Tigra B 1.3 2005>2015
ALTERNATOR / ALTERNATOR:
FIAT: 55185076
CHEVROLET: 13117279, 13283344BW, 704042419
OPEL: 13283344BW

VALEO
GA1854


FEATURES / CARACTERÍSTICAS: 90A, 6x35A, Avalanche Diode B+: M8x15.2mm

REPLACES / REEMPLAZA:

Valeo: 235653, 593530

APPLICATION / APLICACIÓN:

CITROËN: Berlingo 1.4 2002>2005, C1 1.4 2005>2014, C5 1.8/2.0 16V 2001>2004, C8 2.0/2.2 2002, Nemo box/estate 1.4 2009, Xsara break/coupe 1.6 16V 2000>2004, Xsara picasso 1.8 16V 2000>2006

FIAT: Scudo box 1.9 2004>2006, Ulysse 2.0 2002>2011

ALTERNATOR / ALTERNATOR:

VALEO: SG10B022

CITROËN: 9642880180, 9655858280, 9665580680, 5705 5V, 5705 7E, 5705 7F

FIAT: 9642880480, 9649611280

VALEO
GA1883


FEATURES / CARACTERÍSTICAS: 85A, Diodes 6x35A Avalanche (Zener)

REPLACES / REEMPLAZA:

Valeo: 593483; **WAI/Transpo:** MER536

APPLICATION / APLICACIÓN:

VW: Gol 1.0 e 1.6 with AC without DH 03>, Polo 1.0/ 1.6 with AC without DH 03>, Fox 1.0/ 1.6 with AC without DH 03>, Golf 1.6 with AC without DH 99>

ALTERNATOR / ALTERNATOR:

VALEO: 439439

VALEO
GA1884


FEATURES / CARACTERÍSTICAS: 120A, Diodes 6x50A Avalanche (Zener)

REPLACES / REEMPLAZA:

Valeo: 593482

APPLICATION / APLICACIÓN:

VW: Polo, Polo Sedan 1.0L 16V, 1.6L with AR, Fox 1.0L 16V with AR with DH

ALTERNATOR / ALTERNATOR:

VALEO: 439445

VOLTAGE REGULATOR:

GA980

VALEO
GA1885


FEATURES / CARACTERÍSTICAS: 120A, Diodes Avalanche 3x50A, M8x30 B+ Parafusos

REPLACES / REEMPLAZA:

-

APPLICATION / APLICACIÓN:

RENAULT: Megane, Scenic 2.0 16V >2007, Grand Scenic 1.6 >2004, Kangoo 1.6 >2008

ALTERNATOR / ALTERNATOR:

VALEO: TG11C060, 2543551F, TG11C065, TG11C069, TG11C039, TG9B053, TG11S142; **VW:** 04C 903 024A

VOLTAGE REGULATOR:

GA985

VALEO
GA1886


FEATURES / CARACTERÍSTICAS: 105A, 3x35A Avalanche Diodes, B+ M6x15

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

Toyota: Etios

ALTERNATOR / ALTERNATOR:

Valeo: FG7T010;

Toyota: 27060-0Y110

VALEO

GA1887

FEATURES / CARACTERÍSTICAS: 70A, 3x35A Avalanche Diodes

REPLACES / REEMPLAZA:

...

APPLICATION / APLICACIÓN:

KIA: Picanto 1.0 2008>

ALTERNATOR / ALTERNATOR:
2655517

VOLTAGE REGULATOR:
GA293

VALEO

GA1998

FEATURES / CARACTERÍSTICAS: 90A, 6X 35A Avalanche Diodes

REPLACES / REEMPLAZA:

GM: 94 700 046, 94 700 045

APPLICATION / APLICACIÓN:

Chevrolet: Corsa, Agile, Montana, Meriva without A/C 1.4/1.8

ALTERNATOR / ALTERNATOR:

Valeo: 2605231, SG9B114, 2605232, SG9B115

VOLTAGE REGULATOR:
GA998

VISTEON

GA1890

FEATURES / CARACTERÍSTICAS: 95A, Diodes 8x35A Avalanche (Zener), B+ Post M6

REPLACES / REEMPLAZA:

Regitar: RF-19H; **WAI/Transpo:** FR6100

APPLICATION / APLICACIÓN:

FORD: Fiesta, Ka, EcoSport

ALTERNATOR / ALTERNATOR:

20 150 01005, 1S7T-10300-BA, 1S7Z-10346-BC

VOLTAGE REGULATOR:
GA350 / GA360

VISTEON

GA1891

FEATURES / CARACTERÍSTICAS: 140A, Avalanche Diodes 8x50A, B+ Bolt M6, Ø 114mm

REPLACES / REEMPLAZA:

Regitar: RF-18HV

APPLICATION / APLICACIÓN:

FORD: Focus I, Mondeo, EcoSport

ALTERNATOR / ALTERNATOR:

Ford: 1S7T10300BA, 1S7T10300BB, 1S7T10300BC, 1S7T10300BD, 1S7Z10346BC, 1S7TBA, 1S7TBB, 1S7TBC, 1S7TBD, 2S6T10300AA, 2S6T10300AC, 2S6T10300FA, 2S6T10300FB, 2S6T10300FC, 2T1U10300BB, 2T1U10300BC, 2T1U10300BD, 3S5T10300AA, 3S6T10300AA, 3S6T10300AB, 5S6Y10300AA, 5S6Y10300AB, 5S6Y10300AC, 5S6Y10300AD; Visteon: 2015001001, 2015001002, 2015001003, 2015001005, 1120211, 1140696, 1151212, 1464779

VOLTAGE REGULATOR:
GA350

